



Second hand machines for screen printing and pad printings

04-2021





Light and Mounting Table, 80x80

Model: 16A022

Lighting area: 80x80cm, sturdy steel tube construction with glass plate on top and manual tilt adjustment, outside dimension: approx. 90x90cm, 230V, 50Hz, used, older model, good condition.

Used machines and demonstration models are subject to prior sale without notice.

650,00 EUR excl. 19% VAT plus shipping costs



Computer-To-Screen Unit LÜSCHER JetScreen CTS 70/38

Model: 17A018

The printing form production is made directly from the computer onto the stencil. The wax spraying system with the CTS technology (warming up of the wax) enables a fast, precise, reprofilm-free, digital and electrical production of the stencils. Stencil size: max. 3800x7000mm, resolution: up to 600dpi, connection: 400V, 50Hz, rarely used, year of construction: 2001, good condition.

80.000,00 EUR excl. 19% VAT plus shipping costs



Retouching Stand, 110x140
Model: 15C005
made of synthetic material, max. screen frame size: 110x140cm, with steel-tube stand, with adustable aluminium positioning rails, 230V, 50Hz, demonsration model, special price.
Used machines and demonstration models are subject to prior sale without notice.
1.895,00 EUR excl. 19% VAT plus shipping costs



Retouching Stand, 140x180
Model: 15C006
made of synthetic material, max. screen frame size: 140x180cm, with steel-tube stand, with adustable aluminium positioning rails, 230V, 50Hz, demonsration model, special price.
Used machines and demonstration models are subject to prior sale without notice.
1.995,00 EUR excl. 19% VAT plus shipping costs

Exposure Units > Developing and Decoating Basin > Second Hand



Developing and Decoating Basin Model LABOR, 60x80
Model: 12D026
made of PP, with illumination from the back, for max. screen frames 60x80cm, basin o.d. 80cm wide x 78cm deep x 200cm high, incl. hand shower with hose, 230V, 50Hz, 0,2kW. Unused demonstration model, special price
Used machines and demonstration models are subject to prior sale without notice.
1.690,00 EUR excl. 19% VAT plus shipping costs



Developing and Decoating Basin model SIMPLA, 110x140
Model: 13B032
with illumination from the back, made of PP, for max. screen size 110x140cm, with open steel-tube support, 230V, 50Hz, 0.4kW. Demonstration model, special price.
Used machines and demonstration models are subject to prior sale without notice.
2.150,00 EUR excl. 19% VAT plus shipping costs



Developing and Decoating Basin model SIMPLA, 140x180
Model: 15C007
with illumination from the back, made of PP, for max. screen size 140x180cm, with open steel-tube support, 230V, 50Hz, 0.4kW. Demonstration model, special price.
Used machines and demonstration models are subject to prior sale without notice.
2.490,00 EUR excl. 19% VAT plus shipping costs



Combined Exposure Unit, Model SSE, 120x145, 3.5kW
Model: 13A026
screen drying cabinet with 4drawers as support, direct-contact exposure unit on top, with quickstart lamp 3.5kW, compl. with light dosing device model AKTITRON S16E with 16programs as well as UV measuring sensor, with light protection curtain, for max. screen frames 120x145cm, connection: 400V, 50Hz, 32ampere. Unused demonstration model, special price
Used machines and demonstration models are subject to prior sale without notice.
11.300,00 EUR excl. 19% VAT plus shipping costs



Combined Exposure Unit Model TECHNIGRAF, 53x73
Model: 16B002
Consisting of screen drying cabinet with 5drawers in the support, direct-contact exposure unit on top, with MH quick-start lamp 1,5kW, completely with light dosing device and UV measuring sensor, with surrounding light protection curtain, for max. screen size approx. 53x73cm (glass plate internal 70x90cm), connection: 230V, 16ampere, used, very good condition.
Used machines and demonstration models are subject to prior sale without notice.
3.900,00 EUR excl. 19% VAT plus shipping costs



Compact Exposure Unit, Model TECHNIGRAF, 45x65
Model: 17A005
table-top model without stand (to be placed on existing table), with hanging exposure lamp AKTICOP 3500W (quick start lamp), complete with light protection curtain, glass frame easy to hinge by gas springs, suitable for screen frame: approx. 45x65cm, internal glass plate: approx. 59x79cm, with digital exposure timer, connection: 230V, 50Hz, 16A, used, medium to good condition.
Used machines and demonstration models are subject to prior sale without notice.
2.400,00 EUR excl. 19% VAT plus shipping costs



Computer-To-Screen Unit LÜSCHER JetScreen CTS 70/38
Model: 17A018
The printing form production is made directly from the computer onto the stencil. The wax spraying system with the CTS technology (warming up of the wax) enables a fast, precise, reprofilm-free, digital and electrical production of the stencils. Stencil size: max. 3800x7000mm, resolution: up to 600dpi, connection: 400V, 50Hz, rarely used, year of construction: 2001, good condition.
Used machines and demonstration models are subject to prior sale without notice.
80.000,00 EUR excl. 19% VAT plus shipping costs



Vacuum Exposure Unit, Table-top Model, 80x100
Model: 12C002
suitable for screen frames 80x100cm, to be placed on existing table, with vacuum pump: 4cbm, connection: 230V, 50Hz, demonstration model, special price.
Used machines and demonstration models are subject to prior sale without notice.
1.850,00 EUR excl. 19% VAT plus shipping costs

Exposure Units > Exposure Device > Second Hand



UV Tube Exposure Unit, 65x105
Model: 19A012
suitable for simple lines and rough halftone copies, with carburize rubber blanket, with yellow built-in light source, powerful vacuum pump, exposure timer, manual/automatic switch, with 6 actinic UV tubes, each 40watts, for max. screen size: 65x105cm, completely with steel tube support and storage board, connection: 230V, 50Hz, demonstation model, special price.
3.680,00 EUR excl. 19% VAT plus shipping costs



UV Tube Exposure Unit, 80x 120
Model: 20B002
suitable for simple lines and rough halftone copies, with carburize rubber blanket, with yellow built-in light source, powerful vacuum pump, exposure timer, manual/automatic switch, with 6 actinic UV tubes, each 40watts, for max. screen size: 80x 120cm, completely with steel tube support and storage board, connection: 230V, 50Hz, demonstation model, special price.
3.780,00 EUR excl. 19% VAT plus shipping costs



MH-Exposure Lamp TECHNIGRAF Akticop-S 5500 W
Model: 08A044
quickstart lamp with height-adjustable movable tripod, complete with digital timer, 5,5kW, 400V, 50Hz. Unused demonstration model, special price
Used machines and demonstration models are subject to prior sale without notice.
4.170,00 EUR excl. 19% VAT plus shipping costs



MH Exposure Lamp TECHNIGRAF Akticop-S 3500W
Model: 08A045
Quickstart lamp with height-adjustable movable tripod and digital timer, 3,5kW, 400V, 50Hz. Unused demonstration model, special price
Used machines and demonstration models are subject to prior sale without notice.
3.465,00 EUR excl. 19% VAT plus shipping costs



Automatic Coating Machine, Model GRÜNIG G 420 TRP

Model: 19B001


for max. screen frames 190cm high x 300cm wide, for flatwise depositing the screen frames, electronic 1-column machine with different coating programs, with 4 sets coating troughs. Year of construction 1996, technically and optically very good condition.

Used machines and demonstration models are subject to prior sale without notice.

14.500,00 EUR excl. 19% VAT plus shipping costs



Manual table-top printer model HANKY TP 45
Model: 09A014
with aluminium printing bed without vacuum, printing bed 45 x 60 cm, with height-adjustable screen hinge with counter balance. Unused demonstration model, special price.
Used machines and demonstration models are subject to prior sale without notice.
750,00 EUR excl. 19% VAT plus shipping costs



Manual Table-Top Printer, Model TIC SF-200H
Model: 12A047
with aluminium printing bed without vacuum, with shift possibility, printing bed 20x26cm, height-adjustable screen hinge with counter balance, screen frame and squeegee not included! Unused demonstration model, special price.
Used machines and demonstration models are subject to prior sale without notice.
460,00 EUR excl. 19% VAT plus shipping costs



Precision Printing Table with One-Hand Squeegee for Crates
Model: 17A017
Manual printing table for printing the long and short side of the crates at the same time. Printing size: 30x30cm, max. frame size: 60x50cm, equipped with 2screen holders, each with 4knurled screws for solid frame fixation, with micro-adjustment for exact multi-colour and register printing, incl. precision position retainer, with one-hand squeegee for exact and fast full-size printing of the crates.
6.500,00 EUR excl. 19% VAT plus shipping costs



Manual Printing Table Model SIMPLEX I, 230V, 50x70
Model: 18B007
printing size: 50x70cm, with aluminium vacuum printing bed 70x90cm, with steel-tube support, three-dimensional screen hinge with counter balance, vacuum: 230V, 50Hz, unused demonstration model, special price.
2.740,00 EUR excl. 19% VAT plus shipping costs



Manual Printing Table SIMPLEX I, 400V, 70x100
Model: 20B005
With aluminium vacuum printing bed, steel-tube support and three-dimensional screen hinge with counter balance. Printing size: 70x100cm, printing bed: 90x120cm, vacuum: 400V, 50Hz. Demonstration model, special price
3.195,00 EUR excl. 19% VAT plus shipping costs

Screen Printing Machines > Semi-automatic Screen Printing Machine > Second Hand



Semi-Automatic Screen Printing Machine Model TIC SFM 550 DE
Model: 10C014
parallel lift, cross running squeegee unit, motor controlled squeegee movement, height-adjustable upper frame and slot-stone printing bed as well as vacuum printing bed with vacuum pump, printing size 300x450mm, machine with support and safety bars at the sides, 230V, 50Hz. Demonstration model, special price.
Bei Gebraucht- und Vorführgeräten bleibt der Zwischenverkauf vorbehalten!
7.980,00 EUR excl. 19% VAT plus shipping costs



Semi-Automatic Universal Screen Printing Machine SFM 650 DHE
Model: 12B009
Flat printing machine, parallel lift, electro pneumatic control, printing size: 400x600mm, printing bed: 490x790mm, with motor squeegee motion, with feeding table incl. x/y-adjustment and height adjustment up to approx. 300mm, max. height of printing objects: approx. 450mm, feeding table with adjustable slot-stone printing bed. Machine with base frame and safety bar sideways, compressed air: 6bar, 230V, 50Hz, demonstration model, special price.
Used machines and demonstration models are subject to prior sale without notice.
9.500,00 EUR excl. 19% VAT plus shipping costs



Semi-Automatic Screen Printing Machine SIRIMAC 4560E
Model: 14D012
printing size: 45x60cm, vacuum printing bed: 60x80cm, max. screen frames: 75x100cm, electro pneumatic machine, parallel lift, screen frame up and down motion via gear-self-braking motor, with cross-running squeegee unit, squeegee drive motor adjustable, print and flood speed separately adjustable, squeegee stroke adjustable via limit switches, pneumatic squeegee reverse, pneumatic print and flood pressure adjustable via manometer, squeegee and floodbar with fast-clamping system, with adjustable screen lift, with pre-vacuum procedure, pre-squeegee function, multiple printing, with pneumatic frame clamping, 400V, 50Hz, 10A, compressed air 6bar necessary! Demonstration model, special price.
Used machines and demonstration models are subject to prior sale without notice.
14.300,00 EUR excl. 19% VAT plus shipping costs



Semi-Automatic Universal Screen Printing Machine SFM 650 DE

Model: 15B015

Flat printing machine, parallel lifting upper frame, electro pneumatic control, printing size: 400x600mm, printing bed: 490x790mm, screen frame size: max. 650x950mm, with motor squeegee motion, with slot-stone printing bed incl. x/y adjustment as well as vacuum printing bed with vacuum pump, with pneumatic squeegee pressure control, max. height of printing objects: approx. 100mm, machine with support and safety bars sideways. Demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

9.650,00 EUR excl. 19% VAT plus shipping costs



Semi-Automatic Screen Printing Machine PRINTEK TP-700FHVS

Model: 15D002

parallel lift, height-adjustable printing bed, upper frame height-adjustable up to object heights of approx. 350 mm, with vacuum printing bed, cross-running squeegee unit, squeegee stroke adjustment, squeegee system with fast-clamping equipment, printing size: 40x60cm, printing bed: 50x70cm, max. screen frame size: approx. 65x85cm, electro-pneumatic machine, with separately switch and control board, compressed air 6bar and 230V necessary, equipped with 1set of squeegees and flood bars. Year of construction: 2004, used, partly overhauled, very good condition.

4.900,00 EUR excl. 19% VAT plus shipping costs



Semi-automatic screen printing machine SIAS VERTOMATIC

Model: 21A002

parallel lift, fix printing bed, up and down motion of the upper frame for each printing cycle. Printing size approx. 50 x 100 cm, printing bed 70 x 120 cm, max. screen size 80 x 140 cm, electro-mechanical machine with pneumatic squeegee reverse, adjustable squeegee speed, pneumatic screen clamping. Used (year of manufacture: 2005) technically and optically in good condition.

4.500,00 EUR excl. 19% VAT plus shipping costs



Semi-automatic Screen Printing Machine THIEME 520
Model: 21A019
angular lift, printing size: 75x105cm, electro-pneumatic machine with height-adjustable vacuum printing bed (for objects up to 40mm), with blow air device at vacuum table, printing bed: 100x125cm, vacuum field: 80x100cm, max. size of screen frames: 120x140cm, with squeegee pressure control, electronically adjustable squeegee and flood bar speed, infinitely adjustable squeegee stroke, simple screen frame insertion from the front, equipped with 3sets of squeegees and floodbars, 400V and compressed air 6bar necessary. Used, year of construction: 1996, very good condition.
8.500,00 EUR excl. 19% VAT plus shipping costs



Semi-Automatic Screen Printing Machine TIC SCF 550 DE
Model: 03H019
machine with parallel lift and cross-running squeegee unit, with height-adjustable upper frame, adjustable for curve and flat printing machines, with slot-stone printing bed and vacuum printing bed with vacuum pump. Printing size: approx. 300x450mm, printing bed approx. 390x590mm, electro-pneumatic drive, 230V, 50Hz. Unused demonstration model, special price.
Bei Gebrauch- und Vorführgeräten bleibt der Zwischenverkauf vorbehalten!
8.800,00 EUR excl. 19% VAT plus shipping costs



Semi-automatic Screen Printing Machine TIC SCF 300 DE
Model: 07A054
with electro-pneumatic drive, upper frame with parallel lift, with roll pedestal and rack and pinion drive, suitable for curve printing up to ø 90mm, also for flat printing with printing size approx. 200x300mm, with slot-stone printing bed and additional with vacuum printing bed and turbine, 230V, 50Hz. Unused demonstration model, special price
Used machines and demonstration models are subject to prior sale without notice.
6.920,00 EUR excl. 19% VAT plus shipping costs



Semi-Automatic Screen Printing Machine TIC SCF 550 DHE
Model: 12B010
parallel lift, electro-pneumatic machine, with cross-running squeegee unit, suitable for flat or surround printing, with height-adjustable upper frame and height-adjustable printing bed (so also suitable for boxes and similar), equipped with slot stone printing bed and vacuum printing bed, printing size approx. 300x450mm, printing bed overall: approx. 390x590mm, machine with support, upper frame with all-around safety bars sideways, compressed air 6bar necessary, connection: 230V, 50Hz, demonstration model, special price
Used machines and demonstration models are subject to prior sale without notice.
9.500,00 EUR excl. 19% VAT plus shipping costs



Semi-Automatic Universal Screen Printing Machine SCF550DHE R	
Model: 20A008	
<p>Electro-pneumatic machine, curve printing machine with micro-processor control. Flat printing machine with slot-stone printing bed (option: vacuum printing bed), curve printing machine with universal reception for cylindrical objects, as well as rack and pinion drive for multi-colour job printing, incl. blow up equipment, printing movements during set-up operation separately adjustable, squeegee stroke, squeegee speed and floodbar infinitely adjustable, keyboard operation with pneumatic control. Printing size: 300x450mm or printing diameter: 160x300mm, max. screen frame size: 730x530x30mm. Machine with under frame as well as height-adjustable feed table incl. XY-adjusting possibility. Height adjustment of the feed table approx. 300mm, therefore max. height of the printing object approx. 450mm, upper frame sideways with all-around safety bars, equipped with 3squeegee sets. Incl. in delivery: cure printing reception, suitable for example fire extinguishers with ø from 110mm to 195mm. Curve printing reception consisting of mounted spindle lift table with unscrewed ball-bearing cone rolls. Connection: 230V, 50Hz, compressed air 6bar necessary, used, good condition, special price.</p>	
<p>6.900,00 EUR excl. 19% VAT plus shipping costs</p>	

Screen Printing Machines > 3/4-Automatic Screen Printing Machine > Second Hand



3/4-Automatic Screen Printing Machine ATMA PC67

Model: 20B016

Precision screen printing machine with retractable and extendable table plate, with parallel frame lifting, mechanical gripper system and conveyor belt to the back. Precise flat printing machine suitable for all common materials and also for substrates or keyboards. Machine with squeegee press control and electronically adjustable squeegee speed, squeegee stroke electronically adjustable. All functions controllable via touch screen display. Equipped with pneumatic screen frame clamping and anti drip system. With Teknek cleaning system of 55 cm cleaning wide. Adjustable height of printing objects: up to 20mm, screen frame size: max. 1100x1100mm, printing size: max. 600x720mm, printing bed: approx. 800x900mm, 400V, 50Hz, compressed air 6bar necessary! Used, year of construction: 2012, very good condition.

Used machines and demonstration models are subject to prior sale without notice.

0,00 EUR excl. 19% VAT plus shipping costs



3/4-autom. screen printing machine THIEME 3030H

Model: 20C004

printing size 100 x 140 cm, machine with parallel lift and movable printing bed, gripper system and belt delivery at the back, with infinitely adjustable squeegee stroke and pneumatic squeegee pressure control. Screen insertion from the front, with pneumatic screen fixing, operation panel with keypad, can be used either from the left or from the right side. Max. sheet size: 103x 142cm, max. screen frame size: 145x 175cm, with 3sets of squeegee and flood bar. Connection 380/400V, 50Hz, compressed air of 6bar necessary! Year of manufacture: 1989, used, medium condition.

29.000,00 EUR excl. 19% VAT plus shipping costs



3/4-automatic screen printing machine THIEME 3020, 70x100

Model: 20C005

printing size 70 x 100 cm, parallel lift, slideable printing bed, with gripper system and belt delivery to the left, with separate switch box, electro-mechanical machine, infinitely adjustable squeegee stroke via limit switches, adjustable squeegee speed via variable speed gear drive, with 3 sets squeegees and floodbars. Year of manufacture: 1988, medium condition.

9.500,00 EUR excl. 19% VAT plus shipping costs



Manual T-Shirt printer, model 4/4

Model: 03A651

with 4 revolving screen holders and 4 revolving pallet holders, 8 wooden pallets, simple t-shirt carousel, unused demonstration model.

Used machines and demonstration models are subject to prior sale without notice

2.490,00 EUR excl. 19% VAT plus shipping costs



Manual T-Shirt-Printer MINITEX

Model: 03H153

table-top model, 1 colour. Unused demonstration model, special price

Used machines and demonstration models are subject to prior sale without notice.

530,00 EUR excl. 19% VAT plus shipping costs



Cleaning Device, model Schenk, type R-TS

Model: 12D035

For cleaning and exhausting of flocked textiles, used, very good condition.

Used machines and demonstration models are subject to prior sale without notice.

2.500,00 EUR excl. 19% VAT plus shipping costs

Pad Printing > Pad Printing Machines > Second Hand



Pad Printing Machine TIC 161 SCE
Model: 10C012
1-colour-machine, table-top model, electro pneumatic control, closed ink system, ink cup: ø 55mm, clichée size: 80x150mm, height adjustable cross feeding table, 230V, 50Hz, pad pressure 26kgs when 6bar. Demonstration model, special price
Used machines and demonstration models are subject to prior sale without notice.
2.100,00 EUR excl. 19% VAT plus shipping costs



Pad Printing Machine TIC 183 SEL
Model: 10D007
2-colour-machine, table-top model, electro pneumatic control, clear display with microprocessor control, open ink system, clichée size 2x100x100mm (option: 1x250x100mm), height-adjustable pneumatic controlled sliding table, machine with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air 6bar, 230V, 50Hz, pad pressure 105kgs when 6bar. Demonstration model, special price.
Video shows closed system TIC 183 SCEL
Used machines and demonstration models are subject to prior sale without notice.
5.400,00 EUR excl. 19% VAT plus shipping costs



Pad Printing Machine TIC 195 SDEL
Model: 12A014
1-colour-machine, stand model, electro pneumatic control, open ink system, clichée size: 150x200mm (option: up to 450x200mm), with cross feeding table, which is height-adjustable via spindle, 230V, 50Hz, pad pressure 278kgs when 6bar.
Used machines and demonstration models are subject to prior sale without notice.
9.200,00 EUR excl. 19% VAT plus shipping costs



Pad Printing Machine TIC 175H, Manually Operated
Model: 12A015
table-top-model, 1-colour-machine, closed ink system, clichée size: 100x250mm, printing area: 90mm ø, with height-adjustable cross feeding table, demonstration model, special price
Used machines and demonstration models are subject to prior sale without notice.
1.150,00 EUR excl. 19% VAT plus shipping costs



Pad Printing Machine TIC 181 SE

Model: 13A012

1-colour machine, table-top model, electro-pneumatic control, open ink system, clichée size: 100x100mm, table height-adjustable, needed connection: compressed air 6bar, 230V, 50Hz. Demonstration model, special price

Used machines and demonstration models are subject to prior sale without notice.

3.550,00 EUR excl. 19% VAT plus shipping costs



Pad Printing Machine TIC 203SCDEL

Model: 14D009

2-colour machine, stand model, electro pneumatic control, clear display with modern microprocessor control, closed ink system, with pad sliding, ink cup ø: 90mm with ceramic doctor ring, cliché size: 100x250mm, with height-adjustable cross feeding table, with sturdy support out of steel plate, with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air 6bar, 230V, 50Hz, pad pressur: 105kgs when 6bar. Demonstration model, special price!

9.100,00 EUR excl. 19% VAT plus shipping costs



Pad Printing Machine TIC PRL2T90T-MR-LB

Model: 15B003

2-colour curve printing machine, stand model, electro pneumatic control, closed ink system with transversal sliding, ink cup ø: 90mm, cliché size: 2x100x440mm, servo controlled sliding table, which is height-adjustable via spindle, motor-controlled rotation of printing objects, machine control via touch-panel, registration via optical sensor, registration accuracy when printing in 2-colour-mode: approx. 1mm, equipped with safety plates at the sides as well as emergency switch and foot switch, compressed air: 6bar, supply voltage: 230V, 50Hz, pad pressure: 168kgs when 6bar, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

16.500,00 EUR excl. 19% VAT plus shipping costs



Pad Printing machine TIC 186 SDEL

Model: 15B006

4-colour-machine, stand model, electro pneumatic control, with sturdy housing made of aluminium cast, open ink system, clichée size: 4x100x150mm, incl. carrée table with 14stations, the table is height-adjustable via spindle, pad pressure 168kgs when 6bar, connection: 230V, 50cycles, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

11.500,00 EUR excl. 19% VAT plus shipping costs



Pad Printing Machine TIC 183 SEL-R (LCD)

Model: 15C004

2-colour-machine, table-top model, with curve printing equipment, rack and pinion drive, clear display with microprocessor control, electro pneumatic control, open ink system, clichée size: 2x100x100mm, (option: 1x300x100mm), height-adjustable pneumatic controlled sliding table, machine with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air 6bar, 230volts, 50cycles, pad pressure 105kgs when 6bar. Demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

5.800,00 EUR excl. 19% VAT plus shipping costs



Pad Printing Machine TIC 182 SCEL, ø 90

Model: 15C017

1-colour-machine, table-top-model, electro pneumatic control, clear display with microprocessor control, closed ink system, ink cup ø 90mm, cliché size: 100x250mm, with height adjustable cross feeding table, with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air 6bar, 230volts, 50cycles, pad pressure 105kg when 6bar, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

4.500,00 EUR excl. 19% VAT plus shipping costs



Pad Printing Machine TIC 182 SEL, 100x100 (100x300)

Model: 15C018

1-colour-machine, table-top-model, electro pneumatic control, clear display with microprocessor control, open ink system, clichée size: 100x100mm (option: up to 100x300mm), with height-adjustable cross feeding table, with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air 6bar, 230volts, 50cycles, pad pressure 105kgs when 6bar, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

4.100,00 EUR excl. 19% VAT plus shipping costs



Pad Printing Machine TIC 162 SCE, ø 70

Model: 15C019

2-colour-machine, table-top model, electro pneumatic control, clear display with microprocessor control, closed ink system, ink cup ø: 70mm, cliché size: 2x80x200mm, pneumatic controlled sliding table, with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air 6bar, 230volts, 50cycles, pad pressure: 26kg when 6bar, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

3.700,00 EUR excl. 19% VAT plus shipping costs



Pad Printing Machine TIC 301 SDEL

Model: 15C024

4-colour-machine, stand model, clear display with microprocessor control, electro pneumatic control, open ink system, cliché size: 4x100x150mm), with servo controlled sliding table, which is height-adjustable via spindle, with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air 6bar, 230volts, 50cycles, pad pressure 168kgs when 6bar.

Used machines and demonstration models are subject to prior sale without notice.

13.500,00 EUR excl. 19% VAT plus shipping costs



Pad Printing Machine TIC 132 SCEL (PRM2S LCD)

Model: 15C026

2 colour machine, table-top model, clear display with microprocessor control, electro pneumatic control, closed system, ink cup ø 90 mm, clichée size: 2x100x200mm, height adjustable pneumatic controlled sliding table, with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air 6bar, 230volts, 50cycles, pad pressure 105kg when 6bar, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

6.200,00 EUR excl. 19% VAT plus shipping costs



Pad Printing Machine TIC PCK4PM165PC

Model: 16C005

4-colour-machine, stand model, clear display with microprocessor control, electro pneumatic control, with pad movement, closed ink system, with integrated cleaning station, ink cup ø: 140mm, cliché size: 4x150x320mm, with cross feeding table, which is height-adjustable via spindle, with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air: 6bar, 230V, 50Hz, pad pressure: 270kgs when 6bar, used, year of construction: 2011, good condition.

Used machines and demonstration models are subject to prior sale without notice.

14.800,00 EUR excl. 19% VAT plus shipping costs



Pad Printing Machine TIC 183 SCEL

Model: 20B006

2-colour-machine, table-top model, electro pneumatic control, closed system, ink cup ø: 90mm, clichée size: 2x100x250mm, height-adjustable pneumatic controlled sliding table, pad pressure 105kg when 6bar. Year of manufacture: 2014, used, good condition

Sturdy housing made of aluminium cast, electro-pneumatic control, clear display with modern microprocessor control, optional signal outputs for connection of peripherals, European/Japanese pneumatic elements, low running by air sound absorbers, pad pressure adjustable via display, closed ink system with register pins for magnetic fastening, ink cups with ceramic doctor ring, contact pressure adjustable via magnetic adjustment. All machines equipped with safety plates at the sides as well as emergency switch and foot switch. Needed connection: compressed air 6bar, 230volts, 50cycles.

4.500,00 EUR excl. 19% VAT plus shipping costs



Pad Printing Machine TIC 203 SDEL

Model: 20C006

2-colour machine, stand model with pad movement, electro pneumatic control, open ink system, cliché size 2x 100x 120mm, with cross feeding table, which is height-adjustable via spindle, pad pressure: 105kgs when 6bar. Used, year of manufacture: 2008, medium condition.

Sturdy housing made of aluminium cast, electro-pneumatic control, clear display with modern microprocessor control, optional signal outputs for connection of peripherals. Stand models with sturdy torsion-resistant support out of steel plate with an extended downward adjustment of the feeding table to positioning of higher objects. European/Japanese pneumatic elements, low running by air sound absorbers, pad pressure adjustable via display, automatically adjusting doctor blade, squeegee pressure infinitely adjustable for optimal doctoring of the ink. Inkwells easy to clean by integrated magnetic plates. All models with open ink system can easily be re-constructed for bigger inkwells. All machines equipped with safety plates at the sides as well as emergency switch and foot switch. Needed connection: compressed air 6bar, 230volts, 50cycles.

5.900,00 EUR excl. 19% VAT plus shipping costs



Pad Printing Machine TIC 132 SCEL (PRM2S LCD)

Model: 20D003

2 colour machine, table-top model, clear display with microprocessor control, electro pneumatic control, closed system, ink cup ø 90 mm, clichée size: 2x100x200mm, height adjustable pneumatic controlled sliding table, with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air 6bar, 230volts, 50cycles, pad pressure 105kg when 6bar, used, year of construction: 2017, good condition

Used machines and demonstration models are subject to prior sale without notice.

4.500,00 EUR excl. 19% VAT plus shipping costs



Pad Printing machine TIC 186 SDEL

Model: 21A003

4-colour-machine, stand model, electro pneumatic control, with sturdy housing made of aluminium cast, open ink system, clichée size: 4x100x150mm, incl. carrée table with 14stations, the table is height-adjustable via spindle, pad pressure 168kgs when 6bar, connection: 230V, 50cycles, used (year of manufacture: 2014), good condition.


Used machines and demonstration models are subject to prior sale without notice.

7.500,00 EUR excl. 19% VAT plus shipping costs

Pad Printing > Exposure Device > Second Hand




UV Exposure Unit Model UV 400
Model: 03A562
stabil housing made of steel, with vacuum, for max. plate size: 200x400mm, UV tubes: 3x15W, 230V, 50Hz, demonstration model.
Used machines and demonstration models are subject to prior sale without notice.
840,00 EUR excl. 19% VAT plus shipping costs



Exposure Device, Model UV 600 VAC
Model: 03A563
stabil housing made of steel, with vacuum, for max. plate size 600x200mm, UV-lamps: 3x18W, 230V, 50Hz, demonstration model, special price.
Used machines and demonstration models are subject to prior sale without notice.
960,00 EUR excl. 19% VAT plus shipping costs



Nylograv Exposure Device Model BASF F I
Model: 19A007
Nylograv exposure unit for photopolymere printing plates, plate size: max. 640x750mm, with aluminium slot stone plate and vacuum roll cover for optimal contact between cliché and film, front flap offers protection against UV radiation, with metal-halide bulb 3000watts, even illumination, memory for 15exposure programmes, connection: 220V, 50Hz, dimension (H/W/D): 1210x875x780mm, used, medium condition.
800,00 EUR excl. 19% VAT plus shipping costs



Inkwell for TIC 182, 120x250mm

Model: 19B012

made of aluminium, with integrated magnet plate, for cliché size 120x250mm, slightly damaged

220,00 EUR excl. 19% VAT plus shipping costs

Drying Channels > Circulating air dryer / Curing Oven > Second Hand



Drying Oven TRW Model II, 90x130
Model: 11D037
Chamber dryer for fixing and drying of textile inks, flock glues, as well as for burning-in of plate and aluminium motives up to 180°C, for inserting of drying racks with 50rods, max. size 90x130cm, outer dimensions: 2280mm wide x 1570mm deep x 2280mm high, useable space: approx. 1400x1070x 1660cm, power connection: 400V, 50Hz, 21kW, weight: approx. 900kgs, lacquering: corps RAL 7035 (light grey), doors RAL 7037 (dust grey), demonstration model, special price. ATTENTION: not permitted for solvents!
Used machines and demonstration models are subject to prior sale without notice.
15.900,00 EUR excl. 19% VAT plus shipping costs



Drying Oven TRW, Model I, 60x90
Model: 15A019
Chamber dryer for fixation of textiles, ageing of plastic material, for inserting of drying with max. 50grids with useable size 62x92cm (60x90cm), outer dimensions: approx. 1920mm wide x 1240mm deep x 2280mm high, useable space: approx. 1080x780x1660mm, power connection: 400V / 50Hz / 21 kW, weight: approx. 685kg, lacquering: corps RAL 7035 (light grey), doors RAL 7037 (dust grey), unused demonstration model, special price. ATTENTION: not permitted for solvents!
Used machines and demonstration models are subject to prior sale without notice.
14.900,00 EUR excl. 19% VAT plus shipping costs



Drying Oven TRW Model III, 100x140
Model: 18D002
Chamber dryer for fixing and drying of textile inks, flock glues, as well as for burning-in of plate and aluminium motives up to 180°C, for inserting of drying racks with 50rods, max. size 100x140cm, outer dimensions: 2520mm wide x 1870mm deep x 2300mm high, useable space: approx. 1700x1350x1660cm, power connection: 400V, 50Hz, 21kW, weight: approx. 1,100kg, lacquering: corps RAL 7035 (light grey), doors RAL 7037 (dust grey), demonstration model, special price. ATTENTION: not permitted for solvents!
Used machines and demonstration models are subject to prior sale without notice.
16.900,00 EUR excl. 19% VAT plus shipping costs



Infrared Drying Channel IR-TEX 700/3, Belt Width: 700mm

Model: 03A400

Spot width: 500mm, infrared hood length: 2000mm, total length: 3000mm, inlet: 700mm, outlet: 300mm, suitable for textiles and other parts, digital temperature display, with teflon coated PTFE transport belt, infinitely adjustable belt speed, additional with exhaust-air vent, connection: 400V, 50Hz, 8,2kW, unused demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

7.880,00 EUR excl. 19% VAT plus shipping costs



Infrared Drying Channel IR-TEX MINI, Belt Width: 700mm

Model: 13B040

with ceramic lamps, Teflon belt, electronic belt adjustment, adjustable heating via digital thermo switch, suitable for smaller quantities, total length: 1.8m, insulated cover: 1m long, heating power: 4kW, 400V, 50Hz. Unused demonstration model, special price

Used machines and demonstration models are subject to prior sale without notice.

5.750,00 EUR excl. 19% VAT plus shipping costs



Infrared Drying Channel Model Hebbecker, Belt Width: 80m

Model: 18D006

High speed infrared dryer with well insulation, constant and even temperature distribution via long wave infrared radiator, suitable for textile direct printing, transfers, digital printing, etc., belt width: 80cm, inlet zone: 125cm, cover length: 225cm, outlet zone: 125cm, total length: 475cm, total width: 135cm, with cooling module on top, temperature: infinitely adjustable up to approx. 180°C, belt speed: adjustable from 1-5m/min., transport belt with open-mesh teflon-coated glas-fibre fabrics, exhaust vent: 125mm ø, connection: 400V, 50Hz, 22A. Used, year of construction: 2016, very good condition.

12.500,00 EUR excl. 19% VAT plus shipping costs



Combi-Dryer for Small Parts, Model ESC KT 1000/300

Model: 19B003

Belt width: 300mm, suitable for drying of small parts, equipped with 4air circulation fans, total length: 1830mm, passage height: 180mm, with electronic temperature control (up to max. 50°C), with synthetic transport belt, adjustable belt speed, easy control via control board, movable on casters, connection: 400V, 3Ph., 50Hz, 7000W, used, year of construction: 2003, good condition.

2.800,00 EUR excl. 19% VAT plus shipping costs



Drying Channel HOTWIND, Model 1, Belt 300mm, Passage: 90mm

Model: 03A416

belt width 300mm, total length: 2000mm, insulated drying cover: 1500mm long, passage height: approx. 90mm, with transport belt made of teflon coated grid belt (PTFE), with attached LEISTER hot-air ventilation, heating power: 3100watts, air supply: 550l/min., belt drive infinitely adjustable from 0-4m/min., support made of aluminium profiles with swivelling casters, required connection: 400V/50Hz. Unused demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

3.740,00 EUR excl. 19% VAT plus shipping costs



Drying Channel HOTWIND, Belt 50cm, Passage 9cm

Model: 15A009

belt width 50cm, total length: 200cm, insulated drying cover: 150cm long, passage height: approx. 9cm, with transport belt made of teflon coated grid belt (PTFE), with attached LEISTER hot-air ventilation, heating power: 3100watts, air supply: 550l/min., belt drive infinitely adjustable from 0-4m/min., support made of aluminium profiles with swivelling casters, required connection: 400V, 50Hz. Unused demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

4.378,00 EUR excl. 19% VAT plus shipping costs



Drying Channel HOTWIND, Belt Special Model, Passage 300mm

Model: 18D001

belt width 500mm, total length: 22500mm, insulated drying cover: 2000mm long, passage height: approx. 300mm, with transport belt made of teflon coated grid belt (PTFE), with attached LEISTER hot-air ventilation, heating power: 3100watts, air supply: 550l/min., belt drive infinitely adjustable from 0-4m/min., support made of aluminium profiles with swivelling casters, required connection: 400V, 50Hz. Unused demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

5.478,00 EUR excl. 19% VAT plus shipping costs



Conveyor Drying Channel Müller/Technigraf UV Dryer

Model: 20C003
Combination Unit, belt width: 80cm, inlet length: 100cm, 1-heating zone: 200cm, 1 UV-zone: 50cm, with Technigraf UV-dryer with 2spots, spot width: 80cm, with separated control panel and switchbox for the UV-dryer, cooling zone: 200cm, outlet: 50cm, total length: approx. 6m, older model, technically ok, very good condition, year of manufacture: 1991
12.500,00 EUR excl. 19% VAT plus shipping costs



Conveyor Drying Channel, Model Müller 900, Belt Width 80cm

Model: 20D011
Infeed: 100cm, 1 circulating air heating zone: 200cm, 1 circulating air cooling zone: 200cm, outlet: 50cm, total length: 5.5m, total width: approx. 1.5m, total power: approx. 16kW, 400V, 50Hz, older model, technically in good condition
4.500,00 EUR excl. 19% VAT plus shipping costs

Drying Channels > UV Dryer > Second Hand



UV-Integrator, incl. heat shield
Model: 15B014
Flat device for measuring the UV dose, ø 130mm, with LCD display mJ/cm ² , measuring range: 250-410nm, temperature: max. 60°C, with integrated heat shield, used, good condition.
300,00 EUR excl. 19% VAT plus shipping costs



UV-Bridge Modul PRINTWORLD PUVB 1700-1
Model: 15C010
UV bridge with 1spot, with separately transformer and fan box, suitable for mounting at existing drying channel or at transport system, spot width: 1700mm, spot power: 120watts/cm, with air cooling system, power adjustable via digital display, 400V, 50Hz, 60ampere. Year of construction: 2001, functioning, medium condition.
Used machines and demonstration models are subject to prior sale without notice.
4.900,00 EUR excl. 19% VAT plus shipping costs



UV-Bridge Modul PRINTWORLD PUVB 1300-2
Model: 15C011
UV bridge with 2spots, with separately transformer and fan cabinet, suitable for mounting at existing drying channel or at transport system; with underfloor extraction well, is equally suitable for mounting at existing drying channel or at transport system. Spot width: 1300mm, spot power: 120watts/cm, with air cooling system, power adjustable via digital display, 400V, 50Hz, 78ampere. Year of construction: 2001, technically ok and functioning, medium condition.
Used machines and demonstration models are subject to prior sale without notice.
8.500,00 EUR excl. 19% VAT plus shipping costs



UV-Trockner ESC-AKTIPRINTSK 80-2, 2Spots
Model: 20A002
Continuous radiation dryer with 2spots, each max. 120W/cm, useable either with spot power 50% or 100%, with downstream air cooling, with PTFE transport belt, belt speed infinitely adjustable, with digital metre display, belt width: 80cm, inlet: 100cm incl. UV light covers, hood length: 180cm, outlet: 100 cm incl. UV light covers, total length: 390cm, connection: 400V, 50Hz, 19.3kW, used, year of construction: 2006, good condition.
Used machines and demonstration models are subject to prior sale without notice.
12.500,00 EUR excl. 19% VAT plus shipping costs



UV-Compact Dryer AKTIPRINT T 50-2, 1.5 m Belt

Model: 21A001

Compact UV-dryer with support for curing of UV-inks, UV-varnish and UV-adhesives, for small size prints, with PTFE conveyor belt, infinitely adjustable belt speed, with 2 UV lamps, power of each lamp: max. 120W/cm, spectrum 200-400nm, strong elliptic aluminium semi-reflector scales, easily replaceable faceted aluminium reflector surfaces, cooling ventilator with thermostatic re-cooling, passage height easily adjustable from 12-60mm, max. running width: 58cm, drying width: 50cm, working hours counter and current indicator on the operators plate, 400V / 50Hz, 8kW, year of manufacture: 1999, medium condition

5.500,00 EUR excl. 19% VAT plus shipping costs

Miscellaneous > Drying Rack > Second Hand



All-Steel Drying Rack, Model STABILO, galvanized, 60x90
Model: 17B003
with 25shelves, galvanized shelves with solid rods and plastic casters, size: 60x90cm, demonstration model, special price.
895,00 EUR excl. 19% VAT plus shipping costs



All-Steel Drying Rack, 25Shelves, 60x90
Model: 17B004
with 25shelves, galvanized shelves with galvanized wire mesh, blue lacquered support with rubber casters, size: 60x90cm, demonstration model, special price.
745,00 EUR excl. 19% VAT plus shipping costs



All-Steel Drying Rack, Model STABILO, galvanized, 60x90
Model: 19B009
with 50shelves, galvanized rods with solid rod mesh, floor stand with plastic casters, max. sheet size: 60x90cm, demonstration model, special price.
1.095,00 EUR excl. 19% VAT plus shipping costs



All-Steel Drying Rack, Model STABILO, galvanized, 90x126
Model: 19B010
with 50shelves, galvanized rods with solid rod mesh, floor stand with plastic casters, max. sheet size: 90x126cm, demonstration model, special price.
1.395,00 EUR excl. 19% VAT plus shipping costs



Screen rack, movable on casters
Model: 13B031
suitable for 10screen frames up to 140x180cm, steel-tube construction, light blue powder-coated, outer dimension: approx. 105cm deep x 62cm wide x 160cm high, unused demonstration model, special price.
Used machines and demonstration models are subject to prior sale without notice.
438,00 EUR excl. 19% VAT plus shipping costs



Screen rack, wall rack, 125cm wide, 30screens, 30mm profile
Model: 20B003
suitable for 30screen frames up to approx. 60x70cm, total width approx. 125cm, for 30mm profile, demonstration model, special price
465,00 EUR excl. 19% VAT plus shipping costs



Screen rack, wall rack, 155cm wide, 30screens, 40mm profile
Model: 20B004
suitable for 30screen frames up to approx. 60x70cm, total width approx. 155cm, for 40mm profile, demonstration model, special price
565,00 EUR excl. 19% VAT plus shipping costs



Squeegee Belt Grinder STANDARD, Table-Top Model, 130cm
Model: 07A165
Grinding length: 130cm, 400V, 50Hz. Unused demonstration model, special price
Used machines and demonstration models are subject to prior sale without notice.
550,00 EUR excl. 19% VAT plus shipping costs



Squeegee Belt Grinder STANDARD, Table-Top-Model, 160cm
Model: 07A166
Grinding length: 160cm, 400 V, 50Hz. Unused demonstration model, special price
Used machines and demonstration models are subject to prior sale without notice.
595,00 EUR excl. 19% VAT plus shipping costs



Semi-Automatic Squeegee Grinder Model SVECIA M 135
Model: 18A003
grinding length 135 cm, with manually slideable grinding head, grinding head with easily changeable abrasive belts, holding device for SVECIA/THIEME squeegee profiles, with angular adjusting capability, 400V, 50Hz, used, older model, medium to good condition.
2.200,00 EUR excl. 19% VAT plus shipping costs



Squeegee Cutting Machine THIEME TSC 130 G2
Model: 19B005
with motor movable cutting head on linear slideways, with pneumatic clamping system, adjustable cutting way, parallel height adjustment which is configurable via hand wheel, cooling lubrication with micro-fog spraying unit, cutting length: 130cm, connection: 400V, 50Hz, compressed air 6bar necessary, used, year of construction: 2005, only rarely used, very good condition.
5.500,00 EUR excl. 19% VAT plus shipping costs



Semi-Automatic Squeegee Grinder Model RSM 170
Model: 20B018
grinding length 170cm, with manually slideable grinding head, grinding head with easily changeable abrasive belts, holding device for different squeegee profiles, with angular adjusting capability, complete with support and intermediate floor, 400V, 50Hz, used, older model, medium to good condition.
2.900,00 EUR excl. 19% VAT plus shipping costs



Squeegee Cutting Machine THIEME TSC 130

Model: 20B019

with motor movable cutting head on linear slideways, with automatic clamping system, adjustable cutting way, parallel height adjustment which is configurable via hand wheel, cooling lubrication with micro-fog spraying unit, cutting length: 130cm, connection: 400V, 50Hz, compressed air 6bar necessary, used, year of construction: 2001, partly overhauled, technically and optically in good condition.

4.500,00 EUR excl. 19% VAT plus shipping costs




Squeegee Grinding Machine 130cm

Model: 21A007


with stand and squeegee holder for one-man operation, 380/400 V-model. 16 A plug, used, good condition.

850,00 EUR excl. 19% VAT plus shipping costs

Miscellaneous > Manual Screen Washer > Second Hand



Manual Screen Washer made of Aluminium, 120x140
Model: 14B004
with solvents tank, pump, hose and washing brush, with exhaust ventilation, for max. screen size 120x140cm, 400V, 50Hz. Unused demonstration model, special price. The unit is ex-protected. The control box ist not ex-protected and must be mounted according to the rules at least 5m away from the unit or must be separated from the uniti by a fire-proof wall.
Used machines and demonstration models are subject to prior sale without notice.
5.200,00 EUR excl. 19% VAT plus shipping costs



Manual Screen Washer made of Aluminium, 110x140
Model: 15C008
with solvent tank, pump, hose and washing brush, with exhaust ventilation, for max. screen size 110x140cm, 400V, 50Hz. Unused demonstration model, special price. The unit is ex-protected. The control box ist not ex-protected and must be mounted according to the rules at least 5m away from the unit or must be separated from the unit by a fire-proof wall.
Used machines and demonstration models are subject to prior sale without notice.
4.900,00 EUR excl. 19% VAT plus shipping costs



Pneumatic Screen Stretching Device, 50-60x70/80cm
Model: 07A123
equipped with 10 stretching clamps each 25cm wide, suitable for screen frames approx. 50-60 x 70-80cm, complete with connecting hoses, distribution ledge and operation panel, without table. Unused demonstration model, special price.
Used machines and demonstration models are subject to prior sale without notice.
3.200,00 EUR excl. 19% VAT plus shipping costs



Automatic Cutter IDEAL 6550-95 EP, Cutting Length: 65cm

Model: 19C005

office cutting machine with automatic pressure, backgauge motoric adjustable, digital measure display, optical SCHNITTANDEUTER, cutting width: 65cm, cutting height: 8cm, narrow cut: 2,5cm, table depth: 61cm, completely with support, dimensions (H/W/D): 1220x995x1260mm, weight: approx. 304kgs, connection: 230V, 50Hz, 1.4kW, only rarely used, model 2010, condition as new.

3.900,00 EUR excl. 19% VAT plus shipping costs



Cleaning Machine TEKNEK, Model CM1000P

Model: 20D008

Table-top model, cleaning width: 1000mm, 4ultraclean rolls, 2adhesive rolls, pass-through unit with anti-statics equipment, suitable for double-sided cleaning of foils and firm plates such as laminates, glass plates, acryl glasses, foil keyboards, etc., used, good condition.

4.500,00 EUR excl. 19% VAT plus shipping costs



Slitting Machine 100cm, 230V, 50Hz

Model: 03A626

floor model with sheet trap, electronic roll adjustment, infeed width 100 cm, with 2 knife-holders.
Unused demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

4.940,00 EUR excl. 19% VAT plus shipping costs



Slitting Machine 70cm, 230V, 50Hz

Model: 12D025

floor model with sheet trap, electronic roll adjustment, infeed width 70cm, with 2 knife-holders.
Unused demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

4.345,00 EUR excl. 19% VAT plus shipping costs



Manual hand-cutting device, cutting length: 100cm

Model: 11C003

suitable for mounting at existing table, useable for cutting the leading and trailing edge, equipped with blade track with grip stick, used, good condition

Used machines and demonstration models are subject to prior sale without notice.

295,00 EUR excl. 19% VAT plus shipping costs



Manual hand-cutting device, cutting length: 200cm

Model: 13B035

suitable for mounting at existing table, useable for cutting the leading and trailing edge, equipped with blade track with grip stick, used, funtional.

Used machines and demonstration models are subject to prior sale without notice.

395,00 EUR excl. 19% VAT plus shipping costs



Media Support MSS for Summacut D60R-2, demonstration model

Model: 13A023

special price

Used machines and demonstration models are subject to prior sale without notice.

240,00 EUR excl. 19% VAT plus shipping costs



Drag Knife Plotter Summacut Pharos D60R-2E, incl. Stand

Model: 16A032

Table-top model incl. stand with basket, cutting width 60cm, knife pressure adjustable from 0-400g in 5g steps, incl. OPOS X position system for contour cutting, 1pair of media/material flange, knife holder, 2standard knives, 1fibre pen, data cable USB and serial, Summa Cutter Control Software, Win Plot-Cutting Software (Plug-In for CorelDraw and Photoshop included), 230V, 50Hz, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

2.220,00 EUR excl. 19% VAT plus shipping costs