
Second hand machines for screen printing and pad printings

08-2020







Eickmeyer24 Onlineshop

Prepress Process > Light table > Second Hand



Light and Mounting Table, 80x80

Model: 16A022

Lighting area: 80x80cm, sturdy steel tube construction with glass plate on top and manual tilt adjustment, outside dimension: approx. 90x90cm, 230V, 50Hz, used, older model, good condition.

Used machines and demonstration models are subject to prior sale without notice.



Exposure Units > Retouching and Coating Stand > Second Hand



Retouching Stand, 110x140

Model: 15C005

made of synthetic material, max. screen frame size: 110x140cm, with steel-tube stand, with adustable aluminium positioning rails, 230V, 50Hz, demonsration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

1.895,00 EUR excl. 16% VAT plus shipping costs



Retouching Stand, 140x180

Model: 15C006

made of synthetic material, max. screen frame size: 140x180cm, with steel-tube stand, with adustable aluminium positioning rails, 230V, 50Hz, demonsration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

Exposure Units > Developing and Decoating Basin > Second Hand



Developing and Decoating Basin Model LABOR, 60x80

Model: 12D026

made of PP, with illumination from the back, for max. screen frames 60x80cm, basin o.d. 80cm wide x 78cm deep x 200cm high, incl. hand shower with hose, 230V, 50Hz, 0,2kW. Unused demonstration model, special price

Used machines and demonstration models are subject to prior sale without notice.

1.690,00 EUR excl. 16% VAT plus shipping costs



Developing and Decoating Basin model SIMPLA, 110x140

Model: 13B032

with illumination from the back, made of PP, for max. screen size 110x140cm, with open steel-tube support, 230V, 50Hz, 0.4kW. Demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

2.150,00 EUR excl. 16% VAT plus shipping costs



Developing and Decoating Basin model SIMPLA, 140x180

Model: 15C007

with illumination from the back, made of PP, for max. screen size 140x180cm, with open steel-tube support, 230V, 50Hz, 0.4kW. Demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

Exposure Units > Combined Exposure > Second Hand



Combined Exposure Unit, Model SSE, 120x145, 3.5kW

Model: 13A026

screen drying cabinet with 4drawers as support, direct-contact exposure unit on top, with quickstart lamp 3.5kW, compl. with light dosing device model AKTITRON S16E with 16programs as well as UV measuring sensor, with light protection curtain, for max. screen frames 120x145cm, connection: 400V, 50Hz, 32ampere. Unused demonstration model, special price

Used machines and demonstration models are subject to prior sale without notice.

11.300,00 EUR excl. 16% VAT plus shipping costs



Combined Exposure Unit Model TECHNIGRAF, 53x73

Model: 16B002

Consisting of screen drying cabinet with 5drawers in the support, direct-contact exposure unit on top, with MH quick-start lamp 1,5kW, completely with light dosing device and UV measuring sensor, with surrounding light protection curtain, for max. screen size approx. 53x73cm (glass plate internal 70x90cm), connection: 230V, 16ampere, used, very good condition.

Used machines and demonstration models are subject to prior sale without notice.

3.900,00 EUR excl. 16% VAT plus shipping costs



Compact Exposure Unit, Model TECHNIGRAF, 60x80

Model: 17A005

table-top model without stand (to be placed on existing table), with hanging exposure lamp AKTICOP 3500W (quick start lamp), complete with light protection curtain, glass frame easy to hinge by gas springs, suitable for screen frame: approx. 45x65cm, internal glass plate: approx. 59x79cm, with digital exposure timer, connection: 230V, 50Hz, 16A, used, medium to good condition.

2.400,00 EUR excl. 16% VAT plus shipping costs



Computer-To-Screen Unit LÜSCHER JetScreen CTS 70/38

Model: 17A018

The printing form production is made directly from the computer onto the stencil. The wax spraying system with the CTS technology (warming up of the wax) enables a fast, precise, reprofilm-free, digital and electronical production of the stencils. Stencil size: max. 3800x7000mm, resolution: up to 600dpi, connection: 400V, 50Hz, rarely used, year of construction: 2001, good condition.

Eickmeyer24 Onlineshop

Exposure Units > Exposure Unit > Second Hand



Vacuum Exposure Unit, Table-top Model, 80x100

Model: 12C002

suitable for screen frames 80x100cm, to be placed on existing table, with vacuum pump: 4cbm, connection: 230V, 50Hz, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

Exposure Units > Exposure Device > Second Hand



UV Tube Exposure Unit, 65x105

Model: 19A012

suitable for simple lines and rough halftone copies, with carburize rubber blanket, with yellow built-in light source, powerful vacuum pump, exposure timer, manual/automatic switch, with 6 actinic UV tubes, each 40watts, for max. screen size: 65x105cm, completely with steel tube support and storage board, connection: 230V, 50Hz, demonstation model, special price.

3.680,00 EUR excl. 16% VAT plus shipping costs



UV Tube Exposure Unit, 80x 120

Model: 20B002

suitable for simple lines and rough halftone copies, with carburize rubber blanket, with yellow built-in light source, powerful vacuum pump, exposure timer, manual/automatic switch, with 6 actinic UV tubes, each 40watts, for max. screen size: 80x 120cm, completely with steel tube support and storage board, connection: 230V, 50Hz, demonstation model, special price.

Exposure Units > Exposure lamps > Second Hand



MH-Exposure Lamp TECHNIGRAF Akticop-S 5500 W

Model: 08A044

quickstart lamp with height-adjustable movable tripod, complete with digital timer, 5,5kW, 400V, 50Hz. Unused demonstration model, special price

Used machines and demonstration models are subject to prior sale without notice.

4.170,00 EUR excl. 16% VAT plus shipping costs



MH Exposure Lamp TECHNIGRAF Akticop-S 3500W

Model: 08A045

Quickstart lamp with height-adjustable movable tripod and digital timer, 3,5kW, 400V, 50Hz. Unused demonstration model, special price

Used machines and demonstration models are subject to prior sale without notice.

Exposure Units > Screen drying cabinet > Second Hand



Screen Drying Cabinet Model SUPERTHERM, 120x145

Model: 19A013

Sturdy drying cabinet in full steel construction, with 5drawers, good air circulation, with thermostat and timer, suitable for max. screen size: 120x145cm, with lateral movable screen depositing bars for different sizes of screen frames, connection: 400V, 50Hz, 6kW, demonstration model, special price.

Exposure Units > Automatic Coating Machine > Second Hand



Automatic Coating Machine, Model GRÜNIG G 420 TRP

Model: 19B001

for max. screen frames 190cm high x 300cm wide, for flatwise depositing the screen frames, electronic 1-column machine with different coating programs, with 4 sets coating troughs. Year of construction 1996, technically and optically very good condition.

Used machines and demonstration models are subject to prior sale without notice.

Screen Printing Machines > Table-Top Manual Printer > Second Hand



Manual table-top printer model HANKY TP 45

Model: 09A014

with aluminium printing bed without vacuum, printing bed 45 x 60 cm, with height-adjustable screen hinge with counter balance. Unused demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

750,00 EUR excl. 16% VAT plus shipping costs



Manual Table-Top Printer, Model TIC SF-200H

Model: 12A047

with aluminium printing bed without vacuum, with shift possibility, printing bed 20x26cm, height-adjustable screen hinge with counter balance, screen frame and squeegee not included! Unused demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

Screen Printing Machines > Manual Printing Table > Second Hand



Precision Printing Table with One-Hand Squeegee for Crates

Model: 17A017

Manual printing table for printing the long and short side of the crates at the same time. Printing size: 30x30cm, max. frame size: 60x50cm, equipped with 2screen holders, each with 4knurled screws for solid frame fixation, with micro-adjustment for exact multi-colour and register printing, incl. precision position retainer, with one-hand squeegee for exact and fast full-size printing of the crates.

6.500,00 EUR excl. 16% VAT plus shipping costs



Manual Printing Table Model SIMPLEX I, 230V, 50x70

Model: 18B007

printing size: 50x70cm, with aluminium vacuum printing bed 70x90cm, with steel-tube support, three-dimensional screen hinge with counter balance, vacuum: 230V, 50Hz, unused demonstration model, special price.

2.740,00 EUR excl. 16% VAT plus shipping costs



Manual Printing Table SIMPLEX I, 400V, 70x100

Model: 20B005

With aluminium vacuum printing bed, steel-tube support and three-dimensional screen hinge with counter balance. Printing size: 70x100cm, printing bed: 90x120cm, vacuum: 400V, 50Hz. Demonstration model, special price

Screen Printing Machines > Semi-automatic Screen Printing Machine > Second Hand



Semi-Automatic Screen Printing Machine Model TIC SFM 550 DE

Model: 10C014

parallel lift, cross running squeegee unit, motor controlled squeegee movement, height-adjustable upper frame and slot-stone printing bed as well as vacuum printing bed with vacuum pump, printing size 300x450mm, machine with support and safety bars at the sides, 230V, 50Hz. Demonstration model, special price.

Bei Gebraucht- und Vorführgeräten bleibt der Zwischenverkauf vorbehalten!

7.980,00 EUR excl. 16% VAT plus shipping costs



Semi-Automatic Universal Screen Printing Machine SFM 650 DHE

Model: 12B009

Flat printing machine, parallel lift, electro pneumatic control, printing size: 400x600mm, printing bed: 490x790mm, with motor squeegee motion, with feeding table incl. x/y-adjustment and height adjustment up to approx. 300mm, max. height of printing objects: approx. 450mm, feeding table with adjustable slot-stone printing bed. Machine with base frame and safety bar sideways, compressed air: 6bar, 230V, 50Hz, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

8.900,00 EUR excl. 16% VAT plus shipping costs



Semi-Automatic Screen Printing Machine SIRIMAC 4560E

Model: 14D012

printing size: 45x60cm, vacuum printing bed: 60x80cm, max. screen frames: 75x100cm, electro pneumatic machine, parallel lift, screen frame up and down motion via gear-self-braking motor, with cross-running squeegee unit, squeegee drive motor adjustable, print and flood speed separately adjustable, squeegee stroke adjustable via limit switches, pneumatic squeegee reverse, pneumatic print and flood pressure adjustable via manometer, squeegee and floodbar with fast-clamping system, with adjustable screen lift, with pre-vacuum procedure, pre-squeegee function, multiple printing, with pneumatic frame clamping, 400V, 50Hz, 10A, compressed air 6bar necessary! Demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

Screen Printing Machines > Semi-automatic Screen Printing Machine > Second Hand



Semi-Automatic Universal Screen Printing Machine SFM 650 DE

Model: 15B015

Flat printing machine, parallel lifting upper frame, electro pneumatic control, printing size: 400x600mm, printing bed: 490x790mm, screen frame size: max. 650x950mm, with motor squeegee motion, with slot-stone printing bed incl. x/y adjustment as well es vacuum printing bed with vacuum pump, with pneumatic squeegee pressure control, max. height of printing objects: approx. 100mm, machine with support and safety bars sideways. Demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

9.650,00 EUR excl. 16% VAT plus shipping costs



Semi-Automatic Screen Printing Machine THIEME 1010E

Model: 20C001

Parallel lifting machine with movable printing table, for printing of rigid or flexible materials in the electronics area, with retractable and extendable printing table, without lay-on pins, equipped with high-precision table adjustment, squeegee stroke and squeegee speed infinitely electronically adjustable, height of printing objects: adjustable up to 20mm, with electronical operation display, printing size: 500x 750mm, screen frame size: max. 1000x1100mm, outer dimension of printing table: 800x1100mm, vacuum area: 525x735mm, 400V, 50Hz, compressed air 6bar necessary! Used, year of construction: 2000, good condition.

Used machines and demonstration models are subject to prior sale without notice.

Screen Printing Machines > Universal Screen Printing Machine > Second Hand



Semi-Automatic Screen Printing Machine TIC SCF 550 DE

Model: 03H019

machine with parallel lift and cross-running squeegee unit, with height-adjustable upper frame, adjustable for curve and flat printing machines, with slot-stone printing bed and vacuum printing bed with vacuum pump. Printing size: approx. 300x450mm, printing bed approx. 390x590mm, electro-pneumatic drive, 230V, 50Hz. Unused demonstration model, special price.

Bei Gebraucht- und Vorführgeräten bleibt der Zwischenverkauf vorbehalten!

8.800,00 EUR excl. 16% VAT plus shipping costs



Semi-automatic Screen Printing Machine TIC SCF 300 DE

Model: 07A054

with electro-pneumatic drive, upper frame with parallel lift, with roll pedestal and rack and pinion drive, suitable for curve printing up to Ø 90mm, also for flat printing with printing size approx. 200x300mm, with slot-stone printing bed and additional with vacuum printing bed and turbine, 230V, 50Hz. Unused demonstration model, special price

Used machines and demonstration models are subject to prior sale without notice.

6.920,00 EUR excl. 16% VAT plus shipping costs



Semi-Automatic Screen Printing Machine TIC SCF 550 DHE

Model: 12B010

parallel lift, electro-pneumatic machine, with cross-running squeegee unit, suitable for flat or surround printing, with height-adjustable upper frame and height-adjustable printing bed (so also suitable for boxes and similar), equipped with slot stone printing bed and vacuum printing bed, printing size approx. 300x450mm, printing bed overall: approx. 390x590mm, machine with support, upper frame with all-around safety bars sideways, compressed air 6bar necessary, connection: 230V, 50Hz, demonstration model, special price

Used machines and demonstration models are subject to prior sale without notice.

Screen Printing Machines > 3/4-Automatic Screen Printing Machine > Second Hand



3/4-Automatic Screen Printing Machine THIEME 3030 L

Model: 18C006

printing size: 100x140cm, parallel lift, with movable printing bed, with gripper system and belt delivery to the left, with infinitely adjustable squeegee stroke, with pneumatic squeegee pressure control, screen frame insertion from the front, with pneumatic frame clamping, mobile operation panel with display foil keyboard, useable either at the left side or at the right side, max. sheet size: 103x142cm, max. screen frame size: 145x175cm, with 3sets squeegees and floodbars, connection: 380/400V, 50Hz, compressed air: 6bar necessary! Used, year of construction: 2005, only 1,046 operation hous, very good condition.

39.000,00 EUR excl. 16% VAT plus shipping costs



3/4-Automatic Screen Printing Machine THIEME 3025 R

Model: 19D003

incl.double-print function, printing size: 90x125cm, parallel lifting, slidable printing bed, with gripper system and delivery to the right, with separate switchgear cabinet, electro-mechanical machine with pneumatic squeegee reverse, pneumatic screen frame clamping, infinitely adjustable squeegee stroke via limit switches, adjustable squeegee speed via variable speed gear drive, with 4sets squeegees and floodbars, year of construction 1990. COMPLETE with attached combined conveyor drying channel model MÜLLER, belt width: 130cm, inlet: 1.2m, warming zone 1: 2m, warming zone 2: 2m, with UV module model TECHNIGRAF with 2lamps, cooling zone: 2m, outlet: 1m. COMPLETE with vibrating table, suitable to printing size. Line completely checked and partly overrhauled, medium to good condition. PRICE COMPLETE -OPTION: Screen printing machine, drying channel and vibrating table are also separately available, prices on request-

Used machines and demonstration models are subject to prior sale without notice.

Screen Printing Machines > CD-Printer > Second Hand



CD/DVD-Printer model CD 2, 2colour-machine

Model: 03A390

2-colours-machine for small printing series with electronic shuttle, with 2 printing units and 1 UV-dryer, 400V, 50Hz. Unused demonstration model, special price. - Otionally available with: CD-Feeder with spindle magazine, feeding via suction feeder/stacker, price: + 9,800.-- EUR

14.500,00 EUR excl. 16% VAT plus shipping costs



CD/DVD-Screen Printer model CD 2, 2colour-machine

Model: 17B001

suitable for 2-colour printing, with reception for CDs/DVDs and form for mini-CDs etc., UV-dryer on top with automatic shutter control, mechanical squeegee unit, printing head for micro-adjustable register adjustment in x/y-direction, suitable for standard CD screen frames 31x31cm with register hole perforation, operation by foot or automatic, connection: 400V, 50Hz, used, year of manufacture: 2003, medium condition.

Textile Print > Manual T-Shirt printer > Second Hand



Manual T-Shirt printer, model 4/4

Model: 03A651

with 4 revolving screen holders and 4 revolving pallet holders, 8 wooden pallets, simple t-shirt carousel, unused demonstration model.

Used machines and demonstration models are subject to prior sale without notice

2.490,00 EUR excl. 16% VAT plus shipping costs



Manual T-Shirt-Printer MINITEX

Model: 03H153

table-top model, 1 colour. Unused demonstration model, special price

Used machines and demonstration models are subject to prior sale without notice.

Eickmeyer24 Onlineshop

Textile Print > Intermediate Dryer > Second Hand



Infrared Intermediate Dryer ACOS-Texflash-Sensor, 13.500W

Model: 18a007

Used machines and demonstration models are subject to prior sale without notice.

electronically adjustable dryer with height-adjustable movable tripod, temperature adjustable in steps, incl. temperature-sensor (for measuring the temperature directly on the textile), with 9infrared spots each 1500W, each separately switcheable, drying area: approx. 40x70cm, 400V, 50Hz, suitable for Plastisol and aqueous inks, demonstration model, special price!

3.100,00 EUR

Textile Print > Flock Cleaning Unit > Second Hand



Cleaning Device, model Schenk, type R-TS

Model: 12D035

For cleaning and exhausting of flocked textiles, used, very good condition.

Used machines and demonstration models are subject to prior sale without notice.

2.500,00 EUR excl. 16% VAT plus shipping costs



Flocking Machine IVM-Maag RF400/500

Model: 17A004

automatic flocking machine, suitable for flocking of t-shirts and sports wear, to be placed at manual printing caroussel or manual printing machine, easy changeable flocking container, mobile version, equipped with foot switch, electrostatic level infinitely adjustable from 0-90kV, connection: 230V, 50Hz, used, older model, functioning, medium condition.

Used machines and demonstration models are subject to prior sale without notice.



Pad Printing Machine TIC 161 SCE

Model: 10C012

1-colour-machine, table-top model, electro pneumatic control, closed ink system, ink cup: Ø 55mm, clichée size: 80x150mm, height adjustable cross feeding table, 230V, 50Hz, pad pressure 26kgs when 6bar. Demonstration model, special price

Used machines and demonstration models are subject to prior sale without notice.

2.100,00 EUR excl. 16% VAT plus shipping costs



Pad Printing Machine TIC 183 SEL

Model: 10D007

2-colour-machine, table-top model, electro pneumatic control, clear display with microprocessor control, open ink system, clichée size 2x100x100mm (option: 1x250x100mm), height-adjustable pneumatic controlled sliding table, machine with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air 6bar, 230V, 50Hz, pad pressure 105kgs when 6bar. Demonstration model, special price.

Video shows closed system TIC 183 SCEL

Used machines and demonstration models are subject to prior sale without notice.

5.400,00 EUR excl. 16% VAT plus shipping costs



Pad Printing Machine TIC 195 SDEL

Model: 12A014

1-colour-machine, stand model, electro pneumatic control, open ink system, clichée size: 150x200mm (option: up to 450x200mm), with cross feeding table, which is height-adjustable via spindle, 230V, 50Hz, pad pressure 278kgs when 6bar.

Used machines and demonstration models are subject to prior sale without notice.

9.200,00 EUR excl. 16% VAT plus shipping costs



Pad Printing Machine TIC 175H, Manually Operated

Model: 12A015

table-top-model, 1-colour-machine, closed ink system, clichée size: 100x250mm, printing area: 90mm ø, with height-adjustable cross feeding table, demonstration model, special price

Used machines and demonstration models are subject to prior sale without notice.



Pad Printing Machine TIC 181 SE

Model: 13A012

1-colour machine, table-top model, electro-pneumatic control, open ink system, clichée size: 100x100mm, table height-adjustable, needed connection: compressed air 6bar, 230V, 50Hz. Demonstration model, special price

Used machines and demonstration models are subject to prior sale without notice.

3.550,00 EUR excl. 16% VAT plus shipping costs



Pad Printing Machine TIC 203SCDEL

Model: 14D009

2-colour machine, stand model, electro pneumatic control, clear desplay with modern microprocessor control, closed ink system, with pad sliding, ink cup Ø: 90mm with ceramic doctor ring, cliché size: 100x250mm, with height-adjustable cross feeding table, with sturdy support out of steel plate, with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air 6bar, 230V, 50Hz, pad pressur: 105kgs when 6bar. Demonstration model, special price!

9.100,00 EUR excl. 16% VAT plus shipping costs



Pad Printing Machine TIC PRL2T90T-MR-LB

Model: 15B003

2-colour curve printing machine, stand model, electro pneumatic control, closed ink system with transversal sliding, ink cup ø: 90mm, cliché size: 2x100x440mm, servo controlled sliding table, which is height-adjustable via spindle, motor-controlled rotation of printing objetcts, machine control via touch-panel, registration via optical sensor, registration accuracy when printing in 2-colour-mode: approx. 1mm, equipped with safety plates at the sides as well as emergency switch and foot switch, compressed air: 6bar, supply voltage: 230V, 50Hz, pad pressure: 168kgs when 6bar, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

16.500,00 EUR excl. 16% VAT plus shipping costs



Pad Printing machine TIC 186 SDEL

Model: 15B006

4-colour-machine, stand model, electro pneumatic control, with sturdy housing made of aluminium cast, open ink system, clichée size: 4x100x150mm, incl. carrée table with 14stations, the table is height-adjustable via spindle, pad pressure 168kgs when 6bar, connection: 230V, 50cycles, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

11.500,00 EUR excl. 16% VAT plus shipping costs

Digitaldruck



Pad Printing Machine TIC 183 SEL-R (LCD)

Model: 15C004

2-colour-machine, table-top model, with curve printing equipment, rack and pinion drive, clear display with microprocessor control, electro pneumatic control, open ink system, clichée size: 2x100x100mm, (option: 1x300x100mm), height-adjustable pneumatic controlled sliding table, machine with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air 6bar, 230volts, 50cycles, pad pressure 105kgs when 6bar. Demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

5.800,00 EUR excl. 16% VAT plus shipping costs



Pad Printing Machine TIC 182 SCEL, ø 90

Model: 15C017

1-colour-machine, table-top-model, electro pneumatic control, clear display with microprocessor control, closed ink system, ink cup ø 90mm, cliché size: 100x250mm, with height adjustable cross feeding table, with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air 6bar, 230volts, 50cycles, pad pressure 105kg when 6bar, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

4.500,00 EUR excl. 16% VAT plus shipping costs



Pad Printing Machine TIC 182 SEL, 100x100 (100x300)

Model: 15C018

1-colour-machine, table-top-model, electro pneumatic control, clear display with microprocessor control, open ink system, clichée size: 100x100mm (option: up to 100x300mm), with height-adjustable cross feeding table, with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air 6bar, 230volts, 50cycles, pad pressure 105kgs when 6bar, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

4.100,00 EUR excl. 16% VAT plus shipping costs



Pad Printing Machine TIC 162 SCE, ø 70

Model: 15C019

2-colour-machine, table-top model, electro pneumatic control, clear display with microprocessor control, closed ink system, ink cup Ø: 70mm, cliché size: 2x80x200mm, pneumatic controlled sliding table, with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air 6bar, 230volts, 50cycles, pad pressure: 26kg when 6bar, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

3.700,00 EUR excl. 16% VAT plus shipping costs

Digitaldruck



Pad Printing Machine TIC 301 SDEL

Model: 15C024

4-colour-machine, stand model, clear display with microprocessor control, electro pneumatic control, open ink system, cliché size: 4x100x150mm), with servo controlled sliding table, which is height-adjustable via spindle, with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air 6bar, 230volts, 50cycles, pad pressure 168kgs when 6bar.

Used machines and demonstration models are subject to prior sale without notice.

13.500,00 EUR excl. 16% VAT plus shipping costs



Pad Printing Machine TIC 132 SCEL (PRM2S LCD)

Model: 15C026

2 colour machine, table-top model, clear display with microprocessor control, electro pneumatic control, closed system, ink cup ø 90 mm, clichée size: 2x100x200mm, heith adjustable pneumatic controlled sliding table, with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air 6bar, 230volts, 50cycles, pad pressure 105kg when 6bar, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

6.200,00 EUR excl. 16% VAT plus shipping costs



Pad Printing Machine TIC PCK4PM165PC

Model: 16C005

4-colour-machine, stand model, clear display with microprocessor control, electro pneumatic control, with pad movement, closed ink system, with integrated cleaning station, ink cup Ø: 140mm, cliché size: 4x150x320mm, with cross feeding table, which is height-adjustable via spindle, with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air: 6bar, 230V, 50Hz, pad pressure: 270kgs when 6bar, used, year of construction: 2011, good condition.

Used machines and demonstration models are subject to prior sale without notice.

14.800,00 EUR excl. 16% VAT plus shipping costs



Pad Printing Machine TIC PRL4M-IP

Model: 19B006

4-colour-machine, stand model, with sturdy support made of steel plate, electro pneumatic control, incl. clear display with microprocessor control, closed ink system, equipped with additional cylinders for each pad (for multicolour printing on bigger or longer objects), ink cup ø: 90mm with ceramic doctor rings, cliché size: 4x100x250mm, with servo controlled sliding table, which is height adjustable via spindle, machine with safety plates at the sides as well as emergency switch, free of charge conversion from foot switch to two-hand-operation, pad pressure 168kgs when 6bar, compressed air supply: 6bar, supply voltage: 230volts, 50Hz, demonstration model, special price.



Pad Printing Machine TIC 183 SCEL

Model: 20B006

2-colour-machine, table-top model, electro pneumatic control, closed system, ink cup ø: 90mm, clichée size: 2x100x250mm, height-adjustable pneumatic controlled sliding table, pad pressure 105kg when 6bar. Used, good condition

Sturdy housing made of aluminium cast, electro-pneumatic control, clear display with modern microprocessor control, optional signal outputs for connection of peripherals, European/Japanese pneumatic elements, low running by air sound absorbers, pad pressure adjustable via display, closed ink system with register pins for magnetic fastening, ink cups with ceramic doctor ring, contact pressure adjustable via magnetic adjustment. All machines equipped with safety plates at the sides as well as emergency switch and foot switch. Needed connection: compressed air 6bar, 230volts, 50cycles.

Pad Printing > Exposure Device > Second Hand



UV Exposure Unit Model UV 400

Model: 03A562

stabil housing made of steel, with vacuum, for max. plate size: 200x400mm, UV tubes: 3x15W, 230V, 50Hz, demonstration model.

Used machines and demonstration models are subject to prior sale without notice.

840,00 EUR excl. 16% VAT plus shipping costs



Exposure Device, Model UV 600 VAC

Model: 03A563

stabil housing made of steel, with vacuum, for max. plate size 600x200mm, UV-lamps: 3x18W, 230V, 50Hz, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

960,00 EUR excl. 16% VAT plus shipping costs



Nylograv Exposure Device Model BASF F I

Model: 19A007

Nylograv exposure unit for photopolymere printing plates, plate size: max. 640x750mm, with aluminium slot stone plate and vacuum roll cover for optimal contact between cliché and film, front flap offers protection against UV radiation, with metal-halide bulb 3000watts, even illumination, memory for 15exposure programmes, connection: 220V, 50Hz, dimension (H/W/D): 1210x875x780mm, used, medium condition.



Eickmeyer24 Onlineshop

Pad Printing > Accessories > Second Hand



Inkwell for TIC 182, 120x250mm

Model: 19B012

made of aluminium, with integrated magnet plate, for cliché size 120x250mm, slightly damaged



Drying Channels > Circulating air dryer / Curing Oven > Second Hand



Drying Oven TRW Model II, 90x130

Model: 11D037

Chamber dryer for fixing and drying of textile inks, flock glues, as well as for burning-in of plate and aluminium motives up to 180°C, for inserting of drying racks with 50rods, max. size 90x130cm, outer dimensions: 2280mm wide x 1570mm deep x 2280mm high, useable space: approx. 1400x1070x 1660cm, power connection: 400V, 50Hz, 21kW, weight: approx. 900kgs, lacquering: corps RAL 7035 (light grey), doors RAL 7037 (dust grey), demonstration model, special price. ATTENTION: not permitted for solvents!

Used machines and demonstration models are subject to prior sale without notice.

15.900,00 EUR excl. 16% VAT plus shipping costs



Drying Oven TRW, Model I, 60x90

Model: 15A019

Chamber dryer for fixation of textiles, ageing of plastic material, for inserting of drying with max. 50grids with useable size 62x92cm (60x90cm), outer dimensions: approx. 1920mm wide x 1240mm deep x 2280mm high, useable space: approx. 1080x780x1660mm, power connection: 400V / 50Hz / 21 kW, weight: approx. 685kg, lacquering: corps RAL 7035 (light grey), doors RAL 7037 (dust grey), unused demonstration model, special price. ATTENTION: not permitted for solvents!

Used machines and demonstration models are subject to prior sale without notice.

14.900,00 EUR excl. 16% VAT plus shipping costs



Drying Oven TRW Model III, 100x140

Model: 18D002

Chamber dryer for fixing and drying of textile inks, flock glues, as well as for burning-in of plate and aluminium motives up to 180°C, for inserting of drying racks with 50rods, max. size 100x140cm, outer dimensions: 2520mm wide x 1870mm deep x 2300mm high, useable space: approx. 1700x1350x1660cm, power connection: 400V, 50Hz, 21kW, weight: approx. 1,100kg, lacquering: corps RAL 7035 (light grey), doors RAL 7037 (dust grey), demonstration model, special price. ATTENTION: not permitted for solvents!

Used machines and demonstration models are subject to prior sale without notice.

Drying Channels > Infrared drying > Second Hand



Infrared Drying Channel IR-TEX 700/3, Belt Width: 700mm

Model: 03A400

Spot widh: 500mm, infrared hood length: 2000mm, total length: 3000mm, inlet: 700mm, outlet: 300mm, suitable for textiles and other parts, digital temperature display, with teflon coated PTFE transport belt, infinitely adjustable belt speed, additional with exhaust-air vent, connection: 400V, 50Hz, 8,2kW, unused demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

7.880,00 EUR excl. 16% VAT plus shipping costs



Infrared Drying Channel IR-TEX MINI, Belt Width: 700mm

Model: 13B040

with ceramic lamps, Teflon belt, electronic belt adjustment, adjustable heating via digital thermo switch, suitable for smaller quantities, total length: 1.8m, insulated cover: 1m long, heating power: 4kW, 400V, 50Hz. Unused demonstration model, special price

Used machines and demonstration models are subject to prior sale without notice.

5.750,00 EUR excl. 16% VAT plus shipping costs



Infrared Drying Channel Model Hebbecker, Belt Width: 80m

Model: 18D006

High speed infrared dryer with well insulation, constant and even temperature distribution via long wave infrared radiator, suitable for textile direct printing, transfers, digital printing, etc., belt width: 80cm, inlet zone: 125cm, cover length: 225cm, outlet zone: 125cm, total length: 475cm, total width: 135cm, with cooling module on top, temperature: infinitely adjustable up to approx. 180°C, belt speed: adjustable from 1-5m/min., transport belt with open-mesh teflon-coated glas-fibre fabrics, exhaust vent: 125mm ø, connection: 400V, 50Hz, 22A. Used, year of construction: 2016, very good condition.

12.500,00 EUR excl. 16% VAT plus shipping costs



Combi-Dryer for Small Parts, Model ESC KT 1000/300

Model: 19B003

Belt widh: 300mm, suitable for drying of small parts, equipped with 4air circulation fans, total length: 1830mm, passage height: 180mm, with electronic temperature control (up to max. 50°C), with synthetic transport belt, adjustable belt speed, easy control via control board, movable on casters, connection: 400V, 3Ph., 50Hz, 7000W, used, year of construction: 2003, good condition.

Drying Channels > Drying Channel > Second Hand



Drying Channel HOTWIND, Model 1, Belt 300mm, Passage: 90mm

Model: 03A416

belt width 300mm, total length: 2000mm, insulated drying cover: 1500mm long, passage height: approx. 90mm, with transport belt made of teflon coated grid belt (PTFE), with attached LEISTER hot-air ventilation, heating power: 3100watts, air supply: 550l/min., belt drive infinitely adjustable from 0-4m/min., support made of aluminium profiles with swivelling casters, required connection: 400V/50Hz. Unused demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

3.740,00 EUR excl. 16% VAT plus shipping costs



Drying Channel HOTWIND, Belt 50cm, Passage 9cm

Model: 15A009

belt width 50cm, total length: 200cm, insulated drying cover: 150cm long, passage height: approx. 9cm, with transport belt made of teflon coated grid belt (PTFE), with attached LEISTER hot-air ventilation, heating power: 3100watts, air supply: 550l/min., belt drive infinitely adjustable from 0-4m/min., support made of aluminium profiles with swivelling casters, required connection: 400V, 50Hz. Unused demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

4.378,00 EUR excl. 16% VAT plus shipping costs



Drying Channel HOTWIND, Belt Special Model, Passage 300mm

Model: 18D001

belt width 500mm, total length: 22500mm, insulated drying cover: 2000mm long, passage height: approx. 300mm, with transport belt made of teflon coated grid belt (PTFE), with attached LEISTER hot-air ventilation, heating power: 3100watts, air supply: 550l/min., belt drive infinitely adjustable from 0-4m/min., support made of aluminium profiles with swivelling casters, required connection: 400V, 50Hz. Unused demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

Drying Channels > Conveyor Drying Channel > Second Hand



Trockenkanal Modell THIEME-NATGRAPH AIR FORCE

Model: 18C004

Conveyor drying channel, belt width: 1550mm, inlet: 1500m, heating zone 1: 2000mm, circulating zone 2: 2000mm, cooling zone: 2000mm, outlet: 500mm, with control cabinet in running direction on the left side, exhaust and fresh air in running direction on the right side, connection: 400V, 50Hz. Please note: 104ampere. Used model, year of construction: 1998, technical and optical in medium to good condition.

Drying Channels > UV Dryer > Second Hand



UV-Integrator, incl. heat shield

Model: 15B014

Flat device for measuring the UV dose, ø 130mm, with LCD display mJ/cm², measuring range: 250-410nm, temperature: max. 60°C, with integrated heat shield, used, good condition.

300,00 EUR excl. 16% VAT plus shipping costs



UV-Bridge Modul PRINTWORLD PUVB 1700-1

Model: 15C010

UV bridge with 1spot, with separately transformer and fan box, suitable for mounting at existing drying channel or at transport system, spot width: 1700mm, spot power: 120watts/cm, with air cooling system, power adjustable via digital display, 400V, 50Hz, 60ampere. Year of construction: 2001, functioning, medium condition.

Used machines and demonstration models are subject to prior sale without notice.

4.900,00 EUR excl. 16% VAT plus shipping costs



UV-Bridge Modul PRINTWORLD PUVB 1300-2

Model: 15C011

UV bridge with 2spots, with separately transformer and fan cabinet, suitable for mounting at existing drying channel or at transport system; with underfloor extraction well, is equally suitable for mounting at exisiting drying channel or at transport system. Spot width: 1300mm, spot power: 120watts/cm, with air cooling system, power adjustable via digital display, 400V, 50Hz, 78ampere. Year of construction: 2001, technically ok and functioning, medium condition.

Used machines and demonstration models are subject to prior sale without notice.

8.500,00 EUR excl. 16% VAT plus shipping costs



UV-Trockner ESC-AKTIPRINTSK 80-2, 2Spots

Model: 20A002

Continuous radiation dryer with 2spots, each max. 120W/cm, useable either with spot power 50% or 100%, with downstream air cooling, with PTFE transport belt, belt speed infinitely adjustable, with digital metre display, belt width: 80cm, inlet: 100cm incl. UV light covers, hood length: 180cm, outlet: 100 cm incl. UV light covers, total length: 390cm, connection: 400V, 50Hz, 19.3kW, used, year of construction: 2006, good condition.

Used machines and demonstration models are subject to prior sale without notice.

Miscellaneous > Drying Rack > Second Hand



All-Steel Drying Rack, Model STABILO, galvanized, 60x90

Model: 17B003

with 25shelves, galvanized shelves with solid rods, support: blue lacquered with plastic casters, size: 60x90cm, demonstration model, special price.

895,00 EUR excl. 16% VAT plus shipping costs



All-Steel Drying Rack, Model STABILO, galvanized, 60x90

Model: 19B009

with 50shelves, galvanized rods with solid rod mesh, floor stand with plastic casters, max. sheet size: 60x90cm, demonstration model, special price.

1.095,00 EUR excl. 16% VAT plus shipping costs



All-Steel Drying Rack, Model STABILO, galvanized, 90x126

Model: 19B010

with 50shelves, galvanized rods with solid rod mesh, floor stand with plastic casters, max. sheet size: 90x126cm, demonstration model, special price.

1.395,00 EUR excl. 16% VAT plus shipping costs



All-steel Drying Rack, 60x90

Model: 20A004

with 50 galvanized shelves, galvanized shelves with galvanized wire mesh, blue lacquered support with rubber casters, size: 60x90cm, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

948,00 EUR excl. 16% VAT plus shipping costs



All-steel Drying Rack, 90x126

Model: 20A005

with 50 galvanized shelves, galvanized shelves with galvanized wire mesh, blue lacquered support with rubber casters, size: 90x126cm, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

Miscellaneous > Screen Rack > Second Hand



Screen rack, movable on casters

Model: 13B031

suitable for 10screen frames up to 140x180cm, steel-tube construction, light blue powder-coated, outer dimension: approx. 105cm deep x 62cm wide x 160cm high, unused demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

438,00 EUR excl. 16% VAT plus shipping costs



Plate rack/Screen rack for 9pcs., galvanized movable

Model: 14D005

galvanized unit, movable on casters, suitable for 9plates or screen frames, dimension: outside approx. 120x150cm, older model, used, functioning.

Used machines and demonstration models are subject to prior sale without notice.

220,00 EUR excl. 16% VAT plus shipping costs



Screen rack, wall rack, 125cm wide, 30screens, 30mm profile

Model: 20B003

suitable for 30screen frames up to approx. 60x70cm, total width approx. 125cm, for 30mm profile, demonstration model, special price

465,00 EUR excl. 16% VAT plus shipping costs



Screen rack, wall rack, 155cm wide, 30screens, 40mm profile

Model: 20B004

suitable for 30screen frames up to approx. 60x70cm, total width approx. 155cm, for 40mm profile, demonstration model, special price

Miscellaneous > Squeegee Sharpener > Second Hand



Squeegee Belt Grinder STANDARD, Table-Top Model, 130cm

Model: 07A165

Grinding length: 130cm, 400V, 50Hz. Unused demonstration model, special price

Used machines and demonstration models are subject to prior sale without notice.

550,00 EUR excl. 16% VAT plus shipping costs



Squeegee Belt Grinder STANDARD, Table-Top-Model, 160cm

Model: 07A166

Grinding length: 160cm, 400 V, 50Hz. Unused demonstration model, special price

Used machines and demonstration models are subject to prior sale without notice.

595,00 EUR excl. 16% VAT plus shipping costs



Semi-Automatic Squeegee Grinder Model SVECIA M 135

Model: 18A003

grinding length 135 cm, with manually slideable grinding head, grinding head with easily changeable abrasive belts, holding device for SVECIA/THIEME squeegee profiles, with angular adjusting capability, 400V, 50Hz, used, older model, medium to good condition.

2.200,00 EUR excl. 16% VAT plus shipping costs



Squeegee Cutting Machine THIEME TSC 130 G2

Model: 19B005

with motor movable cutting head on linear slideways, with pneumatic clamping system, adjustable cutting way, parallel height adjustment which is configurable via hand wheel, cooling lubrication with micro-fog spraying unit, cutting length: 130cm, connection: 400V, 50Hz, compressed air 6bar necessary, used, year of construction: 2005, only rareley used, very good condition.



Eickmeyer24 Onlineshop

Miscellaneous > Vibrating Table > Second Hand



Vibrating Table, Model Triumpf, 50x70

Model: 18C012

Useable size: approx. 50x70cm, outside dimension of wooden base plate: approx. 55x75cm, height-adjustable, movable model with lockable casters, vibrating motor: 230V, 50Hz, older model, functioning, medium condition.

Miscellaneous > Manual Screen Washer > Second Hand



Manual Screen Washer made of Aluminium, 120x140

Model: 14B004

with solvents tank, pump, hose and washing brush, with exhaust ventilation, for max. screen size 120x140cm, 400V, 50Hz. Unused demonstration model, special price. The unit is ex-protected. The control box ist not ex-protected and must be mounted according to the rules at least 5m away from the unit or must be separated from the unit by a fire-proof wall.

Used machines and demonstration models are subject to prior sale without notice.

5.200,00 EUR excl. 16% VAT plus shipping costs



Manual Screen Washer made of Aluminium, 110x140

Model: 15C008

with solvent tank, pump, hose and washing brush, with exhaust ventilation, for max. screen size 110x140cm, 400V, 50Hz. Unused demonstration model, special price. The unit is ex-protected. The control box ist not ex-protected and must be mounted according to the rules at least 5m away from the unit or must be separated from the unit by a fire-proof wall.

Used machines and demonstration models are subject to prior sale without notice.

4.900,00 EUR excl. 16% VAT plus shipping costs



Automatic Screen Washer Model BOCHONOW Compact 1000

Model: 19B011

made of stainless steel, closed washing chamber, ex-protected pneumatic unit, suitable for screen size: 108x90cm, top-loading chamber, efficient nozzle assembly system on both sides, pneumatic high-performance membrane pump, with alongside dripping and drying chamber (also loading from the top). Outer dimension W/H/D: 170x105x65cm, compressed 6bar necessary, used model, medium condition.

Used machines and demonstration models are subject to prior sale without notice.

Eickmeyer24 Onlineshop

Miscellaneous > Screen Stretching Device > Second Hand



Pneumatic Screen Stretching Device, 50-60x70/80cm

Model: 07A123

equipped with 10 stretching clamps each 25cm wide, suitable for screen frames approx. 50-60 x 70-80cm, complete with connecting hoses, distribution ledge and operation panel, without table. Unused demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

Miscellaneous > Diverse > Second Hand



Parts spraying cabin with exhaust

Model: 03B612

useable size approx. 110 x 130 x 100 cm, with ex-proof illumination, overall dimensions approx. 150 x 150 x 205 cm. Older model, working condition.

Used machines and demonstration models are subject to prior sale without notice.

700,00 EUR excl. 16% VAT plus shipping costs



Automatic Cutter IDEAL 6550-95 EP, Cutting Length: 65cm

Model: 19C005

office cutting machine with automatic pressure, backgauge motoric adjustable, digital measure display, optical SCHNITTANDEUTER, cutting width: 65cm, cutting height: 8cm, narrow cut: 2,5cm, table depth: 61cm, completely with support, dimensions (H/W/D): 1220x995x1260mm, weight: approx. 304kgs, connection: 230V, 50Hz, 1.4kW, only rarely used, model 2010, condition as new.

Folies processing > Foil Slitter > Second Hand



Slitting Machine 100cm, 230V, 50Hz

Model: 03A626

floor model with sheet trap, electronic roll adjustment, infeed width 100 cm, with 2 knife-holders. Unused demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

4.940,00 EUR excl. 16% VAT plus shipping costs



Slitting Machine 70cm, 230V, 50Hz

Model: 12D025

floor model with sheet trap, electronic roll adjustment, infeed width 70cm, with 2 knife-holders. Unused demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

Folies processing > Foil Cutting Device > Second Hand



Manual hand-cutting device, cutting length: 100cm

Model: 11C001

with floor stand and roll holder, suitable for foil/paper, blade cutting device with hand stick, rarely used, very good condition

Used machines and demonstration models are subject to prior sale without notice.

395,00 EUR excl. 16% VAT plus shipping costs



Manual hand-cutting device, cutting length: 100cm

Model: 11C003

suitable for mounting at existing table, useable for cutting the leading and trailing edge, equipped with blade track with grip stick, used, good condition

Used machines and demonstration models are subject to prior sale without notice.

295,00 EUR excl. 16% VAT plus shipping costs



Manual hand-cutting device, cutting length: 200cm

Model: 13B035

suitable for mounting at existing table, useable for cutting the leading and trailing edge, equipped with blade track with grip stick, used, funtional.

Used machines and demonstration models are subject to prior sale without notice.

Folies processing > Cutting Plotters > Second Hand



Media Support MSS for Summacut D60R-2, demonstration model

Model: 13A023 special price

Used machines and demonstration models are subject to prior sale without notice.

240,00 EUR excl. 16% VAT plus shipping costs



Drag Knife Plotter Summacut Pharos D60R-2E, without Stand

Model: 16A031

Table-top model, cutting width: 60cm, knife pressure adjustable from 0-400g in 5steps, incl. OPOS X position system for contour cutting, 1pair of media/material flange, knife holder, 2standard knives, 1fibre pen, data cable USB and serial, Summa Cutter Control Software, Win Plot-Cutting Software (Plug-In for CorelDraw and Photoshop included), 230V, 50Hz, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

1.450,00 EUR excl. 16% VAT plus shipping costs



Drag Knife Plotter Summacut Pharos D60R-2E, incl. Stand

Model: 16A032

Table-top model incl. stand with basket, cutting width 60cm, knife pressure adjustable from 0-400g in 5g steps, incl. OPOS X position system for contour cutting, 1pair of media/material flange, knife holder, 2standard knives, 1fibre pen, data cable USB and serial, Summa Cutter Control Software, Win Plot-Cutting Software (Plug-In for CorelDraw and Photoshop included), 230V, 50Hz, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.