

Second hand machines for screen printing and pad printings

08-2022






Table of content

Second-Hand Screen Print - Pad Print Machines 2022	3
Used Devices Prepress.....	3
Used Devices Exposure Units	4 - 6
Used Screen Printing Machines.....	7 - 8
Used Devices Textile Print	9
Used Pad Printing Machines.....	10 - 12
Used Drying Channels	13 - 14
Used Devices Miscellaneous	15 - 16
Used Devices processing.....	17



Computer-To-Screen Unit LÜSCHER JetScreen CTS 70/38

Model: 17A018

The printing form production is made directly from the computer onto the stencil. The wax spraying system with the CTS technology (warming up of the wax) enables a fast, precise, reprofilm-free, digital and electrical production of the stencils. Stencil size: max. 3800x7000mm, resolution: up to 600dpi, connection: 400V, 50Hz, year of construction: 2001, not functioning

20.000,00 EUR excl. 19% VAT plus shipping costs



Light Table Bochonow, 120x 160cm

Model: 21C022

lighting area: approx. 120x 160cm, sturdy aluminium construction with inclination, used, good condition

1.500,00 EUR excl. 19% VAT plus shipping costs

Second-Hand Screen Print - Pad Print Machines 2022 > Used Devices Exposure Units

**Vacuum Exposure Unit, Table-top Model, 80x100**

Model: 12C002

suitable for screen frames 80x100cm, to be placed on existing table, with vacuum pump: 4cbm, connection: 230V, 50Hz, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

1.850,00 EUR excl. 19% VAT plus shipping costs**Developing and Decoating Basin Model LABOR, 60x80**

Model: 12D026

made of PP, with illumination from the back, for max. screen frames 60x80cm, basin o.d. 80cm wide x 78cm deep x 200cm high, incl. hand shower with hose, 230V, 50Hz, 0,2kW. Unused demonstration model, special price

Used machines and demonstration models are subject to prior sale without notice.

1.860,00 EUR excl. 19% VAT plus shipping costs**Combined Exposure Unit, Model SSE, 120x145, 3.5kW**

Model: 13A026

screen drying cabinet with 4drawers as support, direct-contact exposure unit on top, with quickstart lamp 3.5kW, compl. with light dosing device model AKTITRON S16E with 16programs as well as UV measuring sensor, with light protection curtain, for max. screen frames 120x145cm, connection: 400V, 50Hz, 32ampere. Unused demonstration model, special price

Used machines and demonstration models are subject to prior sale without notice.

12.430,00 EUR excl. 19% VAT plus shipping costs**Compact Exposure Unit, Model TECHNIGRAF, 45x65**

Model: 17A005

table-top model without stand (to be placed on existing table), with hanging exposure lamp AKTICOP 1500W (quick start lamp), complete with light protection curtain, glass frame easy to hinge by gas springs, suitable for screen frame: approx. 45x65cm, internal glass plate: approx. 59x79cm, with digital exposure timer, connection: 230V, 50Hz, 16A, used, medium to good condition.

2.400,00 EUR excl. 19% VAT plus shipping costs**Computer-To-Screen Unit LÜSCHER JetScreen CTS 70/38**

Model: 17A018

The printing form production is made directly from the computer onto the stencil. The wax spraying system with the CTS technology (warming up of the wax) enables a fast, precise, reprofilm-free, digital and electronical production of the stencils. Stencil size: max. 3800x7000mm, resolution: up to 600dpi, connection: 400V, 50Hz, year of construction: 2001, not functioning

20.000,00 EUR excl. 19% VAT plus shipping costs

Second-Hand Screen Print - Pad Print Machines 2022 > Used Devices Exposure Units



Cascade filter tank, mod 1, approx. 280 l tank, incl. frame
Model: 21A009
with coarse filter, outer dimension: ca. 105cm long x 60cm wide x 40cm high. Demonstration model on exhibitions.
Used machines and demonstration models are subject to prior sale without notice.
1.190,00 EUR excl. 19% VAT plus shipping costs



Developing and Decoating Basin model SIMPLA, 110x140
Model: 21A024
with back illumination, fully made of PP, for max. screen size 110x140cm, with open steel-tube support, including cascade basin, 230V, 50Hz, 0.4kW. Used, good condition.
Used machines and demonstration models are subject to prior sale without notice.
1.980,00 EUR excl. 19% VAT plus shipping costs



Vacuum Exposure Unit, 40x50cm
Model: 21A025
For the horizontal exposure of small screens up to 40x50cm, vacuum pump 4cbm, connection: 230V, 50Hz. Demonstration model.
Used machines and demonstration models are subject to prior sale without notice.
1.420,00 EUR excl. 19% VAT plus shipping costs



Developing and Decoating Basin model SIMPLA, 110x140
Model: 21C007
with illumination from the back, made of PP, for max. screen size 110x140cm, outer dimensions: approx. 125cm wide x 89cm deep x 200cm high (incl. 50cm open steel-tube support), 230V, 50Hz, 0.4kW. Used, good condition
Used machines and demonstration models are subject to prior sale without notice.
1.800,00 EUR excl. 19% VAT plus shipping costs

Second-Hand Screen Print - Pad Print Machines 2022 > Used Devices Exposure Units

**Combined Exposure Unit, Model 3, 110x135, 3.5kW**

Model: 21C016

Max. screen size: 110x135cm, with 4retractable drawers incl. pull-out rails for various screen sizes, vacuum copying frame on top with rubber blanket, easier lifting of the glass upper frame by means of pneumatic springs, height-adjustable cross-beam on top with hanging MH exposure lamp model AKTICOP S with light dosing device, UV-protection curtain, equipped with light sensor at the copying frame. Control board at the drying cabinet with vacuum gauge, vacuum reducing valve, operating and control elements. MH quick-start lamp: 3.5kW, connection: 400V/50cycles, CEE-plug, 32ampere. Year of construction: 2005, used, good condition.

7.500,00 EUR excl. 19% VAT plus shipping costs**Retouching and Coating Stand, 110x140**

Model: 21C020

made of synthetic material, for max. screen frame size: 110x140cm, with illuminated back and white and yellow light, steel-tube stand and adjustable aluminium positioning rails, 230V, 50Hz. Used, medium condition

Used machines and demonstration models are subject to prior sale without notice.

1.550,00 EUR excl. 19% VAT plus shipping costs**Retouching Stand, 140x180**

Model: 21C021

made of synthetic material, for max. screen frame size: 140x180cm, with steel-tube stand and adjustable aluminium positioning rail, 230V, 50Hz, used, medium till good condition

Used machines and demonstration models are subject to prior sale without notice.

1.890,00 EUR excl. 19% VAT plus shipping costs**Manual Screen Washer made of Stainless Steel, 110x140**

Model: 22A004

for screen frames approx. 110x140cm, overall dimensions approx. 135cm wide x 65cm deep x 200cm high, with solvent tank, pump, hose and washing brush as well as exhaust ventilation. Used, technically o.k., good condition.

4.980,00 EUR excl. 19% VAT plus shipping costs**MH Exposure Lamp TECHNIGRAF Akticop-S 3500W**

Model: 22C004

Quickstart lamp with height-adjustable movable tripod and digital timer, 3,5kW, 400V, 50Hz. Unused demonstration model, special price

Used machines and demonstration models are subject to prior sale without notice.

2.280,00 EUR excl. 19% VAT plus shipping costs

Second-Hand Screen Print - Pad Print Machines 2022 > Used Screen Printing Machines

**Semi-Automatic Screen Printing Machine Model TIC SFM 550 DE**

Model: 10C014

parallel lift, cross running squeegee unit, motor controlled squeegee movement, height-adjustable upper frame and slot-stone printing bed as well as vacuum printing bed with vacuum pump, printing size 300x450mm, machine with support and safety bars at the sides, 230V, 50Hz. Demonstration model, special price.

Bei Gebraucht- und Vorführgeräten bleibt der Zwischenverkauf vorbehalten!

7.980,00 EUR excl. 19% VAT plus shipping costs**Semi-Automatic Universal Screen Printing Machine SFM 650 DHE**

Model: 12B009

Flat printing machine, parallel lift, electro pneumatic control, printing size: 400x600mm, printing bed: 490x790mm, with motor squeegee motion, with feeding table incl. x/y-adjustment and height adjustment up to approx. 300mm, max. height of printing objects: approx. 450mm, feeding table with adjustable slot-stone printing bed. Machine with base frame and safety bar sideways, compressed air: 6bar, 230V, 50Hz, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

9.500,00 EUR excl. 19% VAT plus shipping costs**Fully Automatic Printing Tower SSE1 for Crate Printing**

Model: 20B015

All four sides of the crate will be printed at the same time in different colours and motifs. With up to 800crates per hour a precise reproduction ability enables a high productivity. Special hose pumps apply the ink onto the horizontal positioned stencils. In that way each side of the crate gets an even ink application. The screens can be exchanged within minutes therefore holding time are reduced to a minimum. The multi-functional system enables a change of both logo as well as ink within a short time thus enabling short set-up times. A modern electronic control via display ensures the essential process control and helps analysing any possible faults. The step-by-step operation mode shows the printing status during the automatic production run resp. during the set-up by the operator. Used, overhauled, very good condition Specifications: Outer Dimensions: total length: 2500mm / total width: 1800mm / total height: 2400 mm Weight: 850kgs Electrical Connection: 1x 220V, 50/60Hz Power Consumption: 2kW Air Supply: approx. 300l/min. fresh air Compressed Air: 6bar (85psi) Height of the Crate: max. 400mm / min. 180 mm Max. Printing Area: Side area: 300x 340mm / Front surface: 300x 300mm Height Extension: Optionally the printer can be equipped with a height extension through which the crate can be lifted 80mm higher. In that way the print can be placed further down at the crate.

Electro pneumatically controlled fully-automatic screen printing machine for rotary printing, with microprocessor control, equipped with feeding system, printing and ejector station, pneumatic squeegee pressure adjustable via manometer, pneumatic squeegee switching, with squeegee quick clamping system, squeegee stroke, adjustable squeegee pressure. Printing movements individually adjustable during setting mode.

85.000,00 EUR excl. 19% VAT plus shipping costs



3/4-automatic screen printing machine THIEME 3020, 70x100

Model: 20C005

printing size 70 x 100 cm, parallel lift, slideable printing bed, with gripper system and belt delivery to the left, with separate switch box, electro-mechanical machine, infinitely adjustable squeegee stroke via limit switches, adjustable squeegee speed via variable speed gear drive, with 3 sets squeegees and floodbars. Year of manufacture: 1988, medium condition.

9.500,00 EUR excl. 19% VAT plus shipping costs



Manual Printing Table Model SIRI 3000 Plus

Model: 21A026

angular lift, printing size: approx. 70x100cm, overall size of printing bed: approx. 100x125cm, screen frame size: max. 96x130cm, master frame with lateral movable screen depositing bars for different screen frame sizes, one-hand squeegee on top, additionally with runway rail in front, plastic coated vacuum printing bed with micro adjustment, with adjustable counter weights and spring system, vacuum pump: 380/400V, 50Hz, used, older model, partly overhauled, good condition.

4.500,00 EUR excl. 19% VAT plus shipping costs

Second-Hand Screen Print - Pad Print Machines 2022 > Used Devices Textile Print



Access.: Printing Arm for SIEMAC TexJet, demonstration model

Model: 12C022

Used machines and demonstration models are subject to prior sale without notice.

400,00 EUR excl. 19% VAT plus shipping costs



Cleaning Device, model Schenk, type R-TS

Model: 12D035

For cleaning and exhausting of flocked textiles, used, very good condition.

Used machines and demonstration models are subject to prior sale without notice.

2.500,00 EUR excl. 19% VAT plus shipping costs



Manual Table-Top Printer for Caps

Model: 20D009

Model 4: 4-colour-printing, demonstration model (2units available, price per piece)

950,00 EUR excl. 19% VAT plus shipping costs

Second-Hand Screen Print - Pad Print Machines 2022 > Used Pad Printing Machines

**Pad Printing Machine TIC 195 SDEL**

Model: 12A014

1-colour-machine, stand model, electro pneumatic control, open ink system, clichée size: 150x200mm (option: up to 450x200mm), with cross feeding table, which is height-adjustable via spindle, 230V, 50Hz, pad pressure 278kgs when 6bar.

Used machines and demonstration models are subject to prior sale without notice.

9.200,00 EUR excl. 19% VAT plus shipping costs

**Pad Printing Machine TIC 203SCDEL**

Model: 14D009

2-colour machine, stand model, electro pneumatic control, clear display with modern microprocessor control, closed ink system, with pad sliding, ink cup ø: 90mm with ceramic doctor ring, cliché size: 100x250mm, with height-adjustable cross feeding table, with sturdy support out of steel plate, with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air 6bar, 230V, 50Hz, pad pressure: 105kgs when 6bar. Demonstration model, special price!

9.100,00 EUR excl. 19% VAT plus shipping costs

**Pad Printing Machine TIC PRL2T90T-MR-LB**

Model: 15B003

2-colour curve printing machine, stand model, electro pneumatic control, closed ink system with transversal sliding, ink cup ø: 90mm, cliché size: 2x100x440mm, servo controlled sliding table, which is height-adjustable via spindle, motor-controlled rotation of printing objects, machine control via touch-panel, registration via optical sensor, registration accuracy when printing in 2-colour-mode: approx. 1mm, equipped with safety plates at the sides as well as emergency switch and foot switch, compressed air: 6bar, supply voltage: 230V, 50Hz, pad pressure: 168kgs when 6bar, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

16.500,00 EUR excl. 19% VAT plus shipping costs

**Pad Printing Machine TIC 162 SCE, ø 70**

Model: 15C019

2-colour-machine, table-top model, electro pneumatic control, clear display with microprocessor control, closed ink system, ink cup ø: 70mm, cliché size: 2x80x200mm, pneumatic controlled sliding table, with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air 6bar, 230volts, 50cycles, pad pressure: 26kg when 6bar, demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

3.700,00 EUR excl. 19% VAT plus shipping costs

Second-Hand Screen Print - Pad Print Machines 2022 > Used Pad Printing Machines

**Pad Printing Machine TIC PCK4PM165PC**

Model: 16C005


4-colour-machine, stand model, clear display with microprocessor control, electro pneumatic control, with pad movement, closed ink system, with integrated cleaning station, ink cup ø: 140mm, cliché size: 4x150x320mm, with cross feeding table, which is height-adjustable via spindle, with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air: 6bar, 230V, 50Hz, pad pressure: 270kgs when 6bar, used, year of construction: 2011, good condition.

Used machines and demonstration models are subject to prior sale without notice.

14.800,00 EUR excl. 19% VAT plus shipping costs**Nylograv Exposure Device Model BASF F I**

Model: 19A007

Nylograv exposure unit for photopolymere printing plates, plate size: max. 640x750mm, with aluminium slot stone plate and vacuum roll cover for optimal contact between cliché and film, front flap offers protection against UV radiation, with metal-halide bulb 3000watts, even illumination, memory for 15exposure programmes, connection: 220V, 50Hz, dimension (H/W/D): 1210x875x780mm, used, medium condition.

800,00 EUR excl. 19% VAT plus shipping costs**Inkwell for TIC 182, 120x250mm**

Model: 19B012

made of aluminium, with integrated magnet plate, for cliché size 120x250mm, slightly damaged

220,00 EUR excl. 19% VAT plus shipping costs**Pad Printing Machine TIC 203 SDEL**

Model: 20C006

2-colour machine, stand model with pad movement, electro pneumatic control, open ink system, cliché size 2x 100x 120mm, with cross feeding table, which is height-adjustable via spindle, pad pressure: 105kgs when 6bar. Used, year of manufacture: 2008, medium condition.

Sturdy housing made of aluminium cast, electro-pneumatic control, clear display with modern microprocessor control, optional signal outputs for connection of peripherals. Stand models with sturdy torsion-resistant support out of steel plate with an extended downward adjustment of the feeding table to positioning of higher objects. European/Japanese pneumatic elements, low running by air sound absorbers, pad pressure adjustable via display, automatically adjusting doctor blade, squeegee pressure infinitely adjustable for optimal doctoring of the ink. Inkwells easy to clean by integrated magnetic plates. All models with open ink system can easily be re-constructed for bigger inkwells. All machines equipped with safety plates at the sides as well as emergency switch and foot switch. Needed connection: compressed air 6bar, 230volts, 50cycles.

5.900,00 EUR excl. 19% VAT plus shipping costs



Pad Printing machine TIC 186 SDEL

Model: 21A003

4-colour-machine, stand model, electro pneumatic control, with sturdy housing made of aluminium cast, open ink system, clichée size: 4x100x150mm, incl. carrée table with 14stations, the table is height-adjustable via spindle, pad pressure 168kgs when 6bar, connection: 230V, 50cycles, used (year of manufacture: 2014), good condition.

Used machines and demonstration models are subject to prior sale without notice.

7.500,00 EUR excl. 19% VAT plus shipping costs



Pad Printing Machine TIC 163 SE

Model: 21C023

1-colour-machine, table-top model, electro pneumatic control, open ink system, clichée size: 100x75mm (option: up to 130x75mm), height-adjustable cross feeding table, pad pressure: 26kgs when 6bar.

Used machines and demonstration models are subject to prior sale without notice.

2.500,00 EUR excl. 19% VAT plus shipping costs

Second-Hand Screen Print - Pad Print Machines 2022 > Used Drying Channels

**Drying Oven TRW Model II, 90x130**

Model: 11D037

Chamber dryer for fixing and drying of textile inks, flock glues, as well as for burning-in of plate and aluminium motives up to 180°C, for inserting of drying racks with 50 rods, max. size 90x130cm, outer dimensions: 2280mm wide x 1570mm deep x 2280mm high, useable space: approx. 1400x1070x 1660cm, power connection: 400V, 50Hz, 21kW, weight: approx. 900kgs, lacquering: corps RAL 7035 (light grey), doors RAL 7037 (dust grey), demonstration model, special price. ATTENTION: not permitted for solvents!

Used machines and demonstration models are subject to prior sale without notice.

17.450,00 EUR excl. 19% VAT plus shipping costs**Drying Oven TRW, Model I, 60x90**

Model: 15A019

Chamber dryer for fixation of textiles, ageing of plastic material, for inserting of drying with max. 50 grids with useable size 62x92cm (60x90cm), outer dimensions: approx. 1920mm wide x 1240mm deep x 2280mm high, useable space: approx. 1080x780x1660mm, power connection: 400V / 50Hz / 21 kW, weight: approx. 685kg, lacquering: corps RAL 7035 (light grey), doors RAL 7037 (dust grey), unused demonstration model, special price. ATTENTION: not permitted for solvents!

Used machines and demonstration models are subject to prior sale without notice.

16.390,00 EUR excl. 19% VAT plus shipping costs**UV-Integrator, incl. heat shield**

Model: 15B014

Flat device for measuring the UV dose, ø 130mm, with LCD display mJ/cm², measuring range: 250-410nm, temperature: max. 60°C, with integrated heat shield, used, good condition.

300,00 EUR excl. 19% VAT plus shipping costs**UV-Bridge Modul PRINTWORLD PUVB 1700-1**

Model: 15C010

UV bridge with 1 spot, with separately transformer and fan box, suitable for mounting at existing drying channel or at transport system, spot width: 1700mm, spot power: 120watts/cm, with air cooling system, power adjustable via digital display, 400V, 50Hz, 60ampere. Year of construction: 2001, functioning, medium condition.

Used machines and demonstration models are subject to prior sale without notice.

4.900,00 EUR excl. 19% VAT plus shipping costs

Second-Hand Screen Print - Pad Print Machines 2022 > Used Drying Channels

**UV-Bridge Modul PRINTWORLD PUVB 1300-2**

Model: 15C011

UV bridge with 2spots, with separately transformer and fan cabinet, suitable for mounting at existing drying channel or at transport system; with underfloor extraction well, is equally suitable for mounting at existing drying channel or at transport system. Spot width: 1300mm, spot power: 120watts/cm, with air cooling system, power adjustable via digital display, 400V, 50Hz, 78ampere. Year of construction: 2001, technically ok and functioning, medium condition.

Used machines and demonstration models are subject to prior sale without notice.

8.500,00 EUR excl. 19% VAT plus shipping costs**Drying Oven TRW Model III, 100x140**

Model: 18D002

Chamber dryer for fixing and drying of textile inks, flock glues, as well as for burning-in of plate and aluminium motives up to 180°C, for inserting of drying racks with 50rods, max. size 100x140cm, outer dimensions: 2520mm wide x 1870mm deep x 2300mm high, useable space: approx. 1700x1350x1660cm, power connection: 400V, 50Hz, 21kW, weight: approx. 1,100kg, lacquering: corps RAL 7035 (light grey), doors RAL 7037 (dust grey), demonstration model, special price. ATTENTION: not permitted for solvents!

Used machines and demonstration models are subject to prior sale without notice.

18.590,00 EUR excl. 19% VAT plus shipping costs**Conveyor Drying Channel, Model Müller 900, Belt Width 80cm**

Model: 20D011

Infeed: 100cm, 1 circulating air heating zone: 200cm, 1 circulating air cooling zone: 200cm, outlet: 50cm, total length: 5.5m, total width: approx. 1.5m, total power: approx. 16kW, 400V, 50Hz, older model, technically in good condition

4.500,00 EUR excl. 19% VAT plus shipping costs

Second-Hand Screen Print - Pad Print Machines 2022 > Used Devices Miscellaneous

**Semi-Automatic Squeegee Grinder Model SVECIA M 135**

Model: 18A003

grinding length 135 cm, with manually slideable grinding head, grinding head with easily changeable abrasive belts, holding device for SVECIA/THIEME squeegee profiles, with angular adjusting capability, 400V, 50Hz, used, older model, medium to good condition.

2.200,00 EUR excl. 19% VAT plus shipping costs**Vibrating Table, 50x70**

Model: 21A012

for sheet size of approx. 50x70cm, with adjustable vibrating motor (230V), adjustable inclination, with adjustable stop plates, height adjustable, base plate made of natural hardwood approx. 60x80cm, used, partly overhauled, good condition

1.150,00 EUR excl. 19% VAT plus shipping costs**Vibrating Table, 50x70**

Model: 21A013

for sheet size of approx. 50x70cm, with adjustable vibrating motor (230V), adjustable inclination, with adjustable stop plates, height adjustable, base plate made of natural hardwood approx. 60x80cm, used, partly overhauled, good condition

1.150,00 EUR excl. 19% VAT plus shipping costs**Jogging Table, 50x70**

Model: 21B005

for sheet size of approx. 100x140cm, with adjustable vibrating motor (230V), adjustable inclination and adjustable stop plates, base plate made of natural hardwood approx. 60x70cm, used, medium condition.

1.450,00 EUR excl. 19% VAT plus shipping costs**All-steel drying rack model DWO, 90x126**

Model: 21C008

50galvanized shelves with wire mesh, galvanized support, useable size: 90x126cm, shelves with metal space bumpers. Used, medium condition.

780,00 EUR excl. 19% VAT plus shipping costs

Second-Hand Screen Print - Pad Print Machines 2022 > Used Devices Miscellaneous

**All-steel drying rack model, 90x126**

Model: 21C010

50galvanized shelves with wire mesh, galvanized support, useable size: 90x126cm. Used, medium condition.

720,00 EUR excl. 19% VAT plus shipping costs**Squeegee Sharpener, Model RKS 1500**

Model: 21C019

with pneumatic squeegee clamping, max. grinding length: 150cm, motoric grinding head feed with adjustable grinding speed, manual adjustable grinding head for two grinding levels with different grained sanding belts, completely with extraction system, connection: 400V, compressed air 6bar necessary, medium/good condition

4.800,00 EUR excl. 19% VAT plus shipping costs**Screen Rack, 9frames, 180x180cm, movable, special model**

Model: 21D002

suitable for 9screen frames up to 140x180cm, steel-tube construction, light blue powder-coated, outer dimension: approx. 105cm deep x 57cm wide x 160cm high, movable on casters, unused demonstration model, special price.

Used machines and demonstration models are subject to prior sale without notice.

460,00 EUR excl. 19% VAT plus shipping costs**Screen racks, movable**

Model: 22B009

suitable for 10screen frames up to max. 140x180cm, steel-tube construction, orange powder-coated, outer dimension: approx. 105cm deep x 62cm wide x 160cm high, movable on casters, used. 5pcs. available

225,00 EUR excl. 19% VAT plus shipping costs**Screen Rack, movable on casters**

Model: 22B010

suitable for 10screen frames up to max. 140x180cm, steel-tube construction, light blue powder-coated, outer dimension: approx. 105cm deep x 62cm wide x 160cm high, movable on casters, used. 12pcs. available.

Used machines and demonstration models are subject to prior sale without notice.

220,00 EUR excl. 19% VAT plus shipping costs

Second-Hand Screen Print - Pad Print Machines 2022 > Used Devices processing



Manual hand-cutting device, cutting length: 100cm

Model: 11C001

with floor stand and roll holder, suitable for foil/paper, blade cutting device with hand stick, rarely used, very good condition

Used machines and demonstration models are subject to prior sale without notice.

395,00 EUR excl. 19% VAT plus shipping costs



Media Support MSS for Summacut D60R-2, demonstration model

Model: 13A023

special price

Used machines and demonstration models are subject to prior sale without notice.

240,00 EUR excl. 19% VAT plus shipping costs



Manual hand-cutting device, cutting length: 200cm

Model: 13B035

suitable for mounting at existing table, useable for cutting the leading and trailing edge, equipped with blade track with grip stick, used, funtional.

Used machines and demonstration models are subject to prior sale without notice.

395,00 EUR excl. 19% VAT plus shipping costs