



# Second hand machines for screen printing and pad printings

08-2025





# Table of content

**Second-Hand Screen Print - Pad Print Machines 2025** ..... 3

    Used Devices Prepress..... 3

    Used Devices Exposure Units ..... 4 - 5

    Used Screen Printing Machines..... 6 - 8

    Used Devices Textile Print ..... 9

    Used Pad Printing Machines..... 10 - 12

    Used Drying Channels ..... 13 - 14

    Used Devices Miscellaneous ..... 15 - 16

    Used Devices processing..... 17





Computer-To-Screen Unit LÜSCHER JetScreen CTS 70/38
Model: 17A018
The printing form production is made directly from the computer onto the stencil. The wax spraying system with the CTS technology (warming up of the wax) enables a fast, precise, reprofilm-free, digital and electronical production of the stencils. Stencil size: max. 3800x7000mm, resolution: up to 600dpi, connection: 400V, 50Hz, year of construction: 2001, not funtioning
6.500,00 EUR excl. 19% VAT plus shipping costs



Second-Hand Screen Print - Pad Print Machines 2025 > Used Devices Exposure Units



Vacuum Exposure Unit, Table-top Model, 80x100
Model: 12C002
suitable for screen frames 80x100cm, to be placed on existing table, with vacuum pump: 4cbm, connection: 230V, 50Hz, demonstration model, special price.
Used machines and demonstration models are subject to prior sale without notice.
2.850,00 EUR excl. 19% VAT plus shipping costs



Compact Exposure Unit, Model TECHNIGRAF, 45x65
Model: 17A005
table-top model without stand (to be placed on existing table), with hanging exposure lamp AKTICOP 1500W (quick start lamp), complete with light protection curtain, glass frame easy to hinge by gas springs, suitable for screen frame: approx. 45x65cm, internal glass plate: approx. 59x79cm, with digital exposure timer, connection: 230V, 50Hz, 16A, used, medium to good condition.
2.400,00 EUR excl. 19% VAT plus shipping costs



Computer-To-Screen Unit LÜSCHER JetScreen CTS 70/38
Model: 17A018
The printing form production is made directly from the computer onto the stencil. The wax spraying system with the CTS technology (warming up of the wax) enables a fast, precise, reprofilm-free, digital and electronical production of the stencils. Stencil size: max. 3800x7000mm, resolution: up to 600dpi, connection: 400V, 50Hz, year of construction: 2001, not funtioning
6.500,00 EUR excl. 19% VAT plus shipping costs



Cascade filter tank, mod 1, approx. 280 l tank, incl. frame
Model: 21A009
with coarse filter, outer dimension: ca. 105cm long x 60cm wide x 40cm high. Demonstration model on exhibitions.
Used machines and demonstration models are subject to prior sale without notice.
1.190,00 EUR excl. 19% VAT plus shipping costs



Vacuum Exposure Unit, 40x50cm
Model: 21A025
For the horizontal exposure of small screens up to 40x50cm, vacuum pump 4cbm, connection: 230V, 50Hz. Demonstration model.
2.420,00 EUR excl. 19% VAT plus shipping costs



Second-Hand Screen Print - Pad Print Machines 2025 > Used Devices Exposure Units



Combined Exposure Unit, Model 3, 120x145, 3.5kW
Model: 21C016
Max. screen size: 120x145cm, with 4retractable drawers incl. pull-out rails for various screen sizes, vacuum copying frame on top with rubber blanket, easier lifting of the glass upper frame by means of pneumatic springs, height-adjustable cross-beam on top with hanging MH exposure lamp model AKTICOP S with light dosing device, UV-protection curtain, equipped with light sensor at the copying frame. Control board at the drying cabinet with vacuum gauge, vacuum reducing valve, operating and control elements. MH quick-start lamp: 3.5kW, connection: 400V/50cycles, CEE-plug, 32ampere. Year of construction: 2005, used, good condition.
7.500,00 EUR excl. 19% VAT plus shipping costs



Retouching and Coating Stand, 110x140
Model: 21C020
made of synthetic material, for max. screen frame size: 110x140cm, with illuminated back and white and yellow light, steel-tube stand and adustable aluminium positioning rails, 230V, 50Hz. Used, medium condition
Used machines and demonstration models are subject to prior sale without notice.
1.550,00 EUR excl. 19% VAT plus shipping costs



Developing and Decoating Basin PP-STAR, Model 5, 160x260
Model: 22D013
for max. screen size: 160x260cm, 230V, 50Hz, 1.0kW
Completeley made of polypropylene (resistant against chemicals and solvents), with illumination from the back, support with storage board, side parts, and doors, incl. holder for high-pressure pistol and developing brush.
4.675,00 EUR excl. 19% VAT plus shipping costs



Second-Hand Screen Print - Pad Print Machines 2025 > Used Screen Printing Machines



Manual Table-Top Printer, Model TIC SF-200H
Model: 12A047
with aluminium printing bed without vacuum, with shift possibility, printing bed 20x26cm, height-adjustable screen hinge with counter balance, screen frame and squeegee not included! Unused demonstration model, special price.
Used machines and demonstration models are subject to prior sale without notice.
460,00 EUR excl. 19% VAT plus shipping costs



Fully Automatic Printing Tower SSE1 for Crate Printing
Model: 20B015
All four sides of the crate will be printed at the same time in different colours and motifs. With up to 800crates per hour a precise reproduction ability enables a high productivity. Special hose pumps apply the ink onto the horizontal positioned stencils. In that way each side of the crate gets an even ink application. The screens can be exchanged within minutes therefore holding time are reduced to a minium. The multi-functional system enables a change of both logo as well as ink within a short time thus enabling short set-up times. A modern electronic control via display ensures the essential process control and helps analysing any possible faults. The step-by-step operation mode shows the printing status during the automatic production run resp. during the set-up by the operator. Used, overhauled, very good condition Specifications: Outer Dimensions: total length: 2500mm / total width: 1800mm / total height: 2400 mm Weight: 850kgs Electrical Connection: 1x 220V, 50/60Hz Power Consumption: 2kW Air Supply: approx. 300l/min. fresh air Compressed Air: 6bar (85psi) Height of the Crate: max. 400mm / min. 180 mm Max. Printing Area: Side area: 300x 340mm / Front surface: 300x 300mm Height Extension: Optionally the printer can be equipped with a height extension through which the crate can be lifted 80mm higher. In that way the print can be placed further down at the crate. R e s e r v e d !!!
Electro pneumatically controlled fully-automatic screen printing machine for rotary printing, with microprocessor control, equipped with feeding system, printing and ejector station, pneumatic squeegee pressure adjustable via manometer, pneumatic squeegee switching, with squeegee quick clamping system, squeegee stroke, adjustable squeegee pressure. Printing movements individually adjustable during setting mode.
R e s e r v e d !!!
0,00 EUR excl. 19% VAT plus shipping costs



3/4-Automatic Screen Printing Machine THIEME 3010, Special
Model: 21A010
Printing size: 55x75cm, screen frame size: 100x110cm, parallel lift with movable vacuum printing bed, special gripper system with delivery to the back, suitable for channel with long inlet or to set transverse to drying channel. .... The printing machine is 170cm longer to the back because of the backside gripping system. ... Electro-mechanical machine, with pneumatic squeegee pressure control, with separately control panel (useable on the left or on the right side), completely with 3sets print and flood bar, used, year of construction: 1986, completely overhauled and lacquered, technically and optically good condition.
18.000,00 EUR excl. 19% VAT plus shipping costs



Second-Hand Screen Print - Pad Print Machines 2025 > Used Screen Printing Machines



Semi-Autom. Universal Screen Printing Machine SCF 550 DHE-SR
Model: 22D012
<p><del>parallel lift, electro-pneumatic machine, with cross-running squeegee unit, suitable for flat or surround printing, stand model, with screen heating system and squeegee heating system for thermoplastic ceramic inks (the machine can also be used for all other ink systems with a standard screen), equipped with slot stone printing bed and vacuum printing bed, printing size: 300x450mm or printing ø 160x300mm, max. screen frame size: 730x530x30mm. Machine with under frame as well as height adjustable feed table incl. XY adjusting possibility. Height adjustment of the feed table approx. 300mm, therefore max. height of the printing object approx. 450mm, safety frame all-around at the side of the upper frame, equipped with 2sets squeegee, compressed air 6bar necessary, connection: 230V, 50Hz, demonstration model, special price.</del></p>
<b>11.500,00 EUR excl. 19% VAT plus shipping costs</b>



Semi-Automatic Screen Printing Machine SIRIMAC 4560E
Model: 25C001
<p><del>Electro-mechanical machine, parallel lift, printing size 45x60cm, vacuum printing bed 60x80cm, max. screen frames 75x100cm, screen frame up and down motion via gear-self-braking motor, with cross-running squeegee unit, squeegee drive motor adjustable, print and flood speed separately adjustable, squeegee stroke adjustable via limit switches, pneumatic squeegee reverse, pneumatic print and flood pressure adjustable via manometer, squeegee and floodbar with fast-clamping system, with adjustable screen lift, with pre-vacuum procedure, selectable single cycle or automatic printing operation, pre-squeegee function, multiple printing, connection: 400V, 50Hz, 10A, compressed air 6bar necessary, used machine.</del></p>
<b>9.800,00 EUR excl. 19% VAT plus shipping costs</b>



Manual Printing Table Model SIRI 5000 PRO, 70x100
Model: 25C002
<p><del>Parallel lifting printing table with sturdy torsion-resistant master frame, printing size: approx. 70x100cm, printing bed: approx. 100x125cm, vacuum area: approx. 77x105cm, max. screen frame size: approx. 96x130cm, height-adjustable (up to 35mm) and movable screen clamps for different sizes of screen frames, inlet adjustment, base plate adjustment, pre-vacuum device, screen frame counterbalance via Pro-System, solvent resistant formica plate, automatic vacuum control via frame lift, angulated parallel lever, fixation of the master frame via electro magnetic clamping, complete including guide tube in rolling bearings, incl. one-hand-squeegee, without runway rail (available on request at extra charge), with separated adjustment possibility for squeegee and pre-squeegee print, connection: 400V, 50Hz, used model.</del></p>
<b>5.400,00 EUR excl. 19% VAT plus shipping costs</b>



Second-Hand Screen Print - Pad Print Machines 2025 > Used Screen Printing Machines



1/2-Automatic Screen Printing Machine THIEME 55x75, Special
Model: 25C003
Printing size: 55x75cm, screen frame size: 100x110cm, parallel lift with movable vacuum printing bed, electro-mechanical machine, with pneumatic squeegee pressure control, with separately control panel (useable on the left or on the right side), completely with 3sets print and flood bar, used, year of construction: 2006, completely overhauled and lacquered, technically and optically good condition.
15.500,00 EUR excl. 19% VAT plus shipping costs



Semi-Automatic Screen Printing Machine TIC SFM 650 DE
Model: 25C006
Flat printing machine with parallel lifting upper frame, electro pneumatic control, printing size: 400x600mm, printing bed: 490x790mm, screen frames: max. 650x950mm, max. height of the objects to be printed: approx. 100mm, with motor squeegee motion, with adjustable vacuum printing bed. Machine with support and safety bars sideways. Used, year of construction: 2010, good condition.
7.800,00 EUR excl. 19% VAT plus shipping costs



Semi-Automatic Universal Screen Printing Machine SCF 550 DHE
Model: 25C008
Flat and round printing machine, stand model, printing size: 300x450mm or printing ø 160x300mm, max. screen frame size: 730x530x30mm. Machine with under frame as well as height-adjustable feed table incl. XY-adjusting possibility. Height adjustment of the feed table approx. 300mm, therefore max. height of the printing object approx. 450mm, upper frame sideways with all-around safety bars, equipped with 2squeegee sets, compressed air 6bar necessary, connection: 230V, 50Hz. Unused demonstration model.
Electro-pneumatic machine, micro-processor control. Flat printing machine with slot-stone printing bed (option: vacuum printing bed), curve printing machine with universal reception for cylindrical objects, as well as rack and pinion drive for multi-colour job printing, incl. blow up equipment, printing movements during set-up operation separately adjustable, squeegee stroke, squeegee speed, and floodbar infinitely adjustable.
9.500,00 EUR excl. 19% VAT plus shipping costs



Second-Hand Screen Print - Pad Print Machines 2025 > Used Devices Textile Print



<b>Access.: Printing Arm for SIEMAC TexJet, demonstration model</b>
Model: 12C022
Used machines and demonstration models are subject to prior sale without notice.
<b>400,00 EUR excl. 19% VAT plus shipping costs</b>



<b>Cleaning Device, model Schenk, type R-TS</b>
Model: 12D035
For cleaning and exhausting of flocked textiles, used, very good condition.
Used machines and demonstration models are subject to prior sale without notice.
<b>800,00 EUR excl. 19% VAT plus shipping costs</b>



<b>Manual Table-Top Printer for Caps</b>
Model: 20D009
Model 4: 4-colour-printing, demonstration model (2units available, price per piece)
<b>950,00 EUR excl. 19% VAT plus shipping costs</b>



Second-Hand Screen Print - Pad Print Machines 2025 > Used Pad Printing Machines



Pad Printing Machine TIC 195 SDEL

Model: 12A014

1-colour-machine, stand model, electro pneumatic control, open ink system, clichée size: 150x200mm (option: up to 450x200mm), with cross feeding table, which is height-adjustable via spindle, 230V, 50Hz, pad pressure 278kgs when 6bar.

9.200,00 EUR excl. 19% VAT plus shipping costs




Pad Printing Machine TIC PCK4PM165PC

Model: 16C005

4-colour-machine, stand model, clear display with microprocessor control, electro pneumatic control, with pad movement, closed ink system, with integrated cleaning station, ink cup ø: 140mm, cliché size: 4x150x320mm, with cross feeding table, which is height-adjustable via spindle, with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air: 6bar, 230V, 50Hz, pad pressure: 270kgs when 6bar, used, year of construction: 2011, good condition.

Used machines and demonstration models are subject to prior sale without notice.

14.800,00 EUR excl. 19% VAT plus shipping costs



Inkwell for TIC 182, 120x250mm

Model: 19B012

made of aluminium, with integrated magnet plate, for cliché size 120x250mm, slightly damaged

220,00 EUR excl. 19% VAT plus shipping costs



Pad Printing Machine TIC 132 SCEL (PRM2S LCD)

Model: 23A010

2 colour machine, table-top model, pneumatic control, closed system, ink cup ø 90 mm, clichée size: 2x100x200mm, incl. pad cleaning station, height adjustable pneumatic controlled sliding table, pad pressure 105kg when 6bar. Needed connection: compressed air 6bar, 230volts, 50cycles

8.600,00 EUR excl. 19% VAT plus shipping costs



Second-Hand Screen Print - Pad Print Machines 2025 > Used Pad Printing Machines



Pad Printing Machine TIC PRL2C177.8
Model: 23A011
2-colour-machine, stand model, electro pneumatic control, closed ink system, ink cup ø: 110mm, cliché size: 2x125x275mm, incl. carré table with 10stations, height of which is adjustable via spindle, pad pressure: 168kg when 6bar.
8.500,00 EUR excl. 19% VAT plus shipping costs



Pad Printing Machine TIC 186 SCDEL
Model: 24C001
4-colour machine, stand model, electro pneumatic control, clear desplay with microprocessor control, closed ink system, ink cup ø: 90mm with ceramic doctor ring, cliché size: 4x100x300mm, incl. carré table with 14stations, which is height-adjustuble via spindle, with safety plates at the sides as well as emergency switch and foot switch, needed connection: compressed air 6bar, 230V, 50Hz, pad pressure: 168kgs when 6bar, used, year of construction: 2022, very good condition.
11.500,00 EUR excl. 19% VAT plus shipping costs



Pad Printing machine TIC 188 SDEL
Model: 25C007
2-colour-machine, stand model, electro pneumatic control, open ink system, with clichée size: 2x100x100mm, incl. carré table with 10 stations, height of which is adjustable via spindle, pad pressure 105kgs when 6bar. Unused demonstration model.
Sturdy housing made of aluminium cast, electro-pneumatic control, clear display with modern microprocessor control, optional signal outputs for connection of peripherals. Stand models with sturdy torsion-resistant support out of steel plate with an extended downward adjustment of the feeding table to positioning of higher objects. European/Japanese pneumatic elements, low running by air sound absorbers, pad pressure adjustable via display, automatically adjusting doctor blade, squeegee pressure infinitely adjustable for optimal doctoring of the ink. Inkwells easy to clean by integrated magnetic plates. All models with open ink system can easily be re-constructed for bigger inkwells. All machines equipped with safety plates at the sides as well as emergency switch and foot switch. Needed connection: compressed air 6bar, 230volts, 50cycles.
12.500,00 EUR excl. 19% VAT plus shipping costs



Second-Hand Screen Print - Pad Print Machines 2025 > Used Pad Printing Machines



Mounting Station Set-up Table SSE for TIC Ink Pots ø 90mm
Model: 63314-090-01
made of aluminium, for mounting of TIC ink pots ø 90mm on to magnetic plates
480,00 EUR excl. 19% VAT plus shipping costs



Second-Hand Screen Print - Pad Print Machines 2025 > Used Drying Channels



UV-Bridge Modul PRINTWORLD PUVB 1700-1
Model: 15C010
UV bridge with 1spot, with separately transformer and fan box, suitable for mounting at existing drying channel or at transport system, spot width: 1700mm, spot power: 120watts/cm, with air cooling system, power adjustable via digital display, 400V, 50Hz, 60ampere. Year of construction: 2001, functioning, medium condition.
Used machines and demonstration models are subject to prior sale without notice.
4.900,00 EUR excl. 19% VAT plus shipping costs



UV-Bridge Modul PRINTWORLD PUVB 1300-2
Model: 15C011
UV bridge with 2spots, with separately transformer and fan cabinet, suitable for mounting at existing drying channel or at transport system; with underfloor extraction well, is equally suitable for mounting at exisiting drying channel or at transport system. Spot width: 1300mm, spot power: 120watts/cm, with air cooling system, power adjustable via digital display, 400V, 50Hz, 78ampere. Year of construction: 2001, technically ok and functioning, medium condition.
Used machines and demonstration models are subject to prior sale without notice.
8.500,00 EUR excl. 19% VAT plus shipping costs



Combi-Dryer for Small Parts, Model ESC KT 1000/300
Model: 19B003
Belt width: 300mm, suitable for drying of small parts, equipped with 4air circulation fans, total length: 1830mm, passage height: 180mm, with electronic temperature control (up to max. 50°C), with synthetic transport belt, adjustable belt speed, easy control via control board, movable on casters, connection: 400V, 3Ph., 50Hz, 7000W, used, year of construction: 2003, good condition.
2.800,00 EUR excl. 19% VAT plus shipping costs



Conveyor Drying Channel Tesoma UV Dryer
Model: 21A017
5-zone channel, 4hot air segments, 1cooling segment, working width: 2x 750mm, total length: 13,900mm, total width: 2,600mm, total height: 1,440mm, belt speed: 1–10m/min, gas burner from Weishaupt, gas burner outcome: 100kW, max. temperature: 180° C, connected load : 25 kW/54A, compressed air: 6bar, used, year of manufacture: 2010, very good condition
9.500,00 EUR excl. 19% VAT plus shipping costs



Second-Hand Screen Print - Pad Print Machines 2025 > Used Drying Channels



Drying Channel HOTWIND , Belt 500mm, Passage: 100mm
Model: 22D002
belt width: 500mm, total length: 2000mm, insulated drying cover: 1500mm long, passage height: approx. 100mm, with transport belt made of teflon coated grid belt (PTFE), with attached LEISTER hot-air ventilation, heating power: 3100W, air supply: 550l/min., belt drive infinitely adjustable from 0-4m/min., max. temperature 60 - 80°C, support made of aluminium profiles with casters, required connection: 400V, 50Hz, used, year of construction: 2015, good condition.
Used machines and demonstration models are subject to prior sale without notice.
4.200,00 EUR excl. 19% VAT plus shipping costs



Drying Belt ALRAUN with IR-Cover and Cooling Module
Model: 22D008
with aluminium support, height-adjustable on casters, with teflon coated PTFE transport belt, adjustable belt drive, belt width 50cm, belt length: 300cm, infrared drying cover on top, cover length: 60cm, temperature via poti, with cooling module on top. The Positions of drying cover and cooling module are adjustable. Total length: 305cm, connection: 230V, 50Hz, used, older model, medium condition.
Used machines and demonstration models are subject to prior sale without notice.
1.900,00 EUR excl. 19% VAT plus shipping costs



Drying and Burning-in Oven TRO Model I, 60x90
Model: 23D001
for fixation of textile inks, flock glues as well as for burning-in of plate and aluminium signs, suitable for inserting of drying racks with 50rods and useable size: 60x90cm, good warming insolation, simple insertion, required temperature adjusted via actual and nominal value thermostat, with overheating protection, useable space: approx. 108cm wide x 78cm deep x 166cm high, outer dimension: approx. 192cm wide x 128cm deep x 230cm high, authorised for inks and solvents up to hazard class A II, fixating and drying temperature: up to max. 180°C, not suitable for drying of foods! Power connection: 400V, 50Hz, 21kW, weight: approx. 685kgs. Used, year of construction: 2013, good condition.
12.500,00 EUR excl. 19% VAT plus shipping costs



Second-Hand Screen Print - Pad Print Machines 2025 > Used Devices Miscellaneous



Jogging Table, 50x70
Model: 21B005
for sheet size of approx. 100x140cm, with adjustable vibrating motor (230V), adjustable inclination and adjustable stop plates, base plate made of natural hardwood approx. 60x70cm, used, medium condition.
1.450,00 EUR excl. 19% VAT plus shipping costs



All-Steel Drying Rack, 25Shelves, 60x90
Model: 22D006
with 25shelves, galvanized shelves with galvanized wire mesh, silver laccquered support with rubber casters, size: 60x90cm, used, condition as new.
795,00 EUR excl. 19% VAT plus shipping costs



All-steel Drying Rack, 60x90
Model: 23C002
with 50 galvanized shelves with wires, size 60x90cm, with rubber casters, used. The drying rack will be overhauled and will then be in good to very good condition. (The photo shows the rack before overhauling.)
Used machines and demonstration models are subject to prior sale without notice.
750,00 EUR excl. 19% VAT plus shipping costs



All-steel Drying Rack, 60x90
Model: 23D003
with 50 galvanized shelves, size: 60x90cm, with wire mesh, galvanized support with casters, used, good condition.
Used machines and demonstration models are subject to prior sale without notice.
950,00 EUR excl. 19% VAT plus shipping costs



All-Steel Drying Rack, 17Shelves, 90x130
Model: 23D005
with 17shelves, galvanized shelves with rods, silver laccquered support with rubber casters, size: 90x130cm, used, condition as new.
795,00 EUR excl. 19% VAT plus shipping costs



All-steel Drying Rack, Model GS 2, 85x125cm
Model: 24B001
Special model with 25shelves, useable siz: 85x125cm, with red plastic space bumpers, galvanised rods with galvanised mesh, support with casters, used, older model, medium condition.
Used machines and demonstration models are subject to prior sale without notice.
350,00 EUR excl. 19% VAT plus shipping costs



Second-Hand Screen Print - Pad Print Machines 2025 > Used Devices Miscellaneous



All-Steel Drying Rack, 90x130
Model: 25C004
with 50grids, shelves with wire mesh, support with casters, size approx. 90 x 130 cm, used.
750,00 EUR excl. 19% VAT plus shipping costs



All-Steel Drying Rack, 90x130
Model: 25C005
with 50grids, shelves with wire mesh, support with casters, size approx. 90 x 130 cm, used, partly rusty, functional.
450,00 EUR excl. 19% VAT plus shipping costs



Second-Hand Screen Print - Pad Print Machines 2025 > Used Devices processing



Manual hand-cutting device, cutting length: 100cm
Model: 11C001
with floor stand and roll holder, suitable for foil/paper, blade cutting device with hand stick, rarely used, very good condition
Used machines and demonstration models are subject to prior sale without notice.
395,00 EUR excl. 19% VAT plus shipping costs



Media Support MSS for Summacut D60R-2, demonstration model
Model: 13A023
special price
Used machines and demonstration models are subject to prior sale without notice.
240,00 EUR excl. 19% VAT plus shipping costs



Manual hand-cutting device, cutting length: 200cm
Model: 13B035
suitable for mounting at existing table, useable for cutting the leading and trailing edge, equipped with blade track with grip stick, used, funtional.
Used machines and demonstration models are subject to prior sale without notice.
395,00 EUR excl. 19% VAT plus shipping costs