



Equipment for the foil processing





Blade Holders for Slitting Machine

Model: 080010001

completely, with 1knife

Can easily be adjusted by means of the handle.



Slitting Machine 70cm, 230V, 50Hz

Model: 080010700

infeed width: 70 cm

for slitting the back of foil sheets, complete with sheet trap, adjustable scales, adjustable guide bars for easy infeed of sheets. Steplessly variable roller speed, with 2 blade holders.



Slitting Machine 100cm, 230V, 50Hz

Model: 080011000

infeed width: 100cm

for slitting the back of foil sheets, complete with sheet trap, adjustable scales, adjustable guide bars for easy infeed of sheets. Steplessly variable roller speed, with 2 blade holders.



Slitting Machine 130cm, 230V, 50Hz

Model: 080011300

infeed width: 130cm

for slitting the back of foil sheets, complete with sheet trap, adjustable scales, adjustable guide bars for easy infeed of sheets. Steplessly variable roller speed, with 2 blade holders.



Slitting Machine 140cm, 230V

Model: 080011400

infeed width: 140cm

for slitting the back of foil sheets, complete with sheet trap, adjustable scales, adjustable guide bars for easy infeed of sheets. Steplessly variable roller speed, with 2 blade holders.



Foil Stand with casters and brake for 4 rolls

Model: 1700804100

Roll width 100 cm



Foil Stand with casters and brake for 4 rolls

Model: 1700804125

Roll width 125 cm



Foil Stand with casters and brake for 4 rolls

Model: 1700804150

Roll width 150 cm



Foil Stand with casters and brake for 4 rolls

Model: 1700804200

Roll width 200 cm



Foil Stand for Computer Cutting Foils Model A: 32rolls

Model: 17009A32

Model A: for 32rolls, roll width 50cm, roll length max. 50 m

suitable for pushing plotter foil rolls etc., powder-coated steel-tube construction with casters.



Foil Stand for Computer Cutting Foils Model B: 45rolls

Model: 17009B45

Model B: for 45rolls, roll width 50cm, roll length max. 50 m

suitable for pushing plotter foil rolls etc., powder-coated steel-tube construction with casters.



Foil Stand for Computer Cutting Foils, Model C-125: 32rolls

Model: 17009C12532

Model C-125: for 32 rolls, roll width 125cm, roll length max. 25m

suitable for pushing plotter foil rolls etc., powder-coated steel-tube construction with casters.



Foil Stand for Computer Cutting Foils Model C: 32rolls

Model: 17009C32

Model C: for 32rolls, roll width 70 or 100cm, roll length 50m

suitable for pushing plotter foil rolls etc., powder-coated steel-tube construction with casters.



Foil Stand for Computer Cutting Foils Model D-125: 45rolls

Model: 17009D12545

Model D-125: for 45 rolls, roll width 125cm, roll length max. 25m

suitable for pushing plotter foil rolls etc., powder-coated steel-tube construction with casters.



Foil Stand for Computer Cutting Foils Model D: 45rolls

Model: 17009D45

Model D: for 45 rolls, roll width 70 or 100cm, roll length max. 50m

suitable for pushing plotter foil rolls etc., powder-coated steel-tube construction with casters.



Summa Drag-Knife 35°

Model: 1900354-2

Plotter knife / drag knife 35°, offset, 0.4mm, for thin plotter films, D=1,5mm, L=19,5mm, with yellow cap, for SUMMA-D cutting plotter.



Summa Drag Knife 45°

Model: 19003545-1

Plotter knife / drag knife 45°, offset, 0.4mm, for plotter films and flex films, D=1,5mm, L=19,5mm, with red cap, for cutting plotter SUMMA-D.



Summa Drag Knife 60°

Model: 19003560

Plotter knife / drag knife 60°, offset, 0,75mm, for bigger films (flock/reflecting/sanding), D=1,5mm, L=19,5mm, with blue cap, for cutting plotter Summa-D.



Knife Holder for Drag Knife Plotter Summacut D60R

Model: 1903SCDR60-102

for standard knives

Folies processing > Application-Tape

**Application-Tape AS 122, 10cm x 100 m, 1roll**

Model: 55912210010AS1

with standard adhesive

For the transfer of die-cut or computer-cut lettering or symbols. Designed for nearly any type of film with smooth and matt surface. High dimensional strength and good durability even in wet application. The application-tape satisfies the most demanding requirements.

**Application-Tape AS 122, 40cm x 100m**

Model: 55912210040AS1

with standard adhesive

For the transfer of die-cut or computer-cut lettering or symbols. Designed for nearly any type of film with smooth and matt surface. High dimensional strength and good durability even in wet application. The application-tape satisfies the most demanding requirements.

**Application Tape MT 95, 100mm x 100m, Thickness: 0,155mm**

Model: 559MT950100

Transparent application foil, medium adhesive strength, for precise positioning of the image.

Transparent, polyethylene-based mounting film enables unproblematic transfer of letters and symbols, with a fine-pocked finish. Adhesive: Modified polyacrylate, medium adhesive strength.

**Application Tape MT 95, 150mm x 100m, Thickness: 0,155mm**

Model: 559MT950150

Transparent application foil, medium adhesive strength, for precise positioning of the image.

Transparent, polyethylene-based mounting film enables unproblematic transfer of letters and symbols, with a fine-pocked finish. Adhesive: Modified polyacrylate, medium adhesive strength.

**Application Tape MT 95, 200mm x 100m, Thickness: 0,155mm**

Model: 559MT950200

Transparent application foil, medium adhesive strength, for precise positioning of the image.

Transparent, polyethylene-based mounting film enables unproblematic transfer of letters and symbols, with a fine-pocked finish. Adhesive: Modified polyacrylate, medium adhesive strength.

**Application Tape MT 95, 300mm x 100m, Thickness: 0,155mm**

Model: 559MT950300

Transparent application foil, medium adhesive strength, for precise positioning of the image.

Transparent, polyethylene-based mounting film enables unproblematic transfer of letters and symbols, with a fine-pocked finish. Adhesive: Modified polyacrylate, medium adhesive strength.

**Application Tape MT 95, 400mm x 100m, Thickness: 0,155mm**

Model: 559MT950400

Transparent application foil, medium adhesive strength, for precise positioning of the image.

Transparent, polyethylene-based mounting film enables unproblematic transfer of letters and symbols, with a fine-pocked finish. Adhesive: Modified polyacrylate, medium adhesive strength.

Folies processing > Application-Tape



Application Tape MT 95, 500mm x 100m, Thickness: 0,155mm

Model: 559MT950500

Transparent application foil, medium adhesive strength, for precise positioning of the image.

Transparent, polyethylene-based mounting film enables unproblematic transfer of letters and symbols, with a fine-pocked finish. Adhesive: Modified polyacrylate, medium adhesive strength.



Application Tape MT 95, 600mm x 100m, Thickness: 0,155mm

Model: 559MT950600

Transparent application foil, medium adhesive strength, for precise positioning of the image.

Transparent, polyethylene-based mounting film enables unproblematic transfer of letters and symbols, with a fine-pocked finish. Adhesive: Modified polyacrylate, medium adhesive strength.



Application Tape MT 95, 1000mm x 100m, Thickness: 0,155mm

Model: 559MT951000

Transparent application foil, medium adhesive strength, for precise positioning of the image.

Transparent, polyethylene-based mounting film enables unproblematic transfer of letters and symbols, with a fine-pocked finish. Adhesive: Modified polyacrylate, medium adhesive strength.



Application Tape MT 95, 1220mm x 100m, Thickness: 0,155mm

Model: 559MT951220

Transparent application foil, medium adhesive strength, for precise positioning of the image.

Transparent, polyethylene-based mounting film enables unproblematic transfer of letters and symbols, with a fine-pocked finish. Adhesive: Modified polyacrylate, medium adhesive strength.

Folies processing > Accessories



Pressure Roller No. 751, 45mm, for Foil Application
Model: 56600751
65shore, red



Pressure Roller No. 753, 180mm
Model: 56600753



Pressure Roller No. 754, 100mm, for Foil Application
Model: 56600754



Plastic Spatula, size: 1.7x10cm
Model: 56610067



Plastic Spatula, size: 2.8 x 13cm
Model: 56620067



Pressure Roller No. 227, 150mm, for Foil Application
Model: 56622715
65shore, red



Pressure Roller No. 227, 75mm, for Foil Application
Model: 56622775
65shore, red



Pressure Roller No. 229, 50mm, for Foil Application
Model: 5662295
double-sided ball bearing mounted

Folies processing > Accessories



Plastic Spatula, size: 3.9 x 15cm

Model: 56630067



3M Squeegee, golden, 72x100mm (soft)

Model: 56700005



Transfer Squeegee 3M blue, 10x70mm (hard)

Model: 56700006



Avery Squeegee, hard with felt edges, 74x100mm, dark blue

Model: 56700006F

Combined squeegee: 1edge hard, 1edge with felt



Spatula out of Felt, 8x 80mm

Model: 56700008



Felt Transfer Squeegee, 70x100mm

Model: 56700009



Right-On Spray, 5l-container

Model: 616600Z0314

Application liquid for self adhesive foils and paint protection films, biodegradable.

Application fluid for wet application of various foils. Adhesion faster than with soapy water, easy to use (underground and adhesive layer can be sprayed and the foil can be moved and positioned without problem), the squeegee glides easily over the surface and removes humidity and air bubbles.