





High-quality screen printing equipment





All-Steel Drying Rack, Model STABILO, galvanized, 60x90

Model: 13003060090

Model 1 - with 50shelves, max. sheet size: 60x 90cm

Suitable for heavy materials as glass, plexiglas, etc. Rods: galvanized with solid rod mesh. Floor stand with plastic casters.



All-Steel Drying Rack, Model STABILO, galvanized, 90x126

Model: 13003090130

Model 2 - with 50shelves, with max. sheet size: 90x126cm

Suitable for heavy materials as glass, plexiglas, etc. Rods: galvanized with solid rod mesh. Floor stand with plastic casters.



All-Steel Drying Rack, Model STABILO, galvanized, 100x140

Model: 13003100140

Model 3 - with 50shelves, max. sheet size 100x140cm, outer dimensions: approx. 126cm deep x 153cm wide x 164cm high

Suitable for heavy materials as glass, plexiglas, etc. Rods: galvanized with solid rod mesh. Floor stand with plastic casters.



All-Steel Drying Rack, Model STABILO, galvanized, 100x150

Model: 13003100150

Model 4 - with 50shelves, max. sheet size 100x150cm

Suitable for heavy materials as glass, plexiglas, etc. Rods: galvanized with solid rod mesh. Floor stand with plastic casters.



All-Steel Drying Rack, Model STABILO, galvanized, 100x200

Model: 13003100200

Model 5 - with 50shelves, max. sheet size 100x200cm

Suitable for heavy materials as glass, plexiglas, etc. Rods: galvanized with solid rod mesh. Floor stand with plastic casters.



All-Steel Drying Rack, Model STABILO, galvanized, 60x90

Model: 13005060090

Model 1 - with 25shelves, max. sheet size: 60x90cm

Suitable for heavy materials as glass, plexiglas, etc. Rods: galvanized with solid rod mesh. Floor stand with plastic casters.

Miscellaneous > Drying Rack > New

**All-Steel Drying Rack, Model STABILO, galvanized, 90x126**

Model: 13005090130

Model 2 - with 25shelves, max. sheet size: 90x126cm

Suitable for heavy materials as glass, plexiglas, etc. Rods: galvanized with solid rod mesh. Floor stand with plastic casters.

**All-Steel Drying Rack, Model STABILO, galvanized, 90x136**

Model: 13005090136

Model 2 - with 25shelves, max. sheet size: 90x136cm

Suitable for heavy materials as glass, plexiglas, etc. Rods: galvanized with solid rod mesh. Floor stand with plastic casters.

**All-Steel Drying Rack, Model STABILO, galvanized, 100x140**

Model: 13005100140

Model 3 - with 25shelves, max. sheet size 100x140cm, outer dimensions: approx. 126cm deep x 153cm wide x 164cm high

Suitable for heavy materials as glass, plexiglas, etc. Rods: galvanized with solid rod mesh. Floor stand with plastic casters.

**All-Steel Drying Rack, Model STABILO, galvanized, 100x150**

Model: 13005100150

Model 4 - with 25shelves, max. sheet size 100x150cm

Suitable for heavy materials as glass, plexiglas, etc. Rods: galvanized with solid rod mesh. Floor stand with plastic casters.

**All-Steel Drying Rack, Model STABILO, galvanized, 100x200**

Model: 13005100200

Model 5 - with 25shelves, max. sheet size 100x200cm

Suitable for heavy materials like glass, plexiglas, etc. Rods: galvanized with solid rod mesh. Floor stand with plastic casters.

**All-Steel Drying Rack with 25Shelves, 60x90**

Model: 13007060090

max. sheet size: 60x90cm

full steel construction with wires, 25 shelves, galvanized, with rubber caster wheels.



Drying Racks, 25Shelves, Size 60x90cm, grids/galvanized

Model: 13008256090G

with galvanized rod mesh, silver lacquered support with heat-proof caster wheels. Distance from middle of the grid to middle of the grid: approx. 50mm, distance between the grids: approx. 47mm



Drying Racks, 25Shelves, Size: 90x126cm, grids/galvanized

Model: 130082590130G

with galvanized rod mesh, silver lacquered support with heat-proof caster wheels. Distance from middle of the grid to middle of the grid: approx. 50mm, distance between the grids: approx. 47mm



Drying Racks, 50Shelves, Size: 100x140cm, grids/galvanized

Model: 1300850100140G

with galvanized rod mesh, silver varnished support with heat-proof caster wheels. Heat resistance: up to 180°C. Grid size: 75x 200mm, distance between the shelves: 25mm, height of top grid: 140cm.



Drying Racks, 50Shelves, Size: 60x90cm, grids/galvanized

Model: 13008506090G

with galvanized rod mesh, silver varnished support with heat-proof caster wheels. Heat resistance: up to 180°C. Grid size: 75x 200mm, distance between the shelves: 25mm, height of top grid: 140cm.



Drying Racks, 50Shelves, Size: 90x126cm, grids/galvanized

Model: 130085090130G

with galvanized rod mesh, silver varnished support with heat-proof caster wheels. Heat resistance: up to 180°C. Grid size: 75x 200mm, distance between the shelves: 25mm, height of top grid: 140cm.




Screen Rack, movable

Model: 09401010

for 10screen frames with size of approx. 140x180cm, powder coating: light blue.

movable on casters, powder coated steel-tube construction. Dimension: approx. 105cm deep x 62cm wide x 160cm high.



Two-storey screen rack, movable

Model: 09402020

for 20 screen frames size approx. 100 x 120 cm

with caster wheels, steel-tube construction, dimensions approx. 105 cm deep x 62 cm wide x 190 cm high, sprayed in lighth blue.




Screen rack, wall rack, 125cm wide, 30screens, 30mm profile

Model: 09403125

suitable for 30screen frames up to approx. 60x70cm, total width approx. 125cm, for 30mm profile

Simple wall rack for storing upto 30screen frames with max. size of approx. 60x70cm, plastic coated sheet steel construction.



Screen rack, wall rack, 155cm wide, 30screens, 40mm profile

Model: 09403155

suitable for 30screen frames up to approx. 60x70cm, total width approx. 155cm, for 40mm profile

Simple wall rack for storing upto 30screen frames with max. size of approx. 60x70cm, plastic coated sheet steel construction.



Screen Storage Cabinet, SPECIAL MODEL

Model: 094091000

Suitable for inserting 24screen frames with a dimension of max. 700x 800mmx40mm profile. Outer dimension: approx. 800mm wide x approx. 800mm deep x approx. 2000mm high. Lacquering: corps RAL9002 greywhite, doors: RAL 5013 cobalt blue. SPECIAL MODELS of screen storage cabinets according to your specifications and your requirements. Price upon request!

Steel tube construction, with 4casters, 2 of them with brakes, U-profile rails mounted on top and at the bottom of each floor for inserting the screen frames (inside dimension approx. 45mm), thus no contact of the mesh during the insertion of the frames. Two-storey version, with 12drawers per floor. Sides and back side with sheet metal panel, front side with lockable swivelling doors.



Squeegee Holder for One-Hand Operation

Model: 22001001

for squeegee sharpener model STANDARD



Squeegee Belt Grinder STANDARD, Table-Top Model, 30cm

Model: 22001030

Grinding length: 30cm, 400V, 50Hz

with glass plate as grinding base and simple clamping device for quick exchange of the grinding belts. Option: available with 230V, 50Hz



Squeegee Belt Grinder STANDARD, Table-Top Model, 80cm

Model: 22001080

Grinding length: 80cm, 400V, 50Hz

with glass plate as grinding base and simple clamping device for quick exchange of the grinding belts. Option: available with 230V, 50Hz



Squeegee Belt Grinder STANDARD, Table-Top Model, 130cm

Model: 22001130

Grinding length: 130cm, 400V, 50Hz

with glass plate as grinding base and simple clamping device for quick exchange of the grinding belts. Option: available with 230V, 50Hz



Squeegee Belt Grinder STANDARD, Table-Top Model, 160cm

Model: 22001160

Grinding length: 160 cm, 400V, 50Hz

with glass plate as grinding base and simple clamping device for quick exchange of the grinding belts. Option: available with 230V, 50Hz



Squeegee Belt Grinder STANDARD, Table-Top Model, 210cm

Model: 22001210

Grinding length: 210cm, 400V, 50Hz

with glass plate as grinding base and simple clamping device for quick exchange of the grinding belts. Option: available with 230V, 50Hz

Miscellaneous > Squeegee Sharpener > Grinding Band



Sanding Belt 50x700mm Kinzel, Grinding Size 120

Model: 567012007K



Sanding Belt, 60x915mm, 1pc., Grinding Size: 60

Model: 56706009



Sanding Belt 50x1000mm, Grain Size 60

Model: 56706010



Sanding Belt 50x2500mm, Grinding Size 60

Model: 56706025



Sanding Belt 50x3000mm, Grinding Size 60

Model: 56706030



Sanding Belt 50x4500mm, Grinding Size 60

Model: 56706045



Sanding Belt 50x5000mm, Grinding Size 60

Model: 56706050



Sanding Belt 50x700mm Kinzel, Grain Size: 80

Model: 56708007K

Miscellaneous > Squeegee Sharpener > Grinding Band



Sanding Belt 60x915 mm, Grain Size 80

Model: 56708009



Sanding Belt 50x1000mm, Grain Size 80

Model: 56708010



Sanding Belt 50x1250mm, Grain size 80

Model: 56708012



Sanding Belt 50x2000mm, Grain size 80

Model: 56708020



Sanding Belt 50x2500mm, Grain Size 80

Model: 56708025



Sanding Belt 50x3000mm, Grain size 80

Model: 56708030



Sanding Belt 50x3500mm, Grain Size: 80

Model: 56708035



Sanding Belt 50x4500mm, Grain Size: 80

Model: 56708045

Miscellaneous > Squeegee Sharpener > Grinding Band



Sanding Belt 50x5000mm, Grain Size 80

Model: 56708050



Sanding Belt 50x4000mm, Grain Size: 100

Model: 56710040



Sanding Belt 50x700mm Kinzel, Grinding Size 120

Model: 56712007K



Sanding Belt, 60x915 mm, Grain Size 120

Model: 56712009



Sanding Belt, 50x1000mm, Grain Size 120

Model: 56712010



Sanding Belt, 50x1250mm, Grain Size 120

Model: 56712012



Sanding Belt, 50x2000mm, Grain Size 120

Model: 56712020



Sanding Belt, 50x2500mm, Grain Size 120

Model: 56712025

Miscellaneous > Squeegee Sharpener > Grinding Band



Sanding Belt, 50x3000mm, Grain Size 120

Model: 56712030



Sanding Belt, 50x3500mm, Grain Size 120

Model: 56712035



Sanding Belt, 50x4500mm, Grain Size 120

Model: 56712045



Sanding Belt, 50x5000mm, Grid size 120

Model: 56712050



Sanding Belt RKS Type 20/530, Grain Size: 120, PU: 10pcs.

Model: 567120530



Sanding Belt 50x2000mm, Grain Size: 150

Model: 56715020



Sanding Belt 50x4000mm, Grain Size 150

Model: 56715040



Sanding Belt 50x700mm Kinzel, Grinding Size 180

Model: 56718007K

Miscellaneous > Squeegee Sharpener > Grinding Band



Sanding Belt 60x915mm, Grinding Size 180

Model: 56718009



Sanding Belt 50x1000mm, Grain Size: 180

Model: 56718010



Sanding Belt 50x1250mm, Grain Size 180

Model: 56718012



Sanding Belt 50x2000mm, Grain Size: 180

Model: 56718020



Sanding Belt 50x2500mm, Grain Size 180

Model: 56718025



Sanding Belt 50x3000mm, Grinding Size 180

Model: 56718030



Sanding Belt 50x3500mm, Grain Size 180

Model: 56718035



Sanding Belt 50x4500mm, Grinding Size 180

Model: 56718045

Miscellaneous > Squeegee Sharpener > Grinding Band



Sanding Belt 50x5000mm, Grinding Size 180

Model: 56718050



Sanding Belt 60x915mm, Grinding Size 220

Model: 56722009



Sanding Belt 50x1000mm, Grinding Size 220

Model: 56722010



Sanding Belt 50x1250mm, Grain Size: 220

Model: 56722012



Sanding Belt 50x2000mm, Grain Size 220

Model: 56722020



Sanding Belt 50x2500mm, Grinding Size 220

Model: 56722025



Sanding Belt 50x3000mm, Grain Size 220

Model: 56722030



Sanding Belt 50x3500mm, Grain Size: 220

Model: 56722035

Miscellaneous > Squeegee Sharpener > Grinding Band



Sanding Belt 50x4500mm, Grain Size 220

Model: 56722045



Sanding Belt 50x5000mm, Grain Size: 220

Model: 56722050



Sanding Belt 50x700mm Kinzel, Grain Size 240

Model: 56724007K



Sanding Belt 50x700mm Kinzel, Grain Size 320

Model: 56732007K



Sanding Belt 60x915mm, Grinding Size 320

Model: 56732009



Sanding Belt 50x1000mm, Grain Size 320

Model: 56732010



Sanding Belt 50x1250mm, Grain Size: 320

Model: 56732012



Sanding Belt 50x2000mm, Grinding Size 320

Model: 56732020

Miscellaneous > Squeegee Sharpener > Grinding Band



Sanding Belt 50x2500mm, Grain Size: 320

Model: 56732025



Sanding Belt 50x3000mm, Grinding Size 320

Model: 56732030



Sanding Belt 50x3500mm, Grain Size 320

Model: 56732035



Sanding Belt 50x4500mm, Grinding size 320

Model: 56732045



Sanding Belt 50x5000mm, Grain Size 320

Model: 56732050



Sanding Belt RKS Type 20/530, Grain Size: 320

Model: 567320530



Sanding Belt 60x915mm, Grinding Size 320

Model: 56740009



Sanding Belt 50x2000mm, Grinding Size 400

Model: 56740020



Sanding Belt RKS Type 20/530, Grain Size: 320

Model: 567400530



Sanding Belt ALFRA PRECISE, 20x570mm, Grain Size: 180

Model: 567AP20570180



Vibrating Table, 50x70

Model: 09016050070

for sheet size: 50x70cm, 400V, 50Hz

for stacking the printed sheets at the delivery of the drying channel. With sturdy lacquered hardwood plate, adjustable stop plates for different sizes, vibration power 10-fold adjustable.



Vibrating Table, 70x100

Model: 09016070100

for sheet size: 70x100cm, 400V, 50Hz

for stacking the printed sheets at the delivery of the drying channel. With sturdy lacquered hardwood plate, adjustable stop plates for different sizes, vibration power 10-fold adjustable.



Vibrating Table, 90x130

Model: 09016090130

for sheet size: 90x130cm, 400V, 50Hz

for stacking the printed sheets at the delivery of the drying channel. With sturdy lacquered hardwood plate, adjustable stop plates for different sizes, vibration power 10-fold adjustable.




Vibrating Table, 100x140

Model: 09016100140

for sheet size: 100x140cm, 400V, 50Hz

for stacking the printed sheets at the delivery of the drying channel. With sturdy lacquered hardwood plate, adjustable stop plates for different sizes, vibration power 10-fold adjustable.




Manual Screen Washer, Model 1: 110x140

Model: 10004110140

For max. screen size: 110x140cm, 400V, 50Hz. The unit is ex-protected. The control box ist not ex-protected and must be mounted according to the rules at least 5m away from the unit or must be separated from the unit by a fire-proof wall.

Made of aluminium, compl. with solvents storage tank, pump, brush.




Manual Screen Washer, Model 2: 120x140

Model: 10004120140

For max. screen size: 120x140cm, 400V, 50Hz. The unit is ex-protected. The control box ist not ex-protected and must be mounted according to the rules at least 5m away from the unit or must be separated from the unit by a fire-proof wall.

Made of aluminium, compl. with solvents storage tank, pump, brush.



Manual Screen Washer, Model 3: 140x180

Model: 10004140180

For max. screen size: 140x180cm, 400V, 50Hz. The unit is ex-protected. The control box ist not ex-protected and must be mounted according to the rules at least 5m away from the unit or must be separated from the unit by a fire-proof wall.

Made of aluminium, compl. with solvents storage tank, pump, brush.




Manual Screen Washer, Model 4: 150x220

Model: 10004150220

For max. screen size: 150x220cm, 400V, 50Hz. The unit is ex-protected. The control box ist not ex-protected and must be mounted according to the rules at least 5m away from the unit or must be separated from the unit by a fire-proof wall.

Made of aluminium, compl. with solvents storage tank, pump, brush, 380/400V.




Manual Screen Washer, Model 5: 150x300

Model: 10004150300

For max. screen size: 150x300cm, 400V, 50Hz. The unit is ex-protected. The control box ist not ex-protected and must be mounted according to the rules at least 5m away from the unit or must be separated from the unit by a fire-proof wall.

Made of aluminium, compl. with solvents storage tank, pump, brush.




Manual Screen Washer, Model 6: 160x260

Model: 10004160260

For max. screen size: 160x260cm, 400V, 50Hz. The unit is ex-protected. The control box ist not ex-protected and must be mounted according to the rules at least 5m away from the unit or must be separated from the unit by a fire-proof wall.

Made of aluminium, compl. with solvents storage tank, pump, brush.




Manual Screen Washer, Model 7: 180x350

Model: 10004180350

For max. screen size: 180x350cm, 400V, 50Hz. The unit is ex-protected. The control box ist not ex-protected and must be mounted according to the rules at least 5m away from the unit or must be separated from the unit by a fire-proof wall.

Made of aluminium, compl. with solvents storage tank, pump, brush.



Manual Screen Washer, Model 8: 200x400

Model: 10004200400

For max. screen size: 200x400cm, 400V, 50Hz. The unit is ex-protected. The control box ist not ex-protected and must be mounted according to the rules at least 5m away from the unit or must be separated from the unit by a fire-proof wall.

Made of aluminium, compl. with solvents storage tank, pump, brush.




Pneumatic Screen Stretching Device, 50x70

Model: 23001050070

10 stretching clamps, each 25 cm wide, suitable for max. screen size approx. 50-60 x 70-80cm, without table.

pneumatic stretching clamps, complete with distribution ledge, connection hoses, maintenance and operation panel.



Pneumatic Screen Stretching Device, 100x130

Model: 23001100130

18 stretching clamps, each 25 cm wide, suitable for max. screen size 100 x 130 cm.

pneumatic stretching clamps, complete with distribution ledge, connection hoses, maintenance and operation panel.




Pneumatic Screen Stretching Device, 100x180

Model: 23001100180

22 stretching clamps, each 25 cm wide, suitable for max. screen size 100 x 180 cm.

pneumatic stretching clamps, complete with distribution ledge, connection hoses, maintenance and operation panel.




Pneumatic Screen Stretching Device, 120x160

Model: 23001120160

22 stretching clamps, each 25 cm wide, suitable for max. screen size 120 x 160 cm.

pneumatic stretching clamps, complete with distribution ledge, connection hoses, maintenance and operation panel.



Pneumatic Screen Stretching Device, 150x180

Model: 23001150180

26 stretching clamps, each 25 cm wide, suitable for max. screen size 150 x 180 cm.

pneumatic stretching clamps, complete with distribution ledge, connection hoses, maintenance and operation panel.



Mechanical Screen Tensioning Unit MT - 120 AL

Model: 23003120AL

for max. screen size 120 x 150 cm



Mechanical Screen Tensioning Unit MT - 150 AL

Model: 23003150AL

for max. screen size 150 x 180 cm



Mechanical Screen Stretching Device Model MT-1515 Si

Model: 230061515SI

For screen frames from min. 50x50cm up to max. 150x150cm, with adjustable support for several screen sizes. Storage space: approx. 220x220cm

Mechanical clamp stretching device with pneumatic frame pressing, with maintenance and operation unit, incl. easily adjustable support for several screen sizes.



Ventilation stand consisting of 4 fans with rotation

Model: 090084000

ventilation switch with multiple steps, without heating, fan diameter 400 mm, mounted on movable stand.



Wall Squeegee Holder for 10squeegees, price per pair

Model: 090171000

Dimension: approx. 90cm long x 5cm wide x 13cm high



Cleaning Machine TEKNEK, Model CM10-1000

Model: 09501CM10-1000

cleaning width: 1000mm, 2ultraclean rolls for foils and firm plates, 2adhesive rolls (AERF1000), pass-through device with anti-statics equipment, incl. stand with height adjustable feet, infeed height: 950 +/- 50mm, infeed and outfeed length: each 800mm, incl. pneumatic increase and decrease of cleaning top roll.

suitable for double-sided cleaning of big-size screen printing materials such as laminates, glass plates, acryl glasses, foil keyboards, etc.



Cleaning Machine TEKNEK, Model CM8n-650

Model: 09501CM8n-0650

Cleaning width: 650mm, 2ultraclean rolls for foils and firm plates, 2adhesive rolls (AREP), pass-through device with anti-statics equipment, incl. stand with height adjustable feet, infeed height: 950 +/- 50mm, infeed and outfeed length: each 450mm, incl. pneumatic increase and decrease of cleaning top roll.

suitable for double-sided cleaning of big-size screen printing materials such as laminates, glass plates, acryl glasses, foil keyboards, etc.



Mobile Extraction Unit MOBI-FRESH for Screen/Pad Printing

Model: 10013200

Comination filters: active carbon filter with substance pre-filter, filter class F5, active carbon volume: approx. 33litres, noise level: approx 65db/A, electrical connection: 220/240V, 0,75 kW, dimensions: 990mm high x 640mm deep x 520mm wide

for extraction and filtration of odours and vapours of organic solvents and other harmful substances which occur at screen printing and pad printing application, with active carbon filter with simply removable filter cartridge, for high effeciently cleaning the air of particular and gaseous pollutions, filter housing made of enamelled steel with 4casters, two of them with brakes, unit easily movable by 2handles, with ventilator, redाय to use with euro-socket.



Evaporation Cover for Drying Racks with Extraction Fan

Model: 13102105

movable on 4 casters, suitable for drying racks L/D/H approx. 140x100x 160cm, outer dimension of the cover: approx. L/D/H approx. 175x70x200cm + extraction fan 40cm.

Steel construction, covered with galvanized plate, with mounted extraction fan. Even extraction due to the equipment with multiple disc plates at the backside.