





High-quality screen printing equipment

Overview without prices 2020





All-Steel Drying Rack, Model STABILO, galvanized, 60x90

Model: 13003060090

Model 1 - with 50shelves, max. sheet size: 60x 90cm

Suitable for heavy materials as glass, plexiglas, etc. Rods: galvanized with solid rod mesh. Floor stand with plastic casters.



All-Steel Drying Rack, Model STABILO, galvanized, 90x126

Model: 13003090130

Model 2 - with 50shelves, with max. sheet size: 90x126cm

Suitable for heavy materials as glass, plexiglas, etc. Rods: galvanized with solid rod mesh. Floor stand with plastic casters.



All-Steel Drying Rack, Model STABILO, galvanized, 100x140

Model: 13003100140

Model 3 - with 50shelves, max. sheet size 100x140cm, outer dimensions: approx. 126cm deep x 153cm wide x 164cm high

Suitable for heavy materials as glass, plexiglas, etc. Rods: galvanized with solid rod mesh. Floor stand with plastic casters.



All-Steel Drying Rack, Model STABILO, galvanized, 100x150

Model: 13003100150

Model 4 - with 50shelves, max. sheet size 100x150cm

Suitable for heavy materials as glass, plexiglas, etc. Rods: galvanized with solid rod mesh. Floor stand with plastic casters.



All-Steel Drying Rack, Model STABILO, galvanized, 100x200

Model: 13003100200

Model 5 - with 50shelves, max. sheet size 100x200cm

Suitable for heavy materials as glass, plexiglas, etc. Rods: galvanized with solid rod mesh. Floor stand with plastic casters.



All-Steel Drying Rack, Model STABILO, galvanized, 60x90

Model: 13005060090

Model 1 - with 25shelves, max. sheet size: 60x90cm

Suitable for heavy materials as glass, plexiglas, etc. Rods: galvanized with solid rod mesh. Floor stand with plastic casters.



All-Steel Drying Rack, Model STABILO, galvanized, 90x126
Model: 13005090130
Model 2 - with 25shelves, max. sheet size: 90x126cm
Suitable for heavy materials as glass, plexiglas, etc. Rods: galvanized with solid rod mesh. Floor stand with plastic casters.



All-Steel Drying Rack, Model STABILO, galvanized, 100x140
Model: 13005100140
Model 3 - with 25shelves, max. sheet size 100x140cm, outer dimensions: approx. 126cm deep x 153cm wide x 164cm high
Suitable for heavy materials as glass, plexiglas, etc. Rods: galvanized with solid rod mesh. Floor stand with plastic casters.



All-Steel Drying Rack, Model STABILO, galvanized, 100x150
Model: 13005100150
Model 4 - with 25shelves, max. sheet size 100x150cm
Suitable for heavy materials as glass, plexiglas, etc. Rods: galvanized with solid rod mesh. Floor stand with plastic casters.



All-Steel Drying Rack, Model STABILO, galvanized, 100x200
Model: 13005100200
Model 5 - with 25shelves, max. sheet size 100x200cm
Suitable for heavy materials as glass, plexiglas, etc. Rods: galvanized with solid rod mesh. Floor stand with plastic casters.



All-Steel Drying Rack with 25Shelves, 60x90
Model: 13007060090
max. sheet size: 60x90cm
full steel construction with wires, 25 shelves, galvanized, with rubber caster wheels.



Drying Racks, 25Shelves, Size 60x90cm, grids/galvanized
Model: 13008256090G
with galvanized rod mesh, silver lacquered support with heat-proof caster wheels. Distance from middle of the grid to middle of the grid: approx. 50mm, distance between the grids: approx. 47mm



Drying Racks, 25Shelves, Size: 90x126cm, grids/galvanized

Model: 130082590130G

with galvanized rod mesh, silver lacquered support with heat-proof caster wheels. Distance from middle of the grid to middle of the grid: approx. 50mm, distance between the grids: approx. 47mm



Drying Racks, 50Shelves, Size: 100x140cm, grids/galvanized

Model: 1300850100140G

with galvanized rod mesh, silver lacquered support with heat-proof caster wheels. Distance from middle of the grid to middle of the grid: approx. 25mm, distance between the grids: approx. 22mm



Drying Racks, 50Shelves, Size: 60x90cm, grids/galvanized

Model: 13008506090G

with galvanized rod mesh, silver varnished support with heat-proof caster wheels. Distance from middle of the grid to middle of the grid: approx. 25mm, distance between the grids: approx. 22mm



Drying Racks, 50Shelves, Size: 90x126cm, grids/galvanized

Model: 130085090130G


with galvanized rod mesh, silver lacquered support with heat-proof caster wheels. Distance from middle of the grid to middle of the grid: approx. 25mm, distance between the grids: approx. 22mm




Screen Rack, movable
Model: 09401010
for 10screen frames with size of approx. 140x180cm, powder coating: light blue.
movable on casters, powder coated steel-tube construction. Dimension: approx. 105cm deep x 62cm wide x 160cm high.



Two-storey screen rack, movable
Model: 09402020
for 20 screen frames size approx. 100 x 120 cm
with caster wheels, steel-tube construction, dimensions approx. 105 cm deep x 62 cm wide x 190 cm high, sprayed in lighth blue.



Screen rack, wall rack, 125cm wide, 30screens, 30mm profile
Model: 09403125
suitable for 30screen frames up to approx. 60x70cm, total width approx. 125cm, for 30mm profile
Simple wall rack for storing upto 30screen frames with max. size of approx. 60x70cm, plastic coated sheet steel construction.



Screen rack, wall rack, 155cm wide, 30screens, 40mm profile
Model: 09403155
suitable for 30screen frames up to approx. 60x70cm, total width approx. 155cm, for 40mm profile
Simple wall rack for storing upto 30screen frames with max. size of approx. 60x70cm, plastic coated sheet steel construction.



Screen Storage Cabinet, SPECIAL MODEL
Model: 094091000
Suitable for inserting 24screen frames with a dimension of max. 700x 800mmx40mm profile. Outer dimension: approx. 800mm wide x approx. 800mm deep x approx. 2000mm high. Lacquering: corps RAL9002 greywhite, doors: RAL 5013 cobalt blue. SPECIAL MODELS of screen storage cabinets according to your specifications and your requirements. Price upon request!
Steel tube construction, with 4casters, 2 of them with brakes, U-profile rails mounted on top and at the bottom of each floor for inserting the screen frames (inside dimension approx. 45mm), thus no contact of the mesh during the insertion of the frames. Two-storey version, with 12drawers per floor. Sides and back side with sheet metal panel, front side with lockable swivelling doors.

Miscellaneous > Squeegee Sharpener > New



Squeegee Holder for One-Hand Operation
Model: 22001001
for squeegee sharpener model STANDARD



Squeegee Belt Grinder STANDARD, Table-Top Model, 30cm
Model: 22001030
Grinding length: 30cm, 400V, 50Hz
with glass plate as grinding base and simple clamping device for quick exchange of the grinding belts. Option: available with 230V, 50Hz



Squeegee Belt Grinder STANDARD, Table-Top Model, 80cm
Model: 22001080
Grinding length: 80cm, 400V, 50Hz
with glass plate as grinding base and simple clamping device for quick exchange of the grinding belts. Option: available with 230V, 50Hz



Squeegee Belt Grinder STANDARD, Table-Top Model, 130cm
Model: 22001130
Grinding length: 130cm, 400V, 50Hz
with glass plate as grinding base and simple clamping device for quick exchange of the grinding belts. Option: available with 230V, 50Hz



Squeegee Belt Grinder STANDARD, Table-Top Model, 160cm
Model: 22001160
Grinding length: 160 cm, 400V, 50Hz
with glass plate as grinding base and simple clamping device for quick exchange of the grinding belts. Option: available with 230V, 50Hz



Squeegee Belt Grinder STANDARD, Table-Top Model, 210cm
Model: 22001210
Grinding length: 210cm, 400V, 50Hz
with glass plate as grinding base and simple clamping device for quick exchange of the grinding belts. Option: available with 230V, 50Hz

Miscellaneous > Squeegee Sharpener > Grinding Band



Sanding Belt 50x700mm Kinzel, Grinding Size 120

Model: 567012007K



Sanding Belt, 60x915mm, 1pc., Grinding Size: 60

Model: 56706009



Sanding Belt 50x1000mm, Grain Size 60

Model: 56706010



Sanding Belt 50x2500mm, Grinding Size 60

Model: 56706025



Sanding Belt 50x3000mm, Grinding Size 60

Model: 56706030



Sanding Belt 50x4500mm, Grinding Size 60

Model: 56706045



Sanding Belt 50x5000mm, Grinding Size 60

Model: 56706050



Sanding Belt 50x700mm Kinzel, Grain Size: 80

Model: 56708007K

Miscellaneous > Squeegee Sharpener > Grinding Band



Sanding Belt 60x915 mm, Grain Size 80

Model: 56708009



Sanding Belt 50x1000mm, Grain Size 80

Model: 56708010



Sanding Belt 50x1250mm, Grain size 80

Model: 56708012



Sanding Belt 50x2000mm, Grain size 80

Model: 56708020



Sanding Belt 50x2500mm, Grain Size 80

Model: 56708025



Sanding Belt 50x3000mm, Grain size 80

Model: 56708030



Sanding Belt 50x3500mm, Grain Size: 80

Model: 56708035



Sanding Belt 50x4500mm, Grain Size: 80

Model: 56708045

Miscellaneous > Squeegee Sharpener > Grinding Band



Sanding Belt 50x5000mm, Grain Size 80

Model: 56708050



Sanding Belt 50x4000mm, Grain Size: 100

Model: 56710040



Sanding Belt 50x700mm Kinzel, Grinding Size 120

Model: 56712007K



Sanding Belt, 60x915 mm, Grain Size 120

Model: 56712009



Sanding Belt, 50x1000mm, Grain Size 120

Model: 56712010



Sanding Belt, 50x1250mm, Grain Size 120

Model: 56712012



Sanding Belt, 50x2000mm, Grain Size 120

Model: 56712020



Sanding Belt, 50x2500mm, Grain Size 120

Model: 56712025

Miscellaneous > Squeegee Sharpener > Grinding Band



Sanding Belt, 50x3000mm, Grain Size 120

Model: 56712030



Sanding Belt, 50x3500mm, Grain Size 120

Model: 56712035



Sanding Belt, 50x4500mm, Grain Size 120

Model: 56712045



Sanding Belt, 50x5000mm, Grid size 120

Model: 56712050



Sanding Belt RKS Type 20/530, Grain Size: 120, PU: 10pcs.

Model: 567120530



Sanding Belt 50x2000mm, Grain Size: 150

Model: 56715020



Sanding Belt 50x4000mm, Grain Size 150

Model: 56715040



Sanding Belt 50x700mm Kinzel, Grinding Size 180

Model: 56718007K

Miscellaneous > Squeegee Sharpener > Grinding Band



Sanding Belt 60x915mm, Grinding Size 180

Model: 56718009



Sanding Belt 50x1000mm, Grain Size: 180

Model: 56718010



Sanding Belt 50x1250mm, Grain Size 180

Model: 56718012



Sanding Belt 50x2000mm, Grain Size: 180

Model: 56718020



Sanding Belt 50x2500mm, Grain Size 180

Model: 56718025



Sanding Belt 50x3000mm, Grinding Size 180

Model: 56718030



Sanding Belt 50x3500mm, Grain Size 180

Model: 56718035



Sanding Belt 50x4500mm, Grinding Size 180

Model: 56718045

Miscellaneous > Squeegee Sharpener > Grinding Band



Sanding Belt 50x5000mm, Grinding Size 180

Model: 56718050



Sanding Belt 60x915mm, Grinding Size 220

Model: 56722009



Sanding Belt 50x1000mm, Grinding Size 220

Model: 56722010



Sanding Belt 50x1250mm, Grain Size: 220

Model: 56722012



Sanding Belt 50x2000mm, Grain Size 220

Model: 56722020



Sanding Belt 50x2500mm, Grinding Size 220

Model: 56722025



Sanding Belt 50x3000mm, Grain Size 220

Model: 56722030



Sanding Belt 50x3500mm, Grain Size: 220

Model: 56722035

Miscellaneous > Squeegee Sharpener > Grinding Band



Sanding Belt 50x4500mm, Grain Size 220

Model: 56722045



Sanding Belt 50x5000mm, Grain Size: 220

Model: 56722050



Sanding Belt 50x700mm Kinzel, Grain Size 240

Model: 56724007K



Sanding Belt 50x700mm Kinzel, Grain Size 320

Model: 56732007K



Sanding Belt 60x915mm, Grinding Size 320

Model: 56732009



Sanding Belt 50x1000mm, Grain Size 320

Model: 56732010



Sanding Belt 50x1250mm, Grain Size: 320

Model: 56732012



Sanding Belt 50x2000mm, Grinding Size 320

Model: 56732020

Miscellaneous > Squeegee Sharpener > Grinding Band



Sanding Belt 50x2500mm, Grain Size: 320

Model: 56732025



Sanding Belt 50x3000mm, Grinding Size 320

Model: 56732030



Sanding Belt 50x3500mm, Grain Size 320

Model: 56732035



Sanding Belt 50x4500mm, Grinding size 320

Model: 56732045



Sanding Belt 50x5000mm, Grain Size 320

Model: 56732050



Sanding Belt RKS Type 20/530, Grain Size: 320

Model: 567320530



Sanding Belt 60x915mm, Grinding Size 320

Model: 56740009



Sanding Belt 50x2000mm, Grinding Size 400

Model: 56740020



Sanding Belt ALFRA PRECISE, 20x570mm, Grain Size: 180
Model: 567AP20570180



Vibrating Table, 50x70

Model: 09016050070

for sheet size: 50x70cm, 400V, 50Hz

for stacking the printed sheets at the delivery of the drying channel. With sturdy lacquered hardwood plate, adjustable stop plates for different sizes, vibration power 10-fold adjustable.



Vibrating Table, 70x100

Model: 09016070100

for sheet size: 70x100cm, 400V, 50Hz

for stacking the printed sheets at the delivery of the drying channel. With sturdy lacquered hardwood plate, adjustable stop plates for different sizes, vibration power 10-fold adjustable.



Vibrating Table, 90x130

Model: 09016090130

for sheet size: 90x130cm, 400V, 50Hz

for stacking the printed sheets at the delivery of the drying channel. With sturdy lacquered hardwood plate, adjustable stop plates for different sizes, vibration power 10-fold adjustable.



Vibrating Table, 100x140

Model: 09016100140

for sheet size: 100x140cm, 400V, 50Hz

for stacking the printed sheets at the delivery of the drying channel. With sturdy lacquered hardwood plate, adjustable stop plates for different sizes, vibration power 10-fold adjustable.

Miscellaneous > Manual Screen Washer > New



Manual Squeegee Washing Basin, Model 1: 100
Model: 10003100
for squeegees up to 100cm (total length 120 cm), 400V, 50Hz
for washing of squeegee profiles, made of aluminium, with steel-tube support, solvent filter tank, solvent pump, optional: exhaust ventilator in the support. With hand brush and hose. The manual unit is equipped with a lid, which closes the basin when it is not used. Lifting the lid starts the (optional) exhaust ventilator. Solvent vapours at the back side in the lid area. Unit is completely ex-proof. With ON/OFF switch.




Manual Squeegee Washing Basin, Model 2: 150
Model: 10003200
for squeegees up to 150cm (total length 170 cm), 400V, 50Hz
for washing of squeegee profiles. Made of aluminium, with steel-tube support, solvent filter tank, solvent pump, optional: exhaust ventilator in the support. With hand brush and hose. The manual unit is equipped with a lid, which closes the basin when it is not used. Lifting the lid starts the (optional) exhaust ventilator. Solvent vapours at the back side in the lid area. Unit is completely ex-proof. With ON/OFF switch.



Manual Squeegee Washing Basin, Model 3: 200
Model: 10003300
for squeegees up to 200cm (total length 220cm), 400V, 50Hz
for washing of squeegee profiles. Made of aluminium, with steel-tube support, solvent filter tank, solvent pump, optional: exhaust ventilator in the support. With hand brush and hose. The manual unit is equipped with a lid, which closes the basin when it is not used. Lifting the lid starts the (optional) exhaust ventilator. Solvent vapours at the back side in the lid area. Unit is completely ex-proof. With ON/OFF switch.




Manual Squeegee Washing Basin, Model 4: 225
Model: 10003400
for squeegees up to 225cm (total length 250cm), 400V, 50Hz
for washing of squeegee profiles. Made of aluminium, with steel-tube support, solvent filter tank, solvent pump, optional: exhaust ventilator in the support. With hand brush and hose. The manual unit is equipped with a lid, which closes the basin when it is not used. Lifting the lid starts the (optional) exhaust ventilator. Solvent vapours at the back side in the lid area. Unit is completely ex-proof. With ON/OFF switch.




Manual Screen Washer, Model 1: 110x140
Model: 10004110140
For max. screen size: 110x140cm, 400V, 50Hz. The unit is ex-protected. The control box ist not ex-protected and must be mounted according to the rules at least 5m away from the unit or must be separated from the unit by a fire-proof wall.
Made of aluminium, compl. with solvents storage tank, pump, brush.


Miscellaneous > Manual Screen Washer > New




Manual Screen Washer, Model 2: 120x140
Model: 10004120140
For max. screen size: 120x140cm, 400V, 50Hz. The unit is ex-protected. The control box ist not ex-protected and must be mounted according to the rules at least 5m away from the unit or must be separated from the unit by a fire-proof wall.
Made of aluminium, compl. with solvents storage tank, pump, brush.




Manual Screen Washer, Model 3: 140x180
Model: 10004140180
For max. screen size: 140x180cm, 400V, 50Hz. The unit is ex-protected. The control box ist not ex-protected and must be mounted according to the rules at least 5m away from the unit or must be separated from the unit by a fire-proof wall.
Made of aluminium, compl. with solvents storage tank, pump, brush.




Manual Screen Washer, Model 4: 150x220
Model: 10004150220
For max. screen size: 150x220cm, 400V, 50Hz. The unit is ex-protected. The control box ist not ex-protected and must be mounted according to the rules at least 5m away from the unit or must be separated from the unit by a fire-proof wall.
Made of aluminium, compl. with solvents storage tank, pump, brush, 380/400V.



Manual Screen Washer, Model 5: 150x300
Model: 10004150300
For max. screen size: 150x300cm, 400V, 50Hz. The unit is ex-protected. The control box ist not ex-protected and must be mounted according to the rules at least 5m away from the unit or must be separated from the unit by a fire-proof wall.
Made of aluminium, compl. with solvents storage tank, pump, brush.



Manual Screen Washer, Model 6: 160x260
Model: 10004160260
For max. screen size: 160x260cm, 400V, 50Hz. The unit is ex-protected. The control box ist not ex-protected and must be mounted according to the rules at least 5m away from the unit or must be separated from the unit by a fire-proof wall.
Made of aluminium, compl. with solvents storage tank, pump, brush.




Manual Screen Washer, Model 7: 180x350

Model: 10004180350

For max. screen size: 180x350cm, 400V, 50Hz. The unit is ex-protected. The control box is not ex-protected and must be mounted according to the rules at least 5m away from the unit or must be separated from the unit by a fire-proof wall.

Made of aluminium, compl. with solvents storage tank, pump, brush.



Manual Screen Washer, Model 8: 200x400

Model: 10004200400

For max. screen size: 200x400cm, 400V, 50Hz. The unit is ex-protected. The control box is not ex-protected and must be mounted according to the rules at least 5m away from the unit or must be separated from the unit by a fire-proof wall.

Made of aluminium, compl. with solvents storage tank, pump, brush.

Miscellaneous > Screen Stretching Device > New



Pneumatic Screen Stretching Device, 50x70
Model: 23001050070
10 stretching clamps, each 25 cm wide, suitable for max. screen size approx. 50-60 x 70-80cm, without table.
pneumatic stretching clamps, complete with distribution ledge, connection hoses, maintenance and operation panel.



Pneumatic Screen Stretching Device, 100x130
Model: 23001100130
18 stretching clamps, each 25 cm wide, suitable for max. screen size 100 x 130 cm.
pneumatic stretching clamps, complete with distribution ledge, connection hoses, maintenance and operation panel.



Pneumatic Screen Stretching Device, 100x180
Model: 23001100180
22 stretching clamps, each 25 cm wide, suitable for max. screen size 100 x 180 cm.
pneumatic stretching clamps, complete with distribution ledge, connection hoses, maintenance and operation panel.



Pneumatic Screen Stretching Device, 120x160
Model: 23001120160
22 stretching clamps, each 25 cm wide, suitable for max. screen size 120 x 160 cm.
pneumatic stretching clamps, complete with distribution ledge, connection hoses, maintenance and operation panel.



Pneumatic Screen Stretching Device, 150x180
Model: 23001150180
26 stretching clamps, each 25 cm wide, suitable for max. screen size 150 x 180 cm.
pneumatic stretching clamps, complete with distribution ledge, connection hoses, maintenance and operation panel.



Mechanical Screen Tensioning Unit MT - 120 AL
Model: 23003120AL
for max. screen size 120 x 150 cm



Mechanical Screen Tensioning Unit MT - 150 AL
Model: 23003150AL
for max. screen size 150 x 180 cm



Mechanical Screen Stretching Device Model MT-1515 Si

Model: 230061515SI

For screen frames from min. 50x50cm up to max. 150x150cm, with adjustable support for several screen sizes. Storage space: approx. 220x220cm

Mechanical clamp stretching device with pneumatic frame pressing, with maintenance and operation unit, incl. easily adjustable support for several screen sizes.



Ventilation stand consisting of 4 fans with rotation
Model: 090084000
ventilation switch with multiple steps, without heating, fan diameter 400 mm, mounted on movable stand.



Wall Squeegee Holder for 10squeegees, price per pair
Model: 090171000
Dimension: approx. 90cm long x 5cm wide x 13cm high



Cleaning Machine TEKNEK, Model CM10-1000
Model: 09501CM10-1000
cleaning width: 1000mm, 2ultraclean rolls for foils and firm plates, 2adhesive rolls (AERF1000), pass-through device with anti-statics equipment, incl. stand with height adjustable feet, infeed height: 950 +/- 50mm, infeed and outfeed length: each 800mm, incl. pneumatic increase and decrease of cleaning top roll.
suitable for double-sided cleaning of big-size screen printing materials such as laminates, glass plates, acryl glasses, foil keyboards, etc.



Cleaning Machine TEKNEK, Model CM8n-650
Model: 09501CM8n-0650
Cleaning width: 650mm, 2ultraclean rolls for foils and firm plates, 2adhesive rolls (AREP), pass-through device with anti-statics equipment, incl. stand with height adjustable feet, infeed height: 950 +/- 50mm, infeed and outfeed length: each 450mm, incl. pneumatic increase and decrease of cleaning top roll.
suitable for double-sided cleaning of big-size screen printing materials such as laminates, glass plates, acryl glasses, foil keyboards, etc.



Mobile Extraction Unit MOBI-FRESH for Screen/Pad Printing
Model: 10013200
Comination filters: active carbon filter with substance pre-filter, filter class F5, active carbon volume: approx. 33litres, noise level: approx 65db/A, electrical connection: 220/240V, 0,75 kW, dimensions: 990mm high x 640mm deep x 520mm wide
for extraction and filtration of odours and vapours of organic solvents and other harmful substances which occur at screen printing and pad printing application, with active carbon filter with simply removable filter cartridge, for high effeciently cleaning the air of particular and gaseous pollutions, filter housing made of enamelled steel with 4casters, two of them with brakes, unit easily movable by 2handles, with ventilator, reday to use with euro-socket.



Evaporation Cover for Drying Racks with Extraction Fan

Model: 13102105

movable on 4 casters, suitable for drying racks L/D/H approx. 140x100x 160cm, outer dimension of the cover: approx. L/D/H approx. 175x70x200cm + extraction fan 40cm.

Steel construction, covered with galvanized plate, with mounted extraction fan. Even extraction due to the equipment with multiple disc plates at the backside.