






# Digital pre-press stage for screen printing and pad printing





**Printer Bundle for Screen Printing SC-T3200, 24inch**

Model: 19101SC-T3200FM

Consisting of Inkjet Printer EPSON SC-T3200 24inch (4colours, 5cartridges: Magenta, Yellow, Cyan, Matt Black, Photo black), 1roll of film foil 24inch, software FilmMaker 10XL as well as talcum (inkjet films must be powdered with talcum before exposing, otherwise there is a risk of decoating).

for perfect film production, delivery contents: 4-colour inkjet printer, small space area, printing resolution: 2880x1440dpi, pigment ink: EPSON ultrachrome XD) USB 2.0, 10/100BaseTx-card type B, operation from the front, min. line width: 0,02mm, max. media thickness: 1,5mm - Software FilmMaker - 1roll SIEMAC inkjet film 24inch, transparent - talcum powder.



**Printer Bundle for Screen Printing SC-T5200, 24inch**

Model: 19101SC-T5200FM

Consisting of Inkjet Printer EPSON SC-T5200 36inch (4colours, 5cartridges: Magenta, Yellow, Cyan, Matt Black, Photo black), 1roll of film foil 36inch, software FilmMaker 10XL as well as talcum (inkjet films must be powdered with talcum before exposing, otherwise there is a risk of decoating).

for perfect film production, delivery contents: 4-colour inkjet printer, small space area, printing resolution: 2880x1440dpi, pigment ink: EPSON ultrachrome XD) USB 2.0, 10/100BaseTx-card type B, operation from the front, min. line width: 0,02mm, max. media thickness: 1,5mm - Software FilmMaker - 1roll SIEMAC inkjet film 36inch, transparent - talcum powder.



**Printer Bundle for Screen Printing SC-T7200, 44inch**

Model: 19101SC-T7200FM

Consisting of Inkjet Printer EPSON SC-T7200 44inch (4colours, 5cartridges: Magenta, Yellow, Cyan, Matt Black, Photo black), 1roll of film foil 44inch, software FilmMaker 10XL as well as talcum (inkjet films must be powdered with talcum before exposing, otherwise there is a risk of decoating).

for perfect film production, delivery contents: 4-colour inkjet printer, small space area, printing resolution: 2880x1440dpi, pigment ink: EPSON ultrachrome XD) USB 2.0, 10/100BaseTx-card type B, operation from the front, min. line width: 0,02mm, max. media thickness: 1,5mm - Software FilmMaker - 1roll SIEMAC inkjet film 36inch, transparent - talcum powder.



### Software FilmMaker V10 for screen and pad printing

Model: 19203FilmMaker

For EPSON printer Sure Color SC-T3200, 5200 and 7200. Operating systems: Windows 10, 8 and 7. Software including quick start guide and dongle. Several printers can be controlled at the same time, optimal material consumption.



**SIEMAC All Black Ink Set for Epson 1400/1500W**

Model: 607014K1400

Set of 6black cartridges filled with All-Black-Dye-Ink. Refill cartridges exchangeable for Epson Printer 1400/1500W (T0794, T0791, T0795, T0796, T0793, T0792). Equipped with auto-reset-chips (no additional resetter necessary).



**All Black Dye Ink, 1litre**

Model: 60701K-ALL-DYE

Excellent UV-density



**SIEMAC All Black Ink Set EPSON SC-P400**

Model: 6070400K400ALL

Set consisting of 3black cartridges filled with All Black Dye Ink (3x14ml). Refill cartridges exchangeable for Epson SC-P400 (T3248)



**All Black Ink Set - for EPSON Stylus 4880**

Model: 607048K4880ALL

set consisting of 8cartridges all black (8x110ml)



**All Black Ink Set k - for EPSON Stylus 7880**

Model: 607078K7880ALL

Set consisting of 8cartridges All Black (8x110ml)

Prepress Process > Accessories



**Talc-Powder for Treatment of Inkjet Films, 100g**


Model: 200R92Talkum

When the printing on the inkjet film is dry the inkjet film must be powered with talcum before screen or pad printing exposing to prevent the risk of decoating.



**Cartridges Resetter 7Pin for EPSON 1400/1500W /**

Model: 60701PNR0007



**Maintenance Tank for EPSON SC-T3000/3200/5000/5200/7000/7200**

Model: 6070301020

waste-ink tank T6193



**Maintance Tank Resetter f. EPSON SC-T3200 with ExchangeChip**

Model: 6070301020SCT32



**Maintance Tank Resetter f. EPSON SC-T5200 with ExchangeChip**

Model: 6070301020SCT52



**Spare Blade for EPSON SC-T3200/5200/7200**

Model: 6070301030



**Cartridges Resetter 7Pin for EPSON SC-P400**

Model: 6070400PinRes7

also for cartridges T3204-T3249



**Spare Blade for EPSON Stylus Pro**

Model: 6070401030

for the models SP 4xxx/7xxx/9xxx/11880



**Maintance Tank Resetter for EPSON Stylus Pro 4900**

Model: 6070491010



**Maintenance Tank for EPSON Stylus Pro 7700/9700**

Model: 6070771000

(PXMT3)

## Prepress Process &gt; Screen/ Pad Printing Film

**Siemac Inkjet Film DIN A2 (420x594), 100sheets, 135µm**

Model: 605007913512

film thickness: 135µm, 420x594mm, biaxially oriented PET film, transparent, microporous

For application in the pre-press phase as positiv film for inkjet printer.

**Siemac Inkjet Film DIN A3 (297x420), 100sheets, 135µm**

Model: 605007913513

film thickness: 135µm, 297x420mm, biaxially oriented PET film, transparent, microporous

For application in the pre-press phase as positiv film for inkjet printer.

**Siemac Inkjet Film DIN A3+ (330x483), 100sheets, 135µm**

Model: 605007913513+

film thickness: 135µm, 330x483mm, biaxially oriented PET film, transparent, microporous

For application in the pre-press phase as positiv film for inkjet printer.

**Siemac Inkjet Film DIN A4 (210x297), 100sheets, 135µm**

Model: 605007913514

film thickness: 135µm, 210x297mm, biaxially oriented PET film, transparent, microporous

For application in the pre-press phase as positiv film for inkjet printer.

**Siemac Inkjet Film, 1roll = 0,431x30m, 17inch, 135µm**

Model: 60500791353017

film thickness: 135µm, 431mm x 30m, biaxially oriented PET film, transparent, microporous

For application in the pre-press phase as positiv film for inkjet printer.

**Siemac Inkjet Film, 1roll = 0,610x30m, 24inch, 135µm**

Model: 60500791353024

film thickness: 135µm, 610mm x 30m, biaxially oriented PET film, transparent, microporous


For application in the pre-press phase as positiv film for inkjet printer.

**Siemac Inkjet Film, 1roll = 0,914x30m, 36inch, 135µm**

Model: 60500791353036

film thickness: 130µm, 914mm x 30m, biaxially oriented PET film, transparent, microporous

For application in the pre-press phase as positiv film for inkjet printer.

**Siemac Inkjet Film, 1roll = 1,067x30m, 42inch, 135µm**

Model: 60500791353042

film thickness: 130µm, 1067mm x 30m, biaxially oriented PET film, transparent, microporous

For application in the pre-press phase as positiv film for inkjet printer.

## Prepress Process &gt; Screen/ Pad Printing Film

**Siemac Inkjet Film, 1roll = 1,118x30m, 44inch, 135µm**

Model: 60500791353044

film thickness: 135µm, 1118mm x 30m, biaxially oriented PET film, transparent, microporous  
For application in the pre-press phase as positiv film for inkjet printer.**Siemac Inkjet Film DIN A2 (420x594), 100sheets, 165µm**

Model: 605007916512

film thickness: 165µm, 420x594mm, biaxially oriented PET film, transparent, microporous  
For application in the pre-press phase as positiv film for inkjet printer.**Siemac Inkjet Film DIN A3 (297x420), 100sheets, 165µm**

Model: 605007916513

film thickness: 165µm, 297x420mm, biaxially oriented PET film, transparent, microporous  
For application in the pre-press phase as positiv film for inkjet printer.**Siemac Inkjet Film DIN A3+ (330x483), 100sheets, 165µm**

Model: 605007916513+

film thickness: 165µm, 330x483mm, biaxially oriented PET film, transparent, microporous  
For application in the pre-press phase as positiv film for inkjet printer.**Siemac Inkjet Film DIN A4 (210x297), 100sheets, 165µm**

Model: 605007916514

film thickness: 165µm, 210x297mm, biaxially oriented PET film, transparent, microporous  
For application in the pre-press phase as positiv film for inkjet printer.**Siemac Inkjet Film, 1roll = 0,431x30m, 17inch, 165µm**

Model: 60500791653017

film thickness: 165µm, 431mm x 30m, biaxially oriented PET film, transparent, microporous  
For application in the pre-press phase as positiv film for inkjet printer.**Siemac Inkjet Film, 1roll = 0,610x30m, 24inch, 165µm**

Model: 60500791653024

film thickness: 165µm, 610mm x 30m, biaxially oriented PET film, transparent, microporous  
For application in the pre-press phase as positiv film for inkjet printer.**Siemac Inkjet Film, 1roll = 0,914x30m, 36inch, 165µm**

Model: 60500791653036

film thickness: 165µm, 914mm x 30m, biaxially oriented PET film, transparent, microporous  
For application in the pre-press phase as positiv film for inkjet printer.



Prepress Process > Screen/ Pad Printing Film



**Siemac Inkjet Film, 1roll = 1,067x30m, 42inch, 165µm**

Model: 60500791653042

film thickness: 165µm, 1067mm x 30m, biaxially oriented PET film, transparent, microporous

For application in the pre-press phase as positiv film for inkjet printer.



**Siemac Inkjet Film, 1roll = 1,118x30m, 44inch, 165µm**

Model: 60500791653044

film thickness: 165µm, 1118mm x 30m, biaxially oriented PET film, transparent, microporous

For application in the pre-press phase as positiv film for inkjet printer.



**Epson SC-T3200 Inkjet Printer, 24inch (61,0cm), 4colours**

Model: 19106T3200

4-colour printer, (4colours, 5cartridges each 110ml: photo black, matt black, cyan, yellow, magenta). Paper size: DIN A1, DIN A2, DIN A3, DIN A4, DIN B1, DIN B2, DIN B3, DIN B4, 17inch (43,2 cm), 24inch (61,0 cm). Printing resolution: 2880x1440dpi, ports: USB, Ethernet interface (1000Base-T/100Base TX/10Base-T). Weight: 70kgs

4-colour-printer for production of screen films (in connection with the options). Compatible operating systems: Mac OS 10.5.8 or higher, Microsoft Windows Vista (32/64bit), Microsoft Windows XP (Home Edition/Professional/Professional X64/Vista), Windows 7, Windows 7, 64bit version, Windows 8 (32/64bit), Windows Server 2003 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows XP, Windows XP, 64bit version. Storage printer: 1GB. Storage network: 128MB. OPTION: ACCU-RIP-software, film foile, powder. Available spare cartridges: 110ml, 350ml, 700ml.



**Epson SC-T5200 Inkjet Printer, 36inch (91,4cm), 4colours**

Model: 19106T5200

4-colour printer, (4colours, 5cartridges each 110ml: photo black, matt black, cyan, yellow, magenta). Paper size: DIN A1, DIN A2, DIN A3, DIN A4, DIN B1, DIN B2, DIN B3, DIN B4, 17inch (43,2cm), 24inch (61,0cm), 36inch (91,4cm). Printing resolution: 2880x1440dpi, ports: USB, Ethernet interface (1000Base-T/100Base TX/10Base-T). Weight: 70kgs

4-colour-printer for production of screen films (in connection with the options). Compatible operating systems: Mac OS 10.5.8 or higher, Microsoft Windows Vista (32/64bit), Microsoft Windows XP (Home Edition/Professional/Professional X64/Vista), Windows 7, Windows 7, 64bit version, Windows 8 (32/64bit), Windows Server 2003 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows XP, Windows XP, 64bit version. Storage printer: 1GB. Storage network: 128MB. OPTION: ACCU-RIP-software, film foile, powder. Available spare cartridges: 110ml, 350ml, 700ml.



**Epson SC-T7200 Inkjet Printer, 44inch (111,8cm), 4colours**

Model: 19106T7200

4-colour printer, (4colours, 5cartridges each 110ml: photo black, matt black, cyan, yellow, magenta). Paper size: DIN A0, DIN A1, DIN A2, DIN A3+, DIN A3, DIN A4, DIN B1, DIN B2, DIN B3, DIN B4, 17inch (43,2 cm), 24inch (61,0 cm), 44 inch (111,8 cm), Printing resolution: 2880x1440dpi, ports: USB, Ethernet interface (1000Base-T/100Base TX/10Base-T). Weight: approx. 100kgs

4-colour-printer for production of screen films (in connection with the options). Compatible operating systems: Mac OS 10.5.8 or higher, Microsoft Windows Vista (32/64bit), Microsoft Windows XP (Home Edition/Professional/Professional X64/Vista), Windows 7, Windows 7 64bit version, Windows 8 (32/64bit), Windows Server 2003 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows XP, Windows XP 64bit version. Storage printer: 1GB. Storage network: 128MB.

Prepress Process > Ink Epson



**EPSON Ink for 1400/1500W, Contents: 11ml, Black**

Model: 607014T0791

T0791



**EPSON Ink for 1400/1500W, Contents: 11ml, Cyan**

Model: 607014T0792

T0792



**EPSON Ink for 1400/1500W, Contents: 11ml, Magenta**

Model: 607014T0793

T0793



**EPSON Ink for 1400/1500W, Contents: 11ml, Yellow**

Model: 607014T0794

T0794



**EPSON Ink for 1400/1500W, Contents: 11ml, Light Cyan**

Model: 607014T0795

T0795



**EPSON Ink for 1400/1500W, Contents: 11ml, Light Magenta**

Model: 607014T0796

T0796



**EPSON Ink for SC-T3x00/5x00/7x00, 110ml, Photo Black**

Model: 607030T69211

T6921, 110 ml, Photo Black, suitable for EPSON printer SC-T3000 / 3200 / 5000 / 5200 / 7000 / 7200



**EPSON Ink for SC-T3x00/5x00/7x00, 110ml, Cyan**

Model: 607030T69221

T6922, 110 ml, Cyan, suitable for EPSON printer SC-T3000 / 3200 / 5000 / 5200 / 7000 / 7200

Prepress Process > Ink Epson



**EPSON Ink for SC-T3x00/5x00/7x00, 110ml, Magenta**

Model: 607030T69231

T6923, 110 ml, Magenta, suitable for EPSON printer SC-T3000 / 3200 / 5000 / 5200 / 7000 / 7200



**EPSON Ink for SC-T3x00/5x00/7x00, 110ml, Yellow**

Model: 607030T69241

T6924, 110 ml, Yellow, suitable for EPSON printer SC-T3000 / 3200 / 5000 / 5200 / 7000 / 7200



**EPSON Ink for SC-T3x00/5x00/7x00, 110ml, Matt Black**

Model: 607030T69251

T6925, 110 ml, Matt Black, suitable for EPSON printer SC-T3000 / 3200 / 5000 / 5200 / 7000 / 7200



**EPSON Ink for SC-T3x00/5x00/7x00, 350ml, Photo Black**

Model: 607030T69313

T6931, 350ml, Photo Black, suitable for EPSON printer SC-T3000 / 3200 / 5000 / 5200 / 7000 / 7200



**EPSON Ink for SC-T3x00/5x00/7x00, 700ml, Photo Black**

Model: 607030T69417

T6941, 700ml, Photo Black, suitable for EPSON printer SC-T3000 / 3200 / 5000 / 5200 / 7000 / 7200



**EPSON Ink for SC-P400, T3240 Gloss Optimizer, 14ml**

Model: 6070400T3240



**EPSON Ink for SC-P400, T3241 Photo Black, 14 ml**

Model: 6070400T3241

Prepress Process > Ink Epson



**EPSON Ink for SC-P400, T3242 Cyan, 14 ml**

Model: 6070400T3242



**EPSON Ink for SC-P400, T3243 Magenta, 14 ml**

Model: 6070400T3243



**EPSON Ink for SC-P400, T3244 Yellow, 14 ml**

Model: 6070400T3244



**EPSON Ink for SC-P400, T3247 Red, 14 ml**

Model: 6070400T3247



**EPSON Ink for SC-P400, T3248 Matte Black, 14 ml**

Model: 6070400T3248



**EPSON Ink for SC-P400, T3249 Orange, 14 ml**

Model: 6070400T3249