







# Digital pre-press stage for screen printing and pad printing

Overview without prices 2020





**Software AccuRip Ruby EP - Film Production Screen Printing**

Model: 19202RipRubyEP-SD

For the following Epson printer: Sure Color SC-T3200, SC-T5200, SC-T7200.

Film producing RIP Software for screen printing films.



**Software AccuRip Ruby EP - Film Production Pad Printing**

Model: 19202RipRubyEP-TD

For EPSON printer: Sure Color SC-P400, inkl. All Black Feature License to control the ink cartridges, validity: 1year!

Film producing RIP Software for pad printing films.

Prepress Process > Ink All Black



<b>SIEMAC AccuRip Ink Set All Black for Epson 1400/1500W</b>
Model: 607014K1400
Set of 6black cartridges filled with AccuRip All-Black-Dye-Ink. Refill cartridges exchangeable for Epson Printer 1400/1500W (T0794, T0791, T0795, T0796, T0793, T0792). Equipped with auto-reset-chips (no additional resetter necessary).



<b>AccuRip All Black Dye Ink, 1litre</b>
Model: 60701K-ALL-DYE
Excellent UV-density, specially developed for printing on pad printing films (in connection with software AccuRip).
Excellent UV-density which has been developed specially for printing on pad printing films (in connection withAccuRip software).



<b>SIEMAC AccuRip Ink Set EPSON SC-P400</b>
Model: 6070400K400ALL
Set consisting of 3black cartridges filled with AccuRip All Black Dye Ink (3x14ml). Refill cartridges exchangeable for Epson SC-P400 (T3248)



<b>AccuRip Ink Set - All Black - for EPSON Stylus 4880</b>
Model: 607048K4880ALL
set consisting of 8cartridges all black (8x110ml)



<b>AccuRip Ink Set - All Black - for EPSON Stylus 7880</b>
Model: 607078K7880ALL
Set consisting of 8cartridges All Black (8x110ml)

Prepress Process > Accessories



<b>Talc-Powder for Treatment of Inkjet Films, 100g</b>
Model: 200R92Talkum
When the printing on the inkjet film is dry the inkjet film must be powered with talcum before screen or pad printing exposing to prevent the risk of decoating.



<b>Cartridges Resetter 7Pin for EPSON 1400/1500W /</b>
Model: 60701PNR0007



<b>Maintenance Tank for EPSON SC-T3000/3200/5000/5200/7000/7200</b>
Model: 6070301020
waste-ink tank T6193



<b>Maintance Tank Resetter f. EPSON SC-T3200 with ExchangeChip</b>
Model: 6070301020SCT32



<b>Maintance Tank Resetter f. EPSON SC-T5200 with ExchangeChip</b>
Model: 6070301020SCT52



<b>Spare Blade for EPSON SC-T3200/5200/7200</b>
Model: 6070301030



<b>Cartridges Resetter 7Pin for EPSON SC-P400</b>
Model: 6070400PinRes7
also for cartridges T3204-T3249



<b>Spare Blade for EPSON Stylus Pro</b>
Model: 6070401030
for the models SP 4xxx/7xxx/9xxx/11880



**Maintance Tank Resetter for EPSON Stylus Pro 4900**

Model: 6070491010



**Maintenance Tank for EPSON Stylus Pro 7700/9700**

Model: 6070771000

(PXMT3)



**Maintenance Tank Resetter for EPSON Stylus Pro 7700/9700**

Model: 6070771010

Prepress Process > Screen/ Pad Printing Film



<b>Siemac Inkjet Film DIN A2 (420x594), 100sheets, 135µm</b>
Model: 605007913512
film thickness: 135µm, 420x594mm, biaxially oriented PET film, transparent, microporous
For application in the pre-press phase as positiv film for inkjet printer.



<b>Siemac Inkjet Film DIN A3 (297x420), 100sheets, 135µm</b>
Model: 605007913513
film thickness: 135µm, 297x420mm, biaxially oriented PET film, transparent, microporous
For application in the pre-press phase as positiv film for inkjet printer.



<b>Siemac Inkjet Film DIN A3+ (330x483), 100sheets, 135µm</b>
Model: 605007913513+
film thickness: 135µm, 330x483mm, biaxially oriented PET film, transparent, microporous
For application in the pre-press phase as positiv film for inkjet printer.



<b>Siemac Inkjet Film DIN A4 (210x297), 100sheets, 135µm</b>
Model: 605007913514
film thickness: 135µm, 210x297mm, biaxially oriented PET film, transparent, microporous
For application in the pre-press phase as positiv film for inkjet printer.



<b>Siemac Inkjet Film, 1roll = 0,431x30m, 17inch, 135µm</b>
Model: 60500791353017
film thickness: 135µm, 431mm x 30m, biaxially oriented PET film, transparent, microporous
For application in the pre-press phase as positiv film for inkjet printer.



<b>Siemac Inkjet Film, 1roll = 0,610x30m, 24inch, 135µm</b>
Model: 60500791353024
film thickness: 135µm, 610mm x 30m, biaxially oriented PET film, transparent, microporous
For application in the pre-press phase as positiv film for inkjet printer.



<b>Siemac Inkjet Film, 1roll = 0,914x30m, 36inch, 135µm</b>
Model: 60500791353036
film thickness: 130µm, 914mm x 30m, biaxially oriented PET film, transparent, microporous
For application in the pre-press phase as positiv film for inkjet printer.



<b>Siemac Inkjet Film, 1roll = 1,067x30m, 42inch, 135µm</b>
Model: 60500791353042
film thickness: 130µm, 1067mm x 30m, biaxially oriented PET film, transparent, microporous
For application in the pre-press phase as positiv film for inkjet printer.


Prepress Process > Screen/ Pad Printing Film



<b>Siemac Inkjet Film, 1roll = 1,118x30m, 44inch, 135µm</b>
Model: 60500791353044
film thickness: 135µm, 1118mm x 30m, biaxially oriented PET film, transparent, microporous
For application in the pre-press phase as positiv film for inkjet printer.



<b>Siemac Inkjet Film DIN A2 (420x594), 100sheets, 165µm</b>
Model: 605007916512
film thickness: 165µm, 420x594mm, biaxially oriented PET film, transparent, microporous
For application in the pre-press phase as positiv film for inkjet printer.



<b>Siemac Inkjet Film DIN A3 (297x420), 100sheets, 165µm</b>
Model: 605007916513
film thickness: 165µm, 297x420mm, biaxially oriented PET film, transparent, microporous
For application in the pre-press phase as positiv film for inkjet printer.



<b>Siemac Inkjet Film DIN A3+ (330x483), 100sheets, 165µm</b>
Model: 605007916513+
film thickness: 165µm, 330x483mm, biaxially oriented PET film, transparent, microporous
For application in the pre-press phase as positiv film for inkjet printer.



<b>Siemac Inkjet Film DIN A4 (210x297), 100sheets, 165µm</b>
Model: 605007916514
film thickness: 165µm, 210x297mm, biaxially oriented PET film, transparent, microporous
For application in the pre-press phase as positiv film for inkjet printer.



<b>Siemac Inkjet Film, 1roll = 0,431x30m, 17inch, 165µm</b>
Model: 60500791653017
film thickness: 165µm, 431mm x 30m, biaxially oriented PET film, transparent, microporous
For application in the pre-press phase as positiv film for inkjet printer.



<b>Siemac Inkjet Film, 1roll = 0,610x30m, 24inch, 165µm</b>
Model: 60500791653024
film thickness: 165µm, 610mm x 30m, biaxially oriented PET film, transparent, microporous
For application in the pre-press phase as positiv film for inkjet printer.



<b>Siemac Inkjet Film, 1roll = 0,914x30m, 36inch, 165µm</b>
Model: 60500791653036
film thickness: 165µm, 914mm x 30m, biaxially oriented PET film, transparent, microporous
For application in the pre-press phase as positiv film for inkjet printer.

Prepress Process > Screen/ Pad Printing Film



**Siemac Inkjet Film, 1roll = 1,067x30m, 42inch, 165µm**

Model: 60500791653042

film thickness: 165µm, 1067mm x 30m, biaxially oriented PET film, transparent, microporous

For application in the pre-press phase as positiv film for inkjet printer.



**Siemac Inkjet Film, 1roll = 1,118x30m, 44inch, 165µm**

Model: 60500791653044

film thickness: 165µm, 1118mm x 30m, biaxially oriented PET film, transparent, microporous

For application in the pre-press phase as positiv film for inkjet printer.



Prepress Process > Printer bundle



<b>Pad Printing Printer Bundle Epson SC-P400</b>
Model: 19101P400TD
consisting of inkjet printer Epson Sure Color SC-P400, printing size: max. DIN-A3+, 8cartridges: Photo Black, Matte Black, Cyan, Yellow, Magenta, Red, Orange, Gloss Optimizer, inkjet film 135µm DIN-A3 (100sheets), software AccuRip Ruby EP incl. All Black feature license, AccuRip ink set All Black (3x 14ml), talcum powder (inkjet films must be powdered with talcum before exposing, otherwise there is a risk of decoating), connections: Wi-Fi, Ethernet, USB 2.0
Inkjet printer for perfect production of pad printing films. Printing resolution: 5760x1440dpi, connections: Wi-Fi, Ethernet, USB 2.0



<b>Printer Bundle for Screen Printing SC-T3200, 24inch</b>
Model: 19101T3200
Consisting of Inkjet Printer EPSON SC-T3200 24inch (4colours, 5cartridges: Magenta, Yellow, Cyan, Matt Black, Photo black), 1roll of film foil 24inch, software AccuRip Ruby EP as well as talcum (inkjet films must be powdered with talcum before exposing, otherwise there is a risk of decoating).
for perfect film production, delivery contents: 4-colour inkjet printer, small space area, printing resolution: 2880x1440dpi, pigment ink: EPSON ultrachrome XD) USB 2.0, 10/100BaseTx-card type B, operation from the front, min. line width: 0,02mm, max. media thickness: 1,5mm - AccuRIP-Software Ruby EP - 1roll SIEMAC inkjet film 24inch, transparent - talcum powder.



<b>Printer Bundle for Screen Printing SC-T5200, 36inch</b>
Model: 19101T5200
Consisting of Inkjet Printer EPSON SC-T5200 36inch (4colours, 5cartridges: Magenta, Yellow, Cyan, Matt Black, Photo Black), 1roll of film foil 36inch, software AccuRip Ruby EP as well as talcum (inkjet films must be powdered with talcum before exposing, otherwise there is a risk of decoating).
for perfect film production, delivery contents: 4-colour inkjet printer, small space area, printing resolution: 2880x1440dpi, pigment ink: EPSON ultrachrome XD) USB 2.0, 10/100BaseTx-card type B, operation from the front, min. line width: 0,02mm, max. media thickness: 1,5mm - AccuRIP-Software Ruby EP - 1roll SIEMAC inkjet film 36inch, transparent - talcum powder.



**Printer Bundle for Screen Printing SC-T7200, 44inch**

Model: 19101T7200

Consisting of Inkjet Printer EPSON SC-T7200 44inch (4colours, 5cartridges: Magenta, Yellow, Cyan, Matt Black, Photo Black), 1roll of film foil 44inch, software AccuRip Ruby EP as well as talcum (inkjet films must be powdered with talcum before exposing, otherwise there is a risk of decoating).

for perfect film production, delivery contents: 4-colour inkjet printer, small space area, printing resolution: 2880x1440dpi, pigment ink: EPSON ultrachrome XD) USB 2.0, 10/100BaseTx-card type B, operation from the front, min. line width: 0.02mm, max. media thickness: 1.5mm - AccuRIP-Software Ruby EP - 1roll SIEMAC inkjet film 44inch, transparent - talcum powder.

Prepress Process > Printer



<b>Epson SC-P400 Inkjet Printer, DIN-A3+, 8colours</b>
Model: 19106P400
8-colour printer, (8cartridges: photo black, matt black, cyan, yellow, magenta, red, orange, gloss optimizer). Paper size: DIN A3+, printing resolution: 5760x1440dpi, ports: WiFi, Ethernet, USB.
Inkjet printer, printing resolution: 5760x1440dpi, connections: Wi-Fi, Ethernet, USB 2.0



<b>Epson SC-T3200 Inkjet Printer, 24inch (61,0cm), 4colours</b>
Model: 19106T3200
4-colour printer, (4colours, 5cartridges each 110ml: photo black, matt black, cyan, yellow, magenta). Paper size: DIN A1, DIN A2, DIN A3, DIN A4, DIN B1, DIN B2, DIN B3, DIN B4, 17inch (43,2 cm), 24inch (61,0 cm). Printing resolution: 2880x1440dpi, ports: USB, Ethernet interface (1000Base-T/100Base TX/10Base-T). Weight: 70kgs
4-colour-printer for production of screen films (in connection with the options). Compatible operating systems: Mac OS 10.5.8 or higher, Microsoft Windows Vista (32/64bit), Microsoft Windows XP (Home Edition/Professional/Professional X64/Vista), Windows 7, Windows 7, 64bit version, Windows 8 (32/64bit), Windows Server 2003 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows XP, Windows XP, 64bit version. Storage printer: 1GB. Storage network: 128MB. OPTION: ACCU-RIP-software, film foile, powder. Available spare cartridges: 110ml, 350ml, 700ml.



<b>Epson SC-T5200 Inkjet Printer, 36inch (91,4cm), 4colours</b>
Model: 19106T5200
4-colour printer, (4colours, 5cartridges each 110ml: photo black, matt black, cyan, yellow, magenta). Paper size: DIN A1, DIN A2, DIN A3, DIN A4, DIN B1, DIN B2, DIN B3, DIN B4, 17inch (43,2cm), 24inch (61,0cm), 36inch (91,4cm). Printing resolution: 2880x1440dpi, ports: USB, Ethernet interface (1000Base-T/100Base TX/10Base-T). Weight: 70kgs
4-colour-printer for production of screen films (in connection with the options). Compatible operating systems: Mac OS 10.5.8 or higher, Microsoft Windows Vista (32/64bit), Microsoft Windows XP (Home Edition/Professional/Professional X64/Vista), Windows 7, Windows 7, 64bit version, Windows 8 (32/64bit), Windows Server 2003 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows XP, Windows XP, 64bit version. Storage printer: 1GB. Storage network: 128MB. OPTION: ACCU-RIP-software, film foile, powder. Available spare cartridges: 110ml, 350ml, 700ml.



<b>Epson SC-T7200 Inkjet Printer, 44inch (111,8cm), 4colours</b>
Model: 19106T7200
4-colour printer, (4colours, 5cartridges each 110ml: photo black, matt black, cyan, yellow, magenta). Paper size: DIN A0, DIN A1, DIN A2, DIN A3+, DIN A3, DIN A4, DIN B1, DIN B2, DIN B3, DIN B4, 17inch (43,2 cm), 24inch (61,0 cm), 44 inch (111,8 cm), Printing resolution: 2880x1440dpi, ports: USB, Ethernet interface (1000Base-T/100Base TX/10Base-T). Weight: approx. 100kgs
4-colour-printer for production of screen films (in connection with the options). Compatible operating systems: Mac OS 10.5.8 or higher, Microsoft Windows Vista (32/64bit), Microsoft Windows XP (Home Edition/Professional/Professional X64/Vista), Windows 7, Windows 7 64bit version, Windows 8 (32/64bit), Windows Server 2003 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows XP, Windows XP 64bit version. Storage printer: 1GB. Storage network: 128MB. OPTION: AccuRIP-software, film foile, talcum powder. Available spare cartridges: 110ml, 350ml, 700ml.

Prepress Process > Ink Epson



<b>EPSON Ink for 1400/1500W, Contents: 11ml, Black</b>
Model: 607014T0791
T0791



<b>EPSON Ink for 1400/1500W, Contents: 11ml, Cyan</b>
Model: 607014T0792
T0792



<b>EPSON Ink for 1400/1500W, Contents: 11ml, Magenta</b>
Model: 607014T0793
T0793



<b>EPSON Ink for 1400/1500W, Contents: 11ml, Yellow</b>
Model: 607014T0794
T0794



<b>EPSON Ink for 1400/1500W, Contents: 11ml, Light Cyan</b>
Model: 607014T0795
T0795



<b>EPSON Ink for 1400/1500W, Contents: 11ml, Light Magenta</b>
Model: 607014T0796
T0796



<b>EPSON Ink for SC-T3x00/5x00/7x00, 110ml, Photo Black</b>
Model: 607030T69211
T6921, 110 ml, Photo Black, suitable for EPSON printer SC-T3000 / 3200 / 5000 / 5200 / 7000 / 7200



<b>EPSON Ink for SC-T3x00/5x00/7x00, 110ml, Cyan</b>
Model: 607030T69221
T6922, 110 ml, Cyan, suitable for EPSON printer SC-T3000 / 3200 / 5000 / 5200 / 7000 / 7200

Prepress Process > Ink Epson



<b>EPSON Ink for SC-T3x00/5x00/7x00, 110ml, Magenta</b>
Model: 607030T69231
T6923, 110 ml, Magenta, suitable for EPSON printer SC-T3000 / 3200 / 5000 / 5200 / 7000 / 7200



<b>EPSON Ink for SC-T3x00/5x00/7x00, 110ml, Yellow</b>
Model: 607030T69241
T6924, 110 ml, Yellow, suitable for EPSON printer SC-T3000 / 3200 / 5000 / 5200 / 7000 / 7200



<b>EPSON Ink for SC-T3x00/5x00/7x00, 110ml, Matt Black</b>
Model: 607030T69251
T6925, 110 ml, Matt Black, suitable for EPSON printer SC-T3000 / 3200 / 5000 / 5200 / 7000 / 7200



<b>EPSON Ink for SC-T3x00/5x00/7x00, 350ml, Photo Black</b>
Model: 607030T69313
T6931, 350ml, Photo Black, suitable for EPSON printer SC-T3000 / 3200 / 5000 / 5200 / 7000 / 7200



<b>EPSON Ink for SC-T3x00/5x00/7x00, 700ml, Photo Black</b>
Model: 607030T69417
T6941, 700ml, Photo Black, suitable for EPSON printer SC-T3000 / 3200 / 5000 / 5200 / 7000 / 7200



<b>EPSON Ink for SC-T3x00/5x00/7x00, 700ml, Magenta</b>
Model: 607030T69437
T6943, 110 ml, Magenta, suitable for EPSON printer SC-T3000 / 3200 / 5000 / 5200 / 7000 / 7200



<b>EPSON Ink for SC-P400, T3240 Gloss Optimizer, 14ml</b>
Model: 6070400T3240

Prepress Process > Ink Epson



<b>EPSON Ink for SC-P400, T3241 Photo Black, 14 ml</b>
Model: 6070400T3241



<b>EPSON Ink for SC-P400, T3242 Cyan, 14 ml</b>
Model: 6070400T3242



<b>EPSON Ink for SC-P400, T3243 Magenta, 14 ml</b>
Model: 6070400T3243



<b>EPSON Ink for SC-P400, T3244 Yellow, 14 ml</b>
Model: 6070400T3244



<b>EPSON Ink for SC-P400, T3247 Red, 14 ml</b>
Model: 6070400T3247



<b>EPSON Ink for SC-P400, T3248 Matte Black, 14 ml</b>
Model: 6070400T3248



<b>EPSON Ink for SC-P400, T3249 Orange, 14 ml</b>
Model: 6070400T3249



<b>EPSON Ink for SP 7700/7900, 150ml, Photo Black</b>
Model: 607077T6421
T6421

Prepress Process > Ink Epson



**EPSON Ink for SP 7700/7900, 150ml, Cyan**

Model: 607077T6422

T6422



**EPSON Ink for SP 7700/7900, 150ml, Magenta**

Model: 607077T6423

T6423



**EPSON Ink for SP 7700/7900, 150ml, Magenta**

Model: 607077T6424

T6424



**EPSON Ink for SP 7700/7900, 150ml, Matt Black**

Model: 607077T6428

T6428



<b>Light and Mounting Table, 70x100</b>
Model: 11001070100
Light area: 70x100cm, outer dimension: 90x120cm, power supply: 230V, 50Hz
Solid steel-tube construction with surrounding aluminium protection edge, with opalescent acryl glass plate and glass plate on top. -Option: For easier working these tables can also be supplied tilttable.



<b>Tilt-over Mechanism with Engage Linkage for Light Table</b>
Model: 110011001



<b>Light and Mounting Table, 100x140</b>
Model: 11001100140
Light area: 100x140cm, outer dimension: 120x160cm, power supply: 230V, 50Hz
Solid steel-tube construction with surrounding aluminium protection edge, with opalescent acryl glass plate and glass plate on top. -Option: For easier working these tables can also be supplied tilttable.



<b>Light and Mounting Table, 100x180</b>
Model: 11001100180
Light area. 100x180cm, overall dimension: 120x200cm, power supply: 230V, 50Hz
Solid steel-tube construction with surrounding aluminium protection edge, with opalescent acryl glass plate and glass plate on top. -Option: For easier working these tables can also be supplied tilttable.



<b>Tilt-over Mechanism (Hydraulic lift) for larger Light Tables</b>
Model: 110011002
with infinitely adjustable hydraulic lift, for larger models



<b>Light and Mounting Table, 100x200</b>
Model: 11001100200
Light area: 100x200cm, overall dimension: 120x220cm, power supply: 230V, 50Hz
Solid steel-tube construction with surrounding aluminium protection edge, with opalescent acryl glass plate and glass plate on top. -Option: For easier working these tables can also be supplied tilttable.





<b>Light and Mounting Table, 100x280</b>
Model: 11001100280
Light area: 100x280cm, overall dimension: 120x300cm, power supply: 230V, 50Hz
Solid steel-tube construction with surrounding aluminium protection edge, with opalescent acryl glass plate and glass plate on top. -Option: For easier working these tables can also be supplied tiltable.



<b>Light and Mounting Table, 120x200</b>
Model: 11001120200
Light area: 120x200cm, overall dimension: 140x220cm, power supply: 230V, 50Hz
Solid steel-tube construction with surrounding aluminium protection edge, with opalescent acryl glass plate and glass plate on top. -Option: For easier working these tables can also be supplied tiltable.



<b>Light and Mounting Table, 120x260</b>
Model: 11001120260
Light area: 120x260cm, overall dimension: 140x280cm, power supply: 230V, 50Hz
Solid steel-tube construction with surrounding aluminium protection edge, with opalescent acryl glass plate and glass plate on top. -Option: For easier working these tables can also be supplied tiltable.



<b>Light and Mounting Table, 130x280</b>
Model: 11001130280
Light area: 130x280cm, overall dimension: 150x300cm, power supply: 230V, 50Hz
Solid steel-tube construction with surrounding aluminium protection edge, with opalescent acryl glass plate and glass plate on top. -Option: For easier working these tables can also be supplied tiltable.

Prepress Process > Film Storage



<b>Film Storage Cabinet Model 911/1 F</b>
Model: 110059111F
External dimension: 600x700mm, drawer's size: 420x610mm
With steel-tube frame and plastic-coated panels, 10drawers with inside of 30mm.



<b>Film Storage Cabinet Model 911/2 F</b>
Model: 110059112F
External dimension: 1000x700mm, drawer's size: 420x610mm
With steel-tube frame and plastic-coated panels, 10drawers with inside of 30mm.



<b>Film Storage Cabinet Model 912/1 F</b>
Model: 110059121F
External dimension: 850x900mm, drawer's size: 650x770mm
With steel-tube frame and plastic-coated panels, 10drawers with inside of 30mm.



<b>Film Storage Cabinet Model 912/2 F</b>
Model: 110059122F
External dimension: 1300x900mm, drawer's size: 1100x770mm
With steel-tube frame and plastic-coated panels, 10drawers with inside of 30mm.



<b>Film Storage Cabinet Model 913/1 F</b>
Model: 110059131F
External dimension: 850x1000mm, drawer's size: 650x 870mm
With steel-tube frame and plastic-coated panels, 10drawers with inside of 30mm.



<b>Film Storage Cabinet Model 913/2 F</b>
Model: 110059132F
External dimension: 1350x1000mm, drawer's size: 1150x870mm
With steel-tube frame and plastic-coated panels, 10drawers with inside of 30mm.



<b>Film Storage Cabinet Model 913/3 F</b>
Model: 110059133F
External dimension: 1600x1300mm, drawer´s size: 1400x1100mm
With steel-tube frame and plastic-coated panels, 10drawers with inside of 30mm.



<b>Film Storage Cabinet Model STANDARD 911/1 G</b>
Model: 110069111G
External dimension: 600x700mm, drawer´s size: 420x610mm
equipped with 7drawers with inside height of 50mm



<b>Film Storage Cabinet Model STANDARD 911/2 G</b>
Model: 110069112G
External dimension: 1000x700mm, drawer´s size: 800x550mm
equipped with 7drawers with inside height of 50mm



<b>Film Storage Cabinet Model STANDARD 912/1 G</b>
Model: 110069121G
External dimension: 850x900mm, drawer´s size: 650x770mm
equipped with 7drawers with inside height of 50mm



<b>Film Storage Cabinet Model STANDARD 912/2 G</b>
Model: 110069122G
External dimension: 1300x900mm, drawer´s size: 1100x770mm
equipped with 7drawers with inside height of 50mm



<b>Film Storage Cabinet Model STANDARD 913/1 G</b>
Model: 110069131G
External dimension: 850x1000mm, drawer´s size: 650x870mm
equipped with 7drawers with inside height of 50mm



**Film Storage Cabinet Model STANDARD 913/2 G**

Model: 110069132G

External dimension: 1350x1000mm, drawer's size: 1150x870mm  
equipped with 7drawers with inside height of 50mm



**Film Storage Cabinet Model STANDARD 913/3 G**

Model: 110069133G

External dimension: 1600x1300mm, drawer's size: 1400x1100mm  
equipped with 7drawers with inside height 50mm